PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

2026 LOOK BOOK

DESIGN • FUNCTION • BALANCE

## SITE FURNISHINGS & PLAYGROUND SOLUTIONS

Durable. Sustainable.
Thoughtfully Designed.
Built for Public Spaces.

- SUSTAINABLE BY DESIGN
- BUILT FOR DURABILITY
- MADE FOR COMMUNITIES
- BETTER SPACES. GREATER IMPACT.



## 2026 LOOK BOOK

PRODUCTS FOR BETTER PUBLIC SPACES

200-100 Park Royal S
Vancouver, BC Canada
info@pleaseplant.com
+1 236-323-2179
pleaseplant.com

REV. 0.1

# PLEASE PLANT

ABOUT PLEASE PLANT

## ROOTED IN PURPOSE. BUILT TO LAST.

SUSTAINABLE SOLUTIONS. STRONGER COMMUNITIES.

info@pleaseplant.com
+1 236-323-2179

Please Plant is a Vancouver-based manufacturer providing sustainable outdoor infrastructure solutions for projects across the West Coast and Midwest. We partner with architects, designers, engineers, and contractors to deliver durable, high-performance products that enhance public and private spaces.

### WHO WE ARE

We design and manufacture outdoor solutions that elevate spaces, support communities, and stand the test of time.

VANCOUVER, BC
CANADA



### WHY CHOOSE PLEASE PLANT

**DESIGN FIRST**
Solutions that elevate the built environment and complement great design.

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Responsible materials and processes that support green building goals.

**PARTNER EVERY STEP**
From early design to installation, we're with you all the way.

**LOCAL ADVANTAGE**
Manufactured in North America for faster lead times and regional support.

### OUR STORY & VALUES

With more than 10 years of experience, Please Plant has grown from a local manufacturer into a trusted partner for projects across North America. Our work is grounded in technical rigor, specification clarity, and practical buildability.

By combining manufacturing expertise with in-house specification and estimating capabilities, we help project teams navigate material selection, performance requirements, and regional considerations with confidence.

Please Plant is known for a measured, design-first approach and a commitment to long-term durability and environmental responsibility.

INTEGRITY | QUALITY | SUSTAINABILITY
COLLABORATION | INNOVATION | ACCOUNTABILITY

### WHAT WE DO

**MANUFACTURING EXCELLENCE**



Precision manufacturing and quality control ensure products that perform in the real world.

**SUSTAINABLE SOLUTIONS**



Eco-conscious materials and processes that reduce impact and support green goals.

**TECHNICAL EXPERTISE**



Detailed specifications, CAD files, and product data to support every phase of your project.

**PROJECT SUPPORT**



From design development to bid support, we provide the tools and guidance you need.

**REGIONAL FOCUS**




Local manufacturing and logistics for reliable timelines and responsive service.

### BY THE NUMBERS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 10+ YEARS IN BUSINESS | 24+ PRODUCT SYSTEMS | UP TO 80% RECYCLED CONTENT IN SELECT PRODUCTS | 8 / 3 / 2 YEAR WARRANTY STRUCTURAL / COATINGS & FINISHES / COMPONENTS | NORTH AMERICAN MANUFACTURING BUILT IN CANADA | LEED® & SUSTAINABLE SITES SUPPORT | DEDICATED DESIGN & TECHNICAL SUPPORT | NATIONWIDE SHIPPING & PROJECT LOGISTICS |

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

REV. 0.1

# PLEASE PLANT

FULLY CUSTOMIZABLE SOLUTIONS

## DESIGNED AROUND YOUR VISION.

CUSTOM PRODUCTS. SPECIFIED TO PERFORM.

info@pleaseplant.com
+1 236-323-2179

Every project is unique. That's why our products are fully customizable to meet your exact design, performance, and budget requirements. From material selection to finishes and branding, we collaborate with you to create solutions that integrate seamlessly into your project and environment.

**BUILT AROUND YOUR PROJECT**

Every detail can be customized to align with your design intent, site conditions, and performance needs.

VANCOUVER, BC CANADA



### CUSTOMIZE EVERY DETAIL

**SIZES & DIMENSIONS**
Any size, shape, or configuration to fit your project requirements.

**MATERIALS & FINISHES**
Choose from a range of materials, colors, textures, and protective coatings.

**FUNCTION & FEATURES**
Add lighting, charging ports, drainage, branding, or other functional elements.

**BRANDING & IDENTITY**
Engraving, logos, and custom details that reflect your project's identity.

**SOLUTIONS THAT FIT**
We design and engineer custom solutions that fit your needs—exactly.

### THE CUSTOMIZATION PROCESS

**01 DISCOVER**
We learn about your project goals, site conditions, and design intent.

**02 COLLABORATE**
Our team provides expert guidance on options, materials, and performance.

**03 DESIGN**
We create preliminary drawings, renderings, and specifications for your review.

**04 REFINE**
We iterate and refine the solution until it's perfectly aligned with your vision.

**05 BUILD**
Precision manufacturing with rigorous quality control and sustainable practices.

**06 DELIVER & SUPPORT**
On-time delivery with ongoing support from design through installation.

### WHAT YOU CAN CUSTOMIZE

**SHAPE & CONFIGURATION**



- Any shape or layout
- Curved, angled, or modular designs
- Standalone or integrated systems

**MATERIALS**



- Steel, aluminum, stainless steel, composite
- Recycled & sustainable materials
- FSC-certified wood

**FINISHES & COLOURS**



- Powder coat, anodized, wood grain & more
- Standard RAL colours or custom match
- Textured or smooth

**FEATURES & INTEGRATIONS**



- Lighting, power, USB
- Drainage & irrigation
- Waste & recycling solutions
- Heating & more

**BRANDING & DETAILS**




- Laser cut patterns
- Engraving & logos
- Custom perforation & branding

**PERFORMANCE**



- Load ratings
- Wind & seismic considerations
- Corrosion & UV protection

### OUR COMMITMENT

Custom doesn't mean complicated. We make the process collaborative, efficient, and transparent—delivering solutions that are built to perform, built to last, and built for you.

**DESIGN WITHOUT COMPROMISE**
Bring your vision to life—without limits.

**QUALITY YOU CAN TRUST**
Engineered, tested, and built to last.

**SUSTAINABILITY AT THE CORE**
Responsible choices for a better future.

### KEY BENEFITS

**DESIGN FLEXIBILITY**
Solutions tailored to your exact needs.

**COMPETITIVE ADVANTAGE**
Stand out with unique, project-specific details.

**LONG-TERM VALUE**
Durable, maintainable products that perform for years.

**SIMPLIFIED PROCESS**
One partner from concept to completion.

**EXPERT GUIDANCE**
In-house team supports you at every step.

**TECHNICALLY SOUND**
Engineered to meet standards & codes.

**ON-TIME DELIVERY**
Reliable lead times you can count on.

**DEDICATED SUPPORT**
We're here whenever you need us.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

REV. 0.1

# PLEASE PLANT

PRODUCT CATALOG

# FULL LINEUP OVERVIEW

**DESIGN-DRIVEN. PERFORMANCE-FOCUSED. BUILT FOR PLACE.**

info@pleaseplant.com
+1 236-323-2179

Please Plant manufactures high-performance, sustainable exterior solutions for architectural and landscape environments. Explore our complete catalog of site furnishings, structural systems, outdoor living products, stormwater solutions, and outdoor play equipment.

## 1. EXTERIOR FURNISHINGS | Built for public spaces. Designed to last.



**1.1 BENCHES**
GEO-BNC
Durable. Ergonomic. Timeless.



**1.2 BIKE RACKS**
GEO-BKR
Secure. Functional. Built to endure.



**1.3 BOLLARDS**
GEO-BLD
Protect. Define. Enhance.



**1.4 PLANTERS**
GEO-PLT
Sustainable. Modern. Versatile.



**1.5 OUTDOOR TABLES**
GEO-TBL
Strong. Stylish. Functional.



**1.6 RECEPTACLES**
GEO-REC
Clean. Organized. Sustainable.



**1.7 SHADE STRUCTURES**
GEO-SHD
Comfort. Protection. Design.

## 2. DECKING & RAILINGS | Engineered for safety, strength, and architectural integration.



**2.1 METAL DECKING**
GEO-DCK
Strong. Fire-rated. Customizable.



**2.2 COMPOSITE DECKING**
GEO-CMP
Eco-friendly. Slip-resistant. Low maintenance.



**2.3 GLASS & METAL RAILINGS**
GEO-GRL
Sleek. Secure. Unobstructed.



**2.4 METAL RAILINGS**
GEO-MRL
ADA-compliant. Durable. Versatile.



**2.5 PREFABRICATED STAIRS**
GEO-STA
Modular. Efficient. Built to code.



**2.6 ANTI-SLIP SURFACES**
GEO-SLP
High traction. All conditions.



**2.7 TILE SOLUTIONS**
GEO-TIL
Durable. Beautiful. Built for traffic.

## 3. OUTDOOR LIVING & HEATING | Extend outdoor living into every season.



**3.1 ARTIFICIAL TURF**
GEO-TURF
Realistic. Durable. Low maintenance.



**3.2 BBQS & GRILLS**
GEO-BBQ
Premium. Reliable. Built outdoors.



**3.3 OUTDOOR KITCHENS**
GEO-KCH
Modular. Custom. Complete.



**3.4 FIRE PITS**
GEO-FPT
Warmth. Ambiance. Gather.



**3.5 PATIO HEATERS**
GEO-HTR
Efficient. Safe. All-season.



**3.6 BARS & SERVING STATIONS**
GEO-BAR
Functional. Stylish. Entertain.



**3.7 RETRACTABLE AWNINGS**
GEO-AWN
Shade on demand. Protected.


## 4. STORMWATER SOLUTIONS | Manage water. Protect infrastructure. Support sustainability.



**4.1 MODULAR TANKS**
GEO-TNK
High capacity. Scalable.



**4.2 DRAINAGE PLATFORMS**
GEO-DPL
Efficient flow. Built strong.



**4.3 PERMEABLE PAVERS**
GEO-PVR
Sustainable. High performance.



**4.4 GEOTEXTILE SOLUTIONS**
GEO-TXT
Filter. Stabilize. Protect.



**4.5 INSPECTION PORTS**
GEO-INS
Accessible. Durable.



**4.6 OVERFLOW SYSTEMS**
GEO-OVR
Reliable. Efficient. Engineered.



**4.7 RAIN GARDENS**
GEO-RNG
Manage runoff. Support habitat.

## 5. OUTDOOR PLAY EQUIPMENT | Engaging play systems designed for parks, schools, and public spaces.



**5.1 PLAYGROUND SLIDES**
GEO-SLD
Smooth. Durable. Built to last.



**5.2 PLAY STRUCTURES**
GEO-STR
Modular. Connected. Adventure.



**5.3 CLIMBING SYSTEMS**
GEO-CLM
Active. Challenging. Fun.



**5.4 SWING SETS**
GEO-SWG
Classic. Inclusive. All ages.



**5.5 BALANCE ELEMENTS**
GEO-BAL
Coordinate. Move. Explore.



**5.6 INTERACTIVE PLAY PANELS**
GEO-PNL
Learn. Create. Engage.



**5.7 INCLUSIVE PLAY EQUIPMENT**
GEO-INC
Accessible. Together. Limitless.

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural, 3 years coatings & finishes, 2 years components.

PLEASE PLANT | 200-100 Park Royal S Vancouver, BC Canada | info@pleaseplant.com | +1 236-323-2179 | pleaseplant.com

REV. 0.1

# PLEASE PLANT

INDUSTRY LEADING WARRANTY

# BUILT TO LAST. BACKED FOR YEARS.

CONFIDENCE IN EVERY DETAIL.

info@pleaseplant.com
+1 236-323-2179

At Please Plant, we stand behind the quality and performance of everything we build. Our industry-leading warranty provides long-term protection so you can specify with confidence and build for the future.

## OUR PROMISE

We engineer every product to perform in real-world conditions – and we back it up with one of the strongest warranties in the industry.

VANCOUVER, BC
CANADA



## INDUSTRY-LEADING COVERAGE

**8 YEAR STRUCTURAL WARRANTY**
Coverage against structural defects and failure under normal use.

**3 YEAR COATING & FINISH WARRANTY**
Protection against peeling, cracking, fading, and corrosion.

**2 YEAR COMPONENT WARRANTY**
Coverage on parts, fasteners, electronics, and moving components.

**BUILT FOR REAL-WORLD CONDITIONS**
Engineered to withstand extreme weather, heavy use, and time.

**PEACE OF MIND**
Backed by a team that stands behind our products and our partners.

## WHAT OUR WARRANTY COVERS

**MATERIAL & WORKMANSHIP**
Defects in materials and manufacturing under normal use.

**WEATHER & CORROSION RESISTANCE**
Protection against rust, corrosion, and deterioration from weather exposure.

**UV STABILITY**
Finishes and materials resist fading, chalking, and UV degradation.

**STRUCTURAL INTEGRITY**
Products maintain their strength and performance over time.

**COMPONENT PERFORMANCE**
Components function as intended, free from defects in design or assembly.

## WARRANTY EXCLUSIONS

- Damage from improper installation or maintenance
- Vandalism, abuse, or negligence
- Normal wear and tear
- Unauthorized modifications
- Acts of nature beyond our control (e.g., floods, earthquakes)

## PRODUCTS BUILT TO LAST

**EXTERIOR FURNISHINGS**



Benches, bollards, planters, bike racks, tables, and receptacles.

**DECKING & RAILINGS**



Decking systems, railings, stairs, and anti-slip solutions.

**OUTDOOR LIVING & HEATING**



BBQs, kitchens, fire pits, heaters, awnings, and serving stations.

**STORMWATER SOLUTIONS**



Drainage platforms, permeable pavers, tanks, overflow systems, and rain gardens.

**OUTDOOR PLAY EQUIPMENT**



Play structures, swings, climbers, and inclusive play systems.

## MADE FOR THE LONG HAUL

**RIGOROUSLY TESTED**
Products are tested to meet or exceed industry standards.

**QUALITY MATERIALS**
We use premium materials selected for durability and longevity.

**ENGINEERED WITH CARE**
Thoughtful design and precision manufacturing ensure reliability.

**SUPPORT YOU CAN COUNT ON**
Our team is here to help—before, during, and long after installation.

## OUR COMMITMENT

We build products that are designed to perform today and stand strong for years to come. Our warranty reflects the trust we have in our work—and the respect we have for the projects and people we serve.

**SUSTAINABLE BY DESIGN**
Built with the environment in mind for a better tomorrow.

**QUALITY YOU CAN TRUST**
Backed by standards, tested in the real world, built to last.

**PARTNERSHIP THAT LASTS**
We're in it with you for the long term—every step of the way.

## THE PLEASE PLANT DIFFERENCE

**INDUSTRY-LEADING WARRANTY**
8 / 3 / 2 year coverage on structural, finishes & components.

**MANUFACTURER DIRECT**
Quality control from start to finish.

**SUSTAINABLE SOLUTIONS**
Responsible materials and eco-conscious processes.

**DEDICATED SUPPORT**
Real people, real answers, when you need them most.

**SPECIFICATION READY**
CSI specs, CAD details, and submittals to save you time.

**ON-TIME DELIVERY**
Reliable lead times and nationwide shipping you can count on.

**BUILT TO FIT YOUR PROJECT**
Custom options to match your design and performance needs.

**PROVEN PERFORMANCE**
Trusted by architects, contractors, and communities.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

PRODUCT DATA SHEET

## EXTERIOR FURNISHINGS | GEO SERIES

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179



### OVERVIEW

Please Plant Exterior Furnishings are high-performance site elements designed for commercial, municipal, and institutional environments. Engineered for durability and timeless design, the GEO Series combines premium materials with functional flexibility to elevate outdoor spaces and withstand the demands of high-traffic use.

### PRODUCT SCOPE

- **BENCHES** (GEO-BNC)
- **BIKE RACKS** (GEO-BKR)
- **BOLLARDS** (GEO-BLD)
- **PLANTERS** (GEO-PLT)
- **OUTDOOR TABLES** (GEO-TBL)
- **TRASH & RECYCLING** (GEO-REC)
- **SHADE STRUCTURES** (GEO-SHD)

### PERFORMANCE

- Commercial-grade construction for long-term durability
- Corrosion and impact resistant
- UV-stable finishes
- Designed to meet or exceed ASTM, CSA, and ANSI standards

### CUSTOMIZATION

- Custom dimensions and configurations
- Wide range of RAL powder-coated finishes
- Optional features: LED lighting, USB charging ports, branding, and anti-graffiti coatings

### SUSTAINABILITY

- Manufactured using recycled and recyclable materials
- Supports LEED® credits under Materials & Resources (MR) and Sustainable Sites (SS)
- Built for long product life and reduced environmental impact

### INSTALLATION & MAINTENANCE

- Surface-mount or in-ground installation options
- Standard stainless steel anchoring hardware included (where applicable)
- Low-maintenance; routine cleaning and periodic inspection recommended

### APPLICATIONS

- Municipal and civic infrastructure
- Educational campuses
- Commercial and mixed-use developments
- Parks, plazas, and recreational spaces
- Transit hubs and pedestrian corridors

### WARRANTY

- 5-year structural warranty
- 5-year coatings and finishes warranty
- 5-year workmanship and components warranty

Warranty is subject to proper installation and maintenance.

### COMPLIANCE

Please Plant Exterior Furnishings meet or exceed applicable standards, including:

ASTM | CSA | ANSI

Full certifications available upon request.



DESIGN-ALIGNED. BUILT FOR PERFORMANCE. MADE TO LAST.
Complete site furnishing solutions for spaces that are built to be used.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

1.1

REV. 0.1




**BUILT TO LAST**

Engineered for high-traffic environments with premium materials and construction.

**SUSTAINABLE DESIGN**

Manufactured with up to 80% recycled content and eco-friendly finishes.

**CUSTOMIZABLE**

Armrests, backrests, lighting, and branding options available.

**WEATHER RESISTANT**

UV-stable and corrosion-resistant for long-term performance outdoors.

pleaseplant.com

sales@pleaseplant.com

+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PRODUCT DATA SHEET

# PLEASE PLANT

## EXTERIOR BENCH SYSTEM

# GEO-BNC

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### CONFIGURATION OPTIONS



With Backrest & Armrests



Backless Bench



Integrated LED Lighting

### OVERVIEW

Engineered for durability, sustainability, and style, the Commercial Outdoor Bench is designed for high-traffic outdoor spaces. Its sleek, ergonomic design makes it a perfect fit for urban, institutional, and recreational projects, balancing functionality with aesthetic appeal.

### MATERIAL COMPOSITION

**Frame Material:** High-strength steel or aluminum, powder-coated or anodized to resist corrosion and wear in diverse climates.

**Seating Surface:** Composite or powder-coated metal with UV-stable coatings to prevent fading and surface degradation.

### DIMENSIONS




### PERFORMANCE

- **Load Capacity:** Up to 1,000 lbs distributed weight
- **Corrosion Resistance:** Exceeds ASTM B117 salt spray standards
- **UV Stability:** 5+ years exposure per ASTM G154
- **Fire Rating:** ASTM E84 Class A and CAN ULC-S102

### KEY FEATURES

**Sustainable Design:** Manufactured with up to 80% recycled content, ensuring eco-conscious project compliance.


**Customization:** Armrests, backrests, integrated lighting, USB charging ports, and personalized branding available.

**Finish Options:** Standard powder-coated RAL colors or anodized finishes for enhanced durability and style.

### APPLICATIONS

Plazas · Transit Hubs · University Campuses · Municipal Parks · Corporate Landscapes · Retail Centers

### INSTALLATION



**Surface-Mount:** Secure stainless-steel hardware ensures stability for permanent installations.

**In-Ground Mounting:** Enhanced stability for high-exposure areas and public spaces.

### MAINTENANCE



Routine cleaning with mild detergents preserves finishes. Annual inspections of anchoring hardware are recommended for high-use installations.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES | COMPONENTS |

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

Meets LEED® criteria for Material & Resources and Sustainable Sites credits. Eco-conscious manufacturing processes prioritize reduced embodied carbon.

UP TO 80% RECYCLED CONTENT · LEED® COMPLIANT · LOW IMPACT MANUFACTURING · LONG LIFECYCLE DESIGN

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 01 | 1.2**
REV. 0.1




BIKE RACK SYSTEMS

## GEO-BKR

Secure. Durable.
Built for urban spaces
and active communities.

Shown: GEO-BKR-2B-PC
Powder-coated steel frame
in custom RAL 9005

**SECURE STORAGE**
Engineered for reliable bicycle parking and theft deterrence.

**DURABLE MATERIALS**
Heavy-duty construction with corrosion and weather resistance.

**SMART SPACING**
Optimized layouts for efficient use and pedestrian clearance.

**SUSTAINABLE CHOICE**
Eco-friendly materials supporting greener communities.

pleaseplant.com | sales@pleaseplant.com | +1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

PRODUCT DATA SHEET

## BIKE RACKS | GEO-BKR

REV. 0.1

info@pleaseplant.com | +1 236-323-2179



### OVERVIEW

Designed for durability, security, and clean urban integration, the GEO-BKR bike rack system provides reliable bicycle storage for high-traffic environments while maintaining a refined architectural aesthetic.

### MATERIALS


**Frame**
High-strength steel or aluminum

**Surface**
Smooth tubular or formed profiles

**Finish**
Powder-coated (RAL) or anodized

Optional composite materials for lightweight, sustainable applications

### DIMENSIONS




### PERFORMANCE

**Load / Impact Resistance**
Designed for high-traffic public use

**Corrosion Resistance**
Meets or exceeds ASTM B117

**UV Stability**
ASTM G154 compliant

**Structural Integrity**
Engineered for long-term outdoor exposure

### FEATURES

- Secure multi-point bike locking capability
- Custom configurations (2–10 bike capacity)
- Powder-coated RAL color selection
- Optional stainless or galvanized finishes
- Sustainable material options available

### APPLICATIONS

- Urban streetscapes
- University campuses
- Transit hubs
- Commercial developments

### INSTALLATION

**Surface Mount**
Stainless steel anchoring hardware

**In-Ground**
Embedded installation for enhanced stability

### MAINTENANCE

- Clean with mild, non-abrasive detergents
- Inspect anchoring hardware periodically

### WARRANTY

| 8-YEAR STRUCTURAL | 3-YEAR COATINGS & FINISHES | 2-YEAR COMPONENTS |
|---|---|---|

### SUSTAINABILITY

- Up to 85% recycled material content
- Supports LEED® Material & Resources credits
- Low-impact manufacturing processes

PLEASE PLANT | info@pleaseplant.com | +1 236-323-2179 | pleaseplant.com


DESIGN-ALIGNED. BUILT FOR PERFORMANCE. MADE TO LAST.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 1.3**
REV. 0.1




### BUILT TO PROTECT

Engineered for high-impact environments and perimeter control applications.

### DURABLE MATERIALS

Steel or aluminum construction with corrosion-resistant finishes for long-term performance.

### INTEGRATED LIGHTING

Optional LED lighting enhances visibility and safety.

### CUSTOMIZABLE

Multiple heights, diameters, finishes, and mounting options available.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

PRODUCT DATA SHEET

COMMERCIAL BOLLARDS

# GEO-BLD

GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



## MATERIALS

- High-strength steel or aluminum
- Powder-coated or anodized finishes
- Optional composite construction
- Stainless steel internal hardware

## DIMENSIONS

36" – 48" (custom available)

4" – 12" (diameter)

Custom profiles and spacing available

## PERFORMANCE

- Impact-resistant for vehicle protection
- Corrosion resistance exceeding ASTM B117
- UV stability compliant with ASTM G154
- Designed for harsh climates and urban exposure


## FEATURES

- Optional integrated LED lighting
- Custom RAL powder-coated finishes
- Anodized aluminum options
- Anti-graffiti coating available
- Decorative and security configurations


## APPLICATIONS

- Traffic control
- Perimeter security
- Streetscapes and plazas
- Commercial and municipal developments

## INSTALLATION



**Surface-mounted** with stainless steel anchors



**In-ground installation** for high-impact resistance

Engineered anchoring systems recommended for load zones

## MAINTENANCE

- Mild detergent cleaning recommended
- Annual inspection of anchoring hardware
- Recoat or touch-up as needed for long-term performance

## WARRANTY

- 8 YEAR — STRUCTURAL WARRANTY
- 3 YEAR — COATINGS & FINISHES
- 2 YEAR — COMPONENTS WARRANTY

## SUSTAINABILITY

- Manufactured with up to 85% recycled content
- Supports LEED® Material & Resources credits
- Eco-conscious manufacturing processes

Please Plant is a supply-only manufacturer. Installation, engineering, and site preparation by others.
All products meet or exceed applicable ASTM and industry standards.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 1.3**
REV. 0.1




### BUILT TO LAST

Weather-resistant materials engineered for durability in any climate.

### SMART DRAINAGE

Integrated drainage system promotes healthy plants and prevents water buildup.

### UV STABLE FINISHES

Fade-resistant, powder-coated finishes maintain their appearance over time.

### FULLY CUSTOMIZABLE

Multiple sizes, shapes, finishes, and branding options to match your vision.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

DATA SHEET

REV. 0.1

# PLEASE PLANT | PLANTERS GEO-PLT

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL COMPOSITION

**Durable Materials:** High-strength steel or aluminum with powder-coated finishes for long-lasting durability.

**Composite Options:** Composite materials available for lightweight, eco-conscious applications.

**Sustainable Design:** Constructed with up to 85% recycled materials using eco-conscious manufacturing practices.

**Finishes:** Powder-coated in RAL colors or anodized finishes.

## KEY BENEFITS

**WEATHER RESISTANCE**
Engineered to endure harsh conditions, including coastal environments and Midwest winters, without rusting or degradation.

**INTEGRATED DRAINAGE**
Built-in drainage systems prevent water pooling and maintain plant health.

**UV STABILITY**
Tested to withstand prolonged sun exposure without fading or cracking.

**AESTHETIC FLEXIBILITY**
Custom finishes and optional features complement modern architectural and landscape designs.

**LOW MAINTENANCE**
Durable materials and protective finishes reduce maintenance requirements and extend service life.

## DIMENSIONS

**Standard Sizes (Width x Length):**

18" x 18"
24" x 24"
36" x 36"
48" x 48"

Custom dimensions available upon request.

**Depth:**

12" – 24"

suitable for various plant types and root systems.

## KEY FEATURES

**Custom Finishes**
Available in powder-coated RAL colors or anodized options to match architectural styles.

**Optional Features**
Integrated irrigation ports, anti-graffiti coatings, and branding elements.

## APPLICATIONS

- Plazas & Public Spaces
- Rooftops & Terraces
- Parks & Greenways
- Institutional Campuses
- Retail & Commercial Developments

## INSTALLATION OPTIONS

**Freestanding**
Includes optional leveling feet for stability on uneven surfaces.

**Anchored**
Provides wind resistance for high-exposure areas.

## PERFORMANCE & TESTING

**Structural Integrity**
Engineered for high-load capacity and long-term durability.

**Corrosion Resistance**
Exceeds ASTM B117 salt spray test standards for harsh environments.

**UV Weathering**
Meets ASTM G154 standards for UV resistance and color retention.

**Fire Rating**
ASTM E84 Class A
CAN/ULC-S102 compliant.

## COMMON CONFIGURATIONS



SQUARE PLANTER (SINGLE) | RECTANGULAR PLANTER (LARGE) | LONG TROUGH PLANTER (LANDSCAPE) | ROUND PLANTER (ACCENT) | PLANTER WITH SCREEN (PRIVACY)

Custom sizes, shapes, and features available to meet project-specific requirements.

## OUR APPROACH TO PLANTERS

**1 PROJECT CONSULTATION**
We collaborate with designers and project stakeholders to understand project goals, site conditions, and planting requirements.

**2 DESIGN & CUSTOMIZATION**
Planters are designed and customized to match architectural intent, functional needs, and sustainability objectives.

**3 INSTALLATION GUIDANCE**
Our team provides installation recommendations and documentation to ensure optimal performance and longevity.

## MAINTENANCE

- Routine cleaning with mild, non-abrasive detergents.
- Inspect drainage systems biannually to ensure proper function.
- Touch-up coatings as needed to maintain appearance.

## SUSTAINABILITY

| RECYCLED MATERIALS | ECO-CONSCIOUS MANUFACTURING | LOW ENVIRONMENTAL IMPACT | LEED® CONTRIBUTION |
|---|---|---|---|
| Up to 85% recycled content. | Reduced waste and energy-efficient processes. | Designed for long service life and recyclability. | Supports Material Resources and Resources and Sustainable Sites credits. |

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## FAQ

**Q: Can planters be customized?**
A: Yes, custom sizes, finishes, and features are available.

**Q: Are planters suitable for rooftops?**
A: Yes, lightweight composite options are ideal for rooftop installations.


**Q: Do planters include drainage?**
A: Yes, all planters include integrated drainage systems.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 05 | 1.3**
REV. 0.1




**BUILT TO ENDURE**
Heavy-duty construction designed for high-traffic public environments.

**INTEGRATED FUNCTION**
Optional USB charging ports and cable management for modern convenience.

**WEATHER READY**
Corrosion-resistant materials and finishes built to withstand all conditions.

**FULLY CUSTOMIZABLE**
Custom sizes, materials, finishes, and features to fit your vision.

pleaseplant.com | sales@pleaseplant.com | +1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

DATA SHEET

REV. 0.1

# PLEASE PLANT | OUTDOOR TABLES GEO-TBL

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL COMPOSITION

**Frame:**
Powder-coated steel or aluminum, resistant to corrosion and wear.

**Tabletop:**
Composite or powder-coated metal with UV-stable coatings for lasting performance.

**Sustainable Design:**
Constructed with up to 85% recycled materials using sustainable production methods.

## KEY BENEFITS

**HIGH LOAD CAPACITY**
Rated for up to 1,000 lbs of distributed weight.

**WEATHER RESISTANCE**
Built to endure harsh conditions, including coastal climates and Midwest winters, without degradation.

**UV STABILITY**
Tested to withstand prolonged sun exposure per ASTM G154 standards.

**FIRE RESISTANCE**
Certified to ASTM E84 Class A and CAN ULC-S102 standards for fire resistance.

**AESTHETIC FLEXIBILITY**
Available in a variety of finishes, colors, and dimensions to match any project vision.

## DIMENSIONS

**Length:**
48" – 96"
(custom sizes available upon request).

**Height:**
28" – 30"

**Depth:**
24" – 36"
(ergonomically designed for versatile use).

## KEY FEATURES

**Eco-Friendly Manufacturing**
Constructed with up to 85% recycled materials using sustainable production methods.

**Customization**
Available in various finishes, colors, and dimensions to meet project-specific needs.

**Optional Features**
Integrated charging ports, anti-graffiti coatings, and branding elements.

## APPLICATIONS

- Public Parks
- Commercial Plazas
- Corporate Campuses
- Institutional Spaces

## INSTALLATION OPTIONS

**Freestanding**
Includes adjustable feet for stability on uneven surfaces.

**Surface-Mount**
Secure anchoring hardware ensures permanent placement in high-traffic areas.

## PERFORMANCE & TESTING

**Load Capacity**
Rated for up to 1,000 lbs of distributed weight.

**Weather Resistance**
Built to endure harsh conditions, including coastal climates and Midwest winters.

**UV Stability**
Meets ASTM G154 standards for UV resistance and color retention.

**Fire Rating**
ASTM E84 Class A
CAN/ULC-S102 compliant.

## COMMON CONFIGURATIONS



RECTANGULAR TABLE WITH BENCHES | SQUARE TABLE WITH SEATS | ROUND TABLE WITH SEATS | COUNTER HEIGHT TABLE WITH STOOLS | ADA ACCESSIBLE TABLE

Custom sizes, configurations, and features available to meet project-specific requirements.

## OUR APPROACH TO OUTDOOR TABLES

**1 PROJECT CONSULTATION**
We collaborate with designers and project stakeholders to understand project goals, site conditions, and functional requirements.

**2 DESIGN & CUSTOMIZATION**
Tables are engineered and customized in size, materials, finishes, and features to align with project needs and sustainability objectives.

**3 INSTALLATION GUIDANCE**
Our team provides installation recommendations and documentation to ensure optimal performance, stability, and longevity.

## MAINTENANCE

- Routine cleaning with mild, non-abrasive detergents.
- Inspect hardware annually to ensure stability and performance.
- Touch-up coatings as needed to maintain appearance.

## SUSTAINABILITY

**RECYCLED MATERIALS**
Up to 85% recycled content.

**ECO-CONSCIOUS MANUFACTURING**
Processes designed to reduce embodied carbon and waste.

**LOW ENVIRONMENTAL IMPACT**
Efficient production methods minimize environmental impact.

**LEED® CONTRIBUTION**
Supports LEED Material & Resources and Sustainable Sites credits.

## WARRANTY

**8 YEAR** STRUCTURAL WARRANTY

**3 YEAR** COATINGS & FINISHES WARRANTY

**2 YEAR** COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

## FAQ

**Q:** Can tables be customized?
**A:** Yes, custom sizes, finishes, and features are available.

**Q:** Are tables suitable for coastal areas?
**A:** Yes, materials and coatings are designed to resist corrosion in coastal climates.

**Q:** Are integrated charging ports available?
**A:** Yes, charging ports can be integrated as an optional feature.

**Q:** Do tables require anchoring?
**A:** Freestanding tables include adjustable feet. Surface-mount options are available for added security.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 06** | 1.6
REV. 0.1




### BUILT TO LAST

Engineered for high-traffic environments with premium materials and construction.

### DUAL STREAM

Clearly labeled compartments support efficient waste sorting and sustainability.

### SUSTAINABLE DESIGN

Made with recycled materials and FSC® hardwood for a lower environmental impact.

### WEATHER RESISTANT

UV-stable and corrosion-resistant for long-term outdoor performance.

PLEASE PLANT

PRODUCT DATA SHEET

REV. 0.1

# TRASH & RECYCLING RECEPTACLES

# GEO-REC

GEO SERIES


info@pleaseplant.com
+1 236-323-2179




## MATERIALS & CONSTRUCTION

- **Body:** Powder-coated steel or aluminum
- **Lid Options:** Composite or powder-coated metal with optional weather shields
- Corrosion and impact resistant finishes
- Stainless steel hardware

## DIMENSIONS




## CAPACITY

20 – 50 Gallons per compartment

## CONFIGURATION

Single or dual compartment

## PERFORMANCE & TESTING

**WEATHER RESISTANCE**
Built to endure extreme climates including coastal and Midwest conditions

**CORROSION RESISTANCE**
Meets or exceeds ASTM B117

**FIRE RATING**
ASTM E84 Class A
CAN ULC-S102

**DURABILITY**
Anti-corrosion and impact-resistant finishes for long-lasting performance

**UV STABILITY**
ASTM G154 compliant for prolonged sun exposure without degradation

**HIGH-TRAFFIC USE**
Engineered for intensive public use and wear

## KEY FEATURES

- DUAL-STREAM WASTE & RECYCLING SEPARATION
- UP TO 85% RECYCLED MATERIAL CONTENT
- CUSTOM FINISHES RAL POWDER COAT & ANODIZED
- OPTIONAL LABELING & BRANDING
- ANTI-GRAFFITI COATING AVAILABLE
- WEATHER-RESISTANT LID SYSTEMS

## APPLICATIONS

- Public plazas
- Municipal parks
- University campuses
- Commercial developments
- Transit & civic infrastructure

## INSTALLATION OPTIONS

**FREESTANDING**
Weighted base for stability in high-traffic areas



**SURFACE-MOUNT**
Secure anchoring hardware for permanent installation



## MAINTENANCE

- Clean with mild, non-abrasive detergents
- Regularly empty and inspect receptacles
- Annual inspection of anchoring hardware recommended

## WARRANTY

- 8 YEAR — STRUCTURAL WARRANTY
- 3 YEAR — COATINGS & FINISHES
- 2 YEAR — COMPONENTS WARRANTY

## SUSTAINABILITY

- MEETS LEED® MATERIAL & RESOURCES CREDITS
- LOW EMBODIED CARBON MANUFACTURING
- SUSTAINABLE DESIGN FOR A CLEANER FUTURE

## NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 07 | 1.7**
REV. 0.1




### BUILT FOR SCALE

Engineered for large footprints with structural steel or aluminum framing for public environments.

### HIGH WIND PERFORMANCE

Tested and designed to withstand wind loads up to 120 mph when anchored.

### UV & WEATHER PROTECTION

Provides up to 99% UV protection with durable, weather-resistant roofing.

### ARCHITECTURAL FLEXIBILITY

Fully customizable layouts, spans, finishes, and integrated features for any project.

pleaseplant.com | sales@pleaseplant.com | +1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

PRODUCT DATA SHEET

## SHADE STRUCTURES
## GEO-SHD

GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



### MATERIALS & CONSTRUCTION


**Frame:** High-strength steel or aluminum with powder-coated or anodized finishes

**Roofing:** Composite materials or perforated metal panels for UV protection and weather resistance

Corrosion and impact resistant finishes

Stainless steel hardware

### DIMENSIONS




### CUSTOM SIZES

Custom spans, heights, and configurations available for irregular spaces and unique layouts.

### PERFORMANCE & TESTING

**WEATHER RESISTANCE**
Engineered to endure wind loads up to 120 mph and tested to ASTM E330 structural standards

**UV PROTECTION**
Provides up to 99% UV block while maintaining natural light diffusion

**FIRE RATING**
ASTM E84 Class A
CAN ULC-S102
non-combustible

**STRUCTURAL DURABILITY**
Designed for long-term performance in high-traffic and demanding conditions

**WIND LOAD CAPACITY**
Withstands winds up to 120 mph

**HIGH-TRAFFIC USE**
Ideal for public, commercial, and recreational spaces

### KEY FEATURES

**SUSTAINABLE DESIGN**
Manufactured with up to 85% recycled content

**CUSTOM OPTIONS**
Multiple configurations, finishes, and colors to match architectural vision

**INTEGRATED LIGHTING**
Optional LED lighting for safety and ambiance

**SOLAR PANEL READY**
Designed to support integrated solar panel systems

**WATER MANAGEMENT**
Optional integrated water collection and drainage systems

**MODULAR DESIGN**
Flexible solutions for a variety of site conditions

### APPLICATIONS

- Public plazas
- University campuses
- Corporate landscapes
- Retail developments
- Recreational parks

### INSTALLATION OPTIONS

**SURFACE-MOUNT**
Anchored with concealed stainless-steel hardware for permanent placement



**FREESTANDING**
Modular designs allow flexible installation in various terrains



### MAINTENANCE

Clean with mild, non-abrasive detergents

Inspect anchoring hardware annually, especially in high-wind regions

Low-maintenance design built for long-term performance

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES | COMPONENTS WARRANTY |

### SUSTAINABILITY

- MEETS LEED® SUSTAINABLE SITES CREDITS
- MEETS LEED® MATERIAL & RESOURCES CREDITS
- LOW EMBODIED CARBON MANUFACTURING

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others.

PLEASE PLANT


200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

PRODUCT DATA SHEET

## DECKING & RAILINGS | GEO SERIES

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179



### OVERVIEW

Please Plant Decking & Railing Systems are engineered for structural performance, durability, and modern architectural integration. Designed for commercial, municipal, and institutional applications, the GEO Series combines high-strength materials with clean, adaptable design to support elevated environments and high-traffic use.

### PRODUCT SCOPE

- **METAL DECKING SYSTEMS** (GEO-DCK)
- **COMPOSITE DECKING** (GEO-CMP)
- **GLASS & METAL RAILINGS** (GEO-GRL)
- **METAL RAILINGS** (GEO-MRL)
- **PREFABRICATED STAIRS** (GEO-STA)
- **ANTI-SLIP SURFACES** (GEO-SLP)
- **TILE SOLUTIONS** (GEO-TIL)

### PERFORMANCE

- Commercial-grade structural performance
- Corrosion-resistant coatings (ASTM B117)
- UV-stable finishes (ASTM G154)
- Designed to meet ASTM, CSA, and ANSI standards
- Engineered for heavy load applications

### CUSTOMIZATION

- Custom panel profiles and spans
- Powder-coated RAL finishes, galvanized, or anodized
- Glass or metal railing configurations
- Integrated lighting and architectural features

### SUSTAINABILITY

- Manufactured with recycled-content metals
- Supports LEED® Material & Resources credits
- Long lifecycle with low environmental impact

### INSTALLATION & MAINTENANCE

- Surface-mounted or structural integration
- Stainless steel anchoring systems
- Designed for efficient installation
- Low-maintenance; periodic inspection recommended

### APPLICATIONS

- Rooftop decks and terraces
- Podium structures
- Commercial and mixed-use
- developments
- Institutional and municipal buildings
- Elevated walkways and balconies

### WARRANTY

- 5-year structural warranty
- 5-year coatings and finishes warranty
- 5-year components warranty

Warranty is subject to proper installation and maintenance.

### COMPLIANCE

Please Plant Decking & Railing Systems meet or exceed applicable standards, including:

ASTM | CSA | ANSI


Full certifications available upon request.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 08 | 2.1**
REV. 0.1



DECKING SYSTEMS

## GEO-DCK

Large scale. Structural. Engineered for performance, durability, and architectural integration.

Shown: GEO-DCK-RB-40
Powder-coated steel decking system with ribbed profile and integrated anti-slip surface.

### BUILT FOR SCALE

Engineered for large rooftop and commercial applications with structural-grade steel or aluminum systems.

### HIGH LOAD PERFORMANCE

Designed to support heavy commercial loads and high-traffic environments.

### UV & WEATHER RESISTANCE

Protected against corrosion, UV exposure, and extreme climate conditions.

### ARCHITECTURAL FLEXIBILITY

Custom profiles, spans, finishes, and seamless integration with railing systems.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT


PRODUCT DATA SHEET

# METAL DECKING SYSTEMS
# GEO-DCK

GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



## MATERIALS & COMPOSITION


**Steel:** High-strength steel with an anti-corrosion coating for enhanced weather resistance

**Aluminum:** Lightweight decking options available for specialized applications

**Finish Options:** Powder-coated (RAL), galvanized, or anodized for advanced corrosion resistance

**Sustainable:** Manufactured with up to 85% recycled materials

## DIMENSIONS




**Usable Width: 5.5" | 7.25" | 9.5"**
Custom widths available

**Lengths:** Customizable up to 40 ft

**Profiles:** Solid, grooved, or woodgrain surface

Custom configurations available to meet specific project requirements

## PERFORMANCE & TESTING

**LOAD CAPACITY**
Rated for heavy commercial loads, meeting ASTM structural standards

**FIRE RATING**
Certified to ASTM E119 standards for fire resistance

**UV RESISTANCE**
Powder-coated finishes provide superior UV protection

**WEATHER RESISTANCE**
Coated to resist rust, UV degradation, and corrosion in coastal and harsh environments

**DURABILITY**
Engineered for long-term performance in high-traffic and industrial applications

**WIND PERFORMANCE**
Designed to withstand high wind loads per ASTM E330 standards

## KEY FEATURES

**SUSTAINABLE DESIGN**
Up to 85% recycled content for eco-conscious project compliance

**CUSTOM CONFIGURATIONS**
Profiles, finishes, and dimensions tailored to project requirements

**SEAMLESS INTEGRATION**
Compatible with a variety of structural systems for streamlined installation

**CORROSION RESISTANT**
Galvanized, anodized, or powder-coated finishes for maximum protection

**FIRE RESISTANT**
Non-combustible and built for enhanced safety and compliance

**LOW MAINTENANCE**
Durable finishes designed for minimal upkeep and long service life

## APPLICATIONS

- High-rise developments
- Public infrastructure
- Municipal buildings
- Educational campuses
- Industrial facilities
- Commercial projects

## INSTALLATION

**EASE OF USE**
Pre-drilled panels simplify alignment, reducing labor time and costs.



**SUPPORT**
Detailed product documentation and installation guides provided for every project.



## MAINTENANCE

Minimal maintenance required for long-term preformance

Regular inspections recommended for anchoring hardware and surface finishes

Clean with non-abrasive detergents to maintain finish integrity

## WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES

**2 YEAR** — COMPONENTS WARRANTY

## SUSTAINABILITY

**MEETS LEED® MATERIAL & RESOURCES CREDITS**

**LOW EMBODIED CARBON MANUFACTURING**

**SUSTAINABLE DESIGN FOR A CLEANER FUTURE**

## NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 09 | 2.2**
REV. 0.1



COMPOSITE DECKING SYSTEMS

## GEO-CMP

Warm. Sustainable. Engineered for comfort, beauty, and long-term performance.

Shown: GEO-CMP-WD-30 Composite decking with wood-look texture and anti-slip finish.

### SUSTAINABLE MATERIALS

Made with recycled content and eco-conscious materials for a lower environmental impact.

### ANTI-SLIP SURFACE

Textured surface provides secure footing in wet or dry conditions.

### WEATHER RESISTANT

Resists fading, staining, mold, and moisture for long-lasting outdoor performance.

### LOW MAINTENANCE

Splinter-free and easy to clean, requiring minimal upkeep over time.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PRODUCT DATA SHEET

# PLEASE PLANT | COMPOSITE DECKING GEO-CMP

GEO SERIES

REV. 0.1


info@pleaseplant.com
+1 236-323-2179



## MATERIAL COMPOSITION

- Made from recycled plastics and reclaimed wood fibers
- Reinforced with UV-stable additives for long-lasting color retention
- Resistant to cracking, warping, and fading
- Up to 95% recycled material content

## DIMENSIONS




**Profiles:** Grooved or square-edged planks

**Lengths:** Customizable up to 20 ft

Custom dimensions available to meet project requirements

## PERFORMANCE & TESTING

**LOAD CAPACITY**
Meets or exceeds commercial-grade standards for structural integrity

**FIRE RATING**
Certified to ASTM E84 Class B standards for flame spread

**UV STABILITY**
UV-stable additives ensure superior color retention over time

**WEATHER RESISTANCE**
Withstands extreme temperatures, UV exposure, and moisture retention

**DURABILITY**
Resistant to cracking, warping, and fading even in extreme climates

**SLIP RESISTANCE**
Slip-resistant surface for enhanced safety in wet conditions

## KEY FEATURES

**SUSTAINABLE DESIGN**
Manufactured with up to 95% recycled materials

**EASY INSTALLATION**
Compatible with hidden fastener systems for a seamless finish

**MINIMAL MAINTENANCE**
No staining, sealing, or painting required

**CUSTOM OPTIONS**
Wide range of colors, textures, and finishes to complement any design

**STAIN & FADE RESISTANT**
Resists mold, mildew, stains, and moisture absorption

**LONG-LASTING PERFORMANCE**
Engineered for high-traffic commercial and public spaces

## APPLICATIONS

- Educational campuses
- Municipal buildings
- Parks and public spaces
- Retail developments
- Mixed-use spaces
- Industrial facilities

## INSTALLATION

**HIDDEN FASTENERS**
Hidden fastener system creates a clean, seamless surface with no visible screws.



**STANDARD FASTENERS**
Traditional surface screws ensure a secure and durable installation if preferred.



Compatible with standard framing systems and joist layouts for ease of setup.

## MAINTENANCE

- Periodic cleaning with water and mild detergents.
- Resistant to staining, mold, and mildew with proper care.
- Inspect fasteners and structure annually for optimal safety.

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES | COMPONENTS WARRANTY |

## SUSTAINABILITY

- MEETS LEED® MATERIAL & RESOURCES CREDITS
- LOW EMBODIED CARBON MANUFACTURING
- SUSTAINABLE DESIGN FOR A CLEANER FUTURE

## NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 2.3**
REV. 0.1




### ELEVATED SAFETY

Meets code requirements for guardrails and fall protection without compromising views.

### UNOBSTRUCTED VIEWS

Clear glass panels with minimal hardware deliver clean lines and visibility.

### DURABLE & LOW MAINTENANCE

Corrosion-resistant materials with weather-tested finishes built for long-term performance.

### CUSTOMIZABLE DESIGN

Multiple frame finishes, glass options, and mounting configurations available.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PRODUCT DATA SHEET

REV. 0.1

# PLEASE PLANT

## GLASS & METAL RAILINGS

# GEO-GRL

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL COMPOSITION

- Tempered or laminated safety glass in clear, frosted, or tinted options
- High-grade aluminum or stainless steel with corrosion-resistant finishes
- Engineered for durability and resistance to weather exposure
- Manufactured using recyclable materials and eco-conscious processes

### DIMENSIONS




**Glass Thickness:** ½" or ¾", based on safety and application needs.

Custom dimensions available to meet project-specific specifications.

### PERFORMANCE & TESTING

**DURABILITY**
Engineered for heavy use and resistance to weather exposure.

**LOAD CAPACITY**
Meets commercial safety standards for structural integrity.

**WEATHER RESISTANCE**
Corrosion-resistant materials ensure longevity in all climates.

**CODE COMPLIANCE**
Fully compliant with local and international safety codes.

**WIND RESISTANCE**
Designed to withstand high wind loads per ASTM E330.

**FIRE RATING**
Non-combustible materials meet ASTM E84 Class A standards.

### KEY FEATURES

**MODERN DESIGN**
Combines elegance with safety in frameless and minimalistic styles.

**CUSTOMIZATION**
Wide range of finishes, glass tints, and railing configurations to suit project needs.

**LOW MAINTENANCE**
Resistant to rust and wear, reducing upkeep needs over time.

**SUSTAINABLE DESIGN**
Supports LEED® credits through sustainable materials and manufacturing.

**SAFETY & SECURITY**
Designed for impact resistance and maximum occupant protection.

**VISIBILITY**
Unobstructed views with high transparency and clarity options.

**EASY INTEGRATION**
Pre-engineered for seamless integration with standard structural systems.

**FINISH OPTIONS**
Powder-coated or brushed metal finishes available in custom colors.

### APPLICATIONS

- Rooftops & Terraces
- Balconies
- Staircases
- Walkways & Corridors
- Public Platforms & Viewpoints
- Municipal, Educational, & Mixed-Use Developments

### INSTALLATION

**SEAMLESS INTEGRATION**
Pre-engineered for easy installation with standard structural systems.



**INSTALLATION SUPPORT**
Detailed installation guides provided for contractors and installers.



### MAINTENANCE

- Periodic cleaning with mild detergents ensures long-term clarity and finish preservation.
- Inspect hardware annually for safety in high-traffic areas.
- Designed for minimal maintenance and lasting performance.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES | COMPONENTS WARRANTY |

### SUSTAINABILITY

- **MEETS LEED® MATERIAL & RESOURCES CREDITS**
- **LOW EMBODIED CARBON MANUFACTURING**
- **SUSTAINABLE DESIGN FOR A CLEANER FUTURE**

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 02 | 2.4**
REV. 0.1




METAL RAILINGS

# GEO-MRL

Strong. Secure.
Engineered for safety,
designed to elevate
every space.

Shown: GEO-MRL-42-HP-CBL
Powder-coated steel railing
with horizontal cable infill
and integrated LED lighting
in custom RAL 9005

**CODE COMPLIANT**
Meets IBC, ADA, and local building codes for safety and accessibility.

**DURABLE CONSTRUCTION**
Powder-coated or galvanized finishes resist corrosion and wear.

**INTEGRATED LIGHTING**
Optional LED lighting enhances visibility and security.

**CUSTOMIZABLE DESIGN**
Multiple infills, profiles, heights, and finishes to suit any project.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT


PRODUCT DATA SHEET

## METAL RAILINGS
# GEO-MRL

GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- High-grade steel or aluminum with corrosion-resistant coatings
- Powder-coated and anodized finishes for long-term durability
- Constructed with recycled and recyclable materials
- Eco-conscious materials and manufacturing processes

### DIMENSIONS



**Heights: 36" – 42"**

**Custom heights available**

**Custom lengths available to meet project-specific needs**

### PERFORMANCE & TESTING

**LOAD CAPACITY**
Exceeds commercial-grade safety standards for structural integrity.

**FIRE RESISTANCE**
Certified to ASTM E84 Class A and CAN ULC-S102 standards.

**CODE COMPLIANCE**
Meets or exceeds local and international safety regulations and building codes.

**WEATHER RESISTANCE**
UV-stable, rust-preventive coatings for extreme durability in all climates.

**DURABILITY**
Engineered for heavy use and resistance to environmental exposure.

**SAFETY & SECURITY**
Provides fall protection and security for public and private spaces.

### KEY FEATURES

**MODERN DESIGN**
Sleek, contemporary profiles with optional perforated or patterned panels.

**CUSTOMIZATION**
Standard and custom powder-coated RAL colors to align with any architectural style.

**LOW MAINTENANCE**
Durable materials require minimal upkeep and are easy to clean.

**SUSTAINABLE DESIGN**
LEED® eligible, supporting eco-conscious project requirements.

**CODE-COMPLIANT**
Designed to meet or exceed safety standards for commercial use.

**VERSATILE APPLICATIONS**
Ideal for stairs, balconies, pathways, and public walkways.

**EASY INTEGRATION**
Pre-fabricated systems compatible with surface-mount and embedded methods.

**FINISH OPTIONS**
Powder-coated and anodized finishes available in a wide range of colors.

### APPLICATIONS

- Staircases
- Balconies
- Walkways & Pathways
- Highrise Developments
- Educational Campuses
- Municipal Buildings
- Public Walkways & Platforms

### INSTALLATION

**PRE-FABRICATED SYSTEMS**
Engineered for efficient installation and reduced on-site labor.



**MOUNTING METHODS**
Compatible with surface-mount and embedded mounting options.



Detailed installation guides provided for contractors and installers.

### MAINTENANCE

- Regular cleaning with mild detergents preserves appearance and finish.
- Inspect hardware annually to ensure safety and functionality.
- Minimal maintenance required for long-term performance.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**LEED® ELIGIBLE**
Contributes to Materials & Resources credits

**RECYCLED MATERIALS**
Made with recycled and recyclable materials

**SUSTAINABLE SITES**
Supports Sustainable Sites credits through responsible design

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 02 | 2.5**
REV. 0.1



PREFAB STAIRS

## GEO-STA

Modular. Durable.
Engineered for strength
and efficiency.

**Shown:** GEO-STA-36-2L
Prefabricated steel stair system
with powder-coated finish
in custom RAL 9005

### CODE COMPLIANT

Meets IBC, ADA, and local building codes for safety and accessibility.

### MODULAR DESIGN

Prefabricated components ensure fast installation and site efficiency.

### STRUCTURAL STRENGTH

High-strength steel construction engineered for long-term durability and load capacity.

### CORROSION RESISTANT

Powder-coated finishes provide superior protection against the elements.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

REV. 0.1

## PREFABRICATED STAIRS
# GEO-STA

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- High-strength steel or aluminum for superior load-bearing capacity
- Corrosion-resistant coatings including powder-coated and galvanized finishes
- Manufactured using recyclable materials and eco-friendly processes
- Engineered for long-term durability and performance

### DIMENSIONS



**Riser Heights Customizable to meet code requirements**

**Tread Widths**
**36" – 60"**

**Configurations:** Straight, Switchback, Spiral, and Custom Designs.

Custom dimensions available upon request to suit project requirements.

### PERFORMANCE & TESTING

**LOAD CAPACITY**
Rated for heavy-duty commercial applications.

**WEATHER RESISTANCE**
Engineered for indoor and outdoor use. Resists corrosion, UV exposure, and extreme conditions.

**CODE COMPLIANCE**
Designed in accordance with local and international building codes for safety and reliability.

**FIRE RESISTANCE**
Certified to ASTM E84 Class A and CAN ULC-S102 standards.

### KEY FEATURES

**FAST INSTALLATION**
Prefabricated components reduce on-site construction time and labor costs.

**DURABILITY**
Designed to withstand heavy foot traffic and harsh environments.

**CUSTOMIZATION**
Customizable tread patterns, nosing details, and riser heights.

**FINISH OPTIONS**
Available in standard and custom RAL powder-coated colors and finishes.

**DESIGN FLEXIBILITY**
Multiple configuration options to complement any architectural style.

**EASY ASSEMBLY**
Pre-engineered with precision connections and supplied hardware.

**SAFETY & SECURITY**
Slip-resistant treads and code-compliant handrails for maximum safety.

**SUSTAINABLE DESIGN**
Contributes to LEED® Material & Resources and Sustainable Sites credits.

### APPLICATIONS

- Highrise Developments
- Civic Spaces
- Industrial Facilities
- Educational Institutions
- Public Walkways & Platforms

### INSTALLATION

**PRE-ENGINEERED COMPONENTS**
Factory-fabricated for consistent quality and easy on-site assembly.

**MOUNTING METHODS**
Compatible with surface-mount and embedded mounting options to suit structural requirements.





Detailed installation guides and hardware provided for efficient and secure installation.

### MAINTENANCE

- Regular cleaning with mild detergents helps maintain appearance and finish.
- Inspect connections, fasteners, and structural components annually for safety.
- Minimal maintenance required for long-term performance.

### WARRANTY

**8 YEAR** — **STRUCTURAL WARRANTY**

**3 YEAR** — **COATINGS & FINISHES WARRANTY**

**2 YEAR** — **COMPONENTS WARRANTY**

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**MEETS LEED® MATERIAL & RESOURCES CREDITS**

**RECYCLABLE MATERIALS**
Used in products

**SUSTAINABLE SITES**
Supports environmentally responsible design

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 02 | 2.6**
REV. 0.1



## ANTI-SLIP SURFACES

# GEO-SLP

Maximum traction.
Engineered for safety
in every condition.

Shown: GEO-SLP-TR-35
Textured anti-slip surface
for pedestrian applications
in custom RAL 9005

**SLIP RESISTANT**
High-traction texture provides superior grip on wet or dry surfaces.

**WEATHER RESISTANT**
Engineered to withstand rain, UV, and extreme temperature changes.

**SAFETY FOCUSED**
Reduces slip-and-fall risks in high-traffic public environments.

**DURABLE & LOW MAINTENANCE**
Built for long-term performance with minimal upkeep required.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

DATA SHEET

REV. 0.1

# ANTI-SLIP SURFACES
# GEO-SLP

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

- Constructed from high-performance metals and composites
- Corrosion-resistant treatments for extended durability and weather resistance
- Engineered textures and coatings to reduce slip hazards
- Manufactured using eco-conscious practices and recyclable materials

## DIMENSIONS



Standard and custom sizes to fit project-specific needs

Custom lengths and widths available upon request

## PERFORMANCE & TESTING

**TRACTION**
Superior slip resistance, even in wet, icy, or high-traffic conditions.

**DURABILITY**
Built to withstand heavy use and harsh environmental factors.

**COMPLIANCE**
Meets or exceeds safety standards for commercial applications.

**WEATHER RESISTANCE**
Designed for indoor and outdoor use with maximum protection against the elements.

**FIRE RESISTANCE**
Certified to ASTM E84 Class A and CAN ULC-S102 standards.

**LOAD CAPACITY**
Engineered for heavy foot traffic and commercial-grade applications.

## KEY FEATURES

**ENHANCED SAFETY**
Reliable traction for walkways, ramps, staircases, and high-traffic areas.

**SUSTAINABLE DESIGN**
Eco-conscious materials and manufacturing processes.

**SEAMLESS INTEGRATION**
Custom sizes and finishes complement diverse design palettes.

**EASY INSTALLATION**
Pre-engineered components for straightforward and efficient installation.

**FINISH OPTIONS**
Wide range of colors, textures, and finishes to meet project requirements.

**LONG-LASTING PERFORMANCE**
Resistant to wear, abrasion, UV exposure, and chemical impact.

**LOW MAINTENANCE**
Durable surfaces require minimal upkeep and retain appearance over time.

**CODE COMPLIANT**
Designed to meet or exceed local and international safety regulations.

## APPLICATIONS

- Pathways & Walkways
- Stair Treads
- Ramps & Inclines
- Decking
- Industrial Platforms
- Commercial Environments

## INSTALLATION

**PRE-ENGINEERED COMPONENTS**
Designed for quick and easy installation to reduce labor time and costs.

**SEAMLESS INTEGRATION**
Compatible with a variety of substrates including concrete, metal, and wood.





Detailed installation guides and hardware provided for secure and proper installation.

## MAINTENANCE

- Periodic cleaning with water and mild detergents maintains appearance and functionality.
- Inspect regularly for wear or damage in high-traffic areas.
- Designed for long-term performance with minimal maintenance requirements.

## WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES WARRANTY

**2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**MEETS LEED® MATERIAL & RESOURCES CREDITS**

**RECYCLED MATERIALS**
Made with recyclable and eco-friendly materials

**SUSTAINABLE SITES**
Supports environmentally responsible design and building practices

## NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 02 | 2.7**
REV. 0.1




TILE SOLUTIONS

## GEO-TIL

Versatile. Refined.
Engineered for timeless
style and performance.

Shown: GEO-TIL-24X48-PG
Porcelain tile system
in custom color blend

**MODULAR DESIGN**
Multiple sizes, patterns, and layouts for endless design possibilities.

**DURABLE & LONG-LASTING**
Engineered for high-traffic environments with superior strength and wear resistance.

**SLIP & WEATHER RESISTANT**
Textured surface provides excellent traction in wet and dry conditions.

**CUSTOM COLOR OPTIONS**
A range of finishes and tones to complement any architectural vision.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179


# PLEASE PLANT

DATA SHEET

REV. 0.1

## TILE SOLUTIONS
# GEO-TIL
GEO SERIES


info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- High-strength ceramics, composites, or natural stone options
- Eco-friendly production processes using recyclable materials
- Available in a range of textures, colors, and patterns
- Slip-resistant surfaces for enhanced safety in public spaces

### DIMENSIONS



Standard and custom sizes available for project-specific applications

Custom formats, thicknesses, and edge profiles available upon request.

### PERFORMANCE & TESTING

**DURABILITY**
Designed to handle heavy foot traffic and extreme weather conditions.

**SLIP RESISTANCE**
Engineered to provide secure footing in wet and dry environments.

**LOW MAINTENANCE**
Easy to clean and resistant to staining, fading, and cracking.

**WEATHER RESISTANCE**
Resistant to UV rays, freeze-thaw cycles, moisture, and temperature fluctuations.

**FIRE RESISTANCE**
Non-combustible materials meet ASTM E84 Class A and CAN ULC-S102 standards.

**LOAD CAPACITY**
Engineered to support heavy loads in commercial and public environments.

### KEY FEATURES

**SUSTAINABLE MANUFACTURING**
Prioritizes eco-conscious processes and the use of recyclable materials.

**VERSATILE APPLICATIONS**
Suitable for a wide range of commercial and public environments.

**TAILORED AESTHETICS**
Custom finishes and designs to match architectural styles.

**SLIP-RESISTANT SURFACES**
Provides enhanced traction for safer public spaces.

**COLOR & FADE RESISTANT**
Engineered to retain color and finish over time.

**EASY TO CLEAN**
Resistant to stains, chemicals, and everyday wear.

**PRECISION CRAFTED**
Consistent sizing and quality for a seamless installation.

**ECO-CONSCIOUS DESIGN**
Contributes to green building and LEED® certification.

### APPLICATIONS

- Highrise Developments
- Municipal Spaces
- Educational Campuses
- Hospitality Venues
- Mixed-Use Complexes
- Outdoor Patios & Rooftops
- Urban Walkways
- Courtyards & Plazas

### INSTALLATION

**PRECISION-CRAFTED TILES**
Manufactured for dimensional accuracy and consistent thickness for ease of installation.

**STRAIGHTFORWARD INSTALLATION**
Installed using industry-standard adhesives, mortars, or pedestal systems based on project requirements.





Detailed installation guides and technical support provided for contractors and installers.

### MAINTENANCE

Regular cleaning with water and mild detergents to maintain appearance and functionality.

Inspect grout lines and expansion joints periodically to ensure long-term performance.

Designed for minimal maintenance and maximum longevity.

### WARRANTY

**8 YEAR** — **STRUCTURAL WARRANTY**

**3 YEAR** — **COATINGS & FINISHES WARRANTY**

**2 YEAR** — **COMPONENTS WARRANTY**

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**METES LEED® MATERIAL & RESOURCES CREDITS**

**RECYCLED MATERIALS**
Made with recyclable and eco-friendly materials

**SUSTAINABLE SITES**
Supports environmentally responsible site design and water conservation

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

# PLEASE PLANT

PRODUCT DATA SHEET

## OUTDOOR LIVING & HEATING | GEO SERIES

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179



### OVERVIEW

Please Plant Outdoor Living & Heating solutions are engineered for commercial, municipal, and institutional environments. The GEO Series combines durable materials, modern design, and functional performance to create inviting outdoor spaces that enhance usability, comfort, and community experience.

### PRODUCT SCOPE

- **ARTIFICIAL TURF** (GEO-TURF)
- **BBQS & GRILLS** (GEO-BBQ)
- **OUTDOOR KITCHENS** (GEO-KCH)
- **FIRE PITS** (GEO-FPT)
- **PATIO HEATERS** (GEO-HTR)
- **BARS & SERVING STATIONS** (GEO-BAR)
- **RETRACTABLE AWNINGS** (GEO-AWN)

### PERFORMANCE

- Built for commercial & high-traffic environments
- Weather-resistant & corrosion-resistant materials
- UV-stable finishes
- Engineered for safety and long-term reliability

### CUSTOMIZATION

- Modular & scalable solutions
- Custom dimensions and configurations
- Wide range of finishes and materials
- Optional features: lighting, refrigeration, heating, and branding

### SUSTAINABILITY

- Manufactured using recycled and recyclable materials
- Supports LEED® credits under MR, SS, and ID+C
- Low-maintenance products for reduced environmental impact

### INSTALLATION & MAINTENANCE

- Surface-mounted or in-ground installation options
- Standard stainless steel anchoring hardware
- Low-maintenance; routine cleaning and periodic inspection recommended

### APPLICATIONS

- Rooftop terraces & outdoor lounges
- Parks & public gathering spaces
- Hospitality & entertainment venues
- Corporate campuses
- Recreational & sports complexes

### WARRANTY

- 5-year structural warranty
- 5-year coatings & finishes warranty
- 5-year components warranty

Warranty is subject to proper installation and maintenance.

### COMPLIANCE

Please Plant Outdoor Living & Heating solutions meet or exceed applicable standards, including:

**ASTM | CSA | ANSI**

Full certifications available upon request.




DESIGN-ALIGNED. BUILT FOR PERFORMANCE. MADE TO LAST.
Complete outdoor living solutions for spaces that are built to be used.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 3.1**
REV. 0.1




**REALISTIC APPEARANCE**
Advanced blade variation and density create a natural grass look.

**LOW MAINTENANCE**
No watering, mowing, or fertilizing required.

**DURABLE & WEATHER RESISTANT**
Engineered for UV stability and high-traffic environments.

**VERSATILE APPLICATIONS**
Ideal for rooftops, courtyards, and recreational spaces.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

REV. 0.1

## ARTIFICIAL TURF
# GEO-TURF
GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Premium synthetic fibers for realistic texture and durability
- UV-stable coatings to prevent fading and degradation in sunlight
- Recyclable and eco-friendly materials
- Engineered for long-term performance in all climates

### DIMENSIONS



Pile Heights, Densities & Styles Available

Roll Widths: Up to 15'

Custom lengths available for project-specific requirements.

### PERFORMANCE & TESTING

**DURABILITY**
Withstands heavy foot traffic, extreme weather, and UV exposure.

**LOW MAINTENANCE**
No mowing, watering, or fertilizing required.

**ECO-FRIENDLY**
Reduces water consumption and eliminates the need for chemicals.

**UV RESISTANCE**
UV-stable fibers retain color and performance over time.

**SLIP RESISTANCE**
Engineered to provide secure footing in wet or dry conditions.

**WEATHER RESISTANCE**
Built to perform in heat, cold, rain, and freeze-thaw cycles.

### KEY FEATURES

**REALISTIC LOOK**
Mimics the appearance and feel of natural grass.

**SUSTAINABLE DESIGN**
Reduces environmental impact and supports water conservation.

**LONG-LASTING**
Engineered for 10–15 years of reliable performance.

**COLOR OPTIONS**
Realistic color tones to complement any landscape design.

**PILE HEIGHT OPTIONS**
Multiple pile heights and densities available to suit project needs.

**HIGH DENSITY**
Dense fiber construction for excellent durability and resilience.

**EASY TO CLEAN**
Regular rinsing removes debris and maintains turf integrity.

**VERSATILE USE**
Suitable for a wide range of commercial and recreational applications.

### APPLICATIONS

- Sports Fields
- Playgrounds
- Rooftop Gardens
- Corporate Landscapes
- Public Spaces & Parks
- Mixed-Use Developments
- Educational Campuses

### INSTALLATION

**PROFESSIONAL INSTALLATION**
Installed using industry-grade adhesives and infill for secure placement and stability.

**ON-SITE SUPPORT**
On-site guidance and installation recommendations provided for seamless execution.





Detailed installation guidelines and technical support available for contractors and installers.

### MAINTENANCE

- Regular rinsing with water removes dirt, dust, and debris.
- Occasional brushing helps maintain upright fiber structure.
- Inspect infill levels and replenish as needed to ensure performance.
- Designed for minimal maintenance and long-term reliability.

### WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES WARRANTY

**2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly components.

**WATER CONSERVATION**
Helps reduce water usage and supports green initiatives.

**MEETS LEED® CRITERIA**
Contributes to Materials & Resources and Sustainable Sites credits.

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 3.2**
REV. 0.1



BBQs & GRILLS

## GEO-BBQ

Built to perform.
Designed to elevate
outdoor living.

Shown: GEO-BBQ-36SS
36" built-in BBQ with
stone surround and LED lighting

**PREMIUM PERFORMANCE**
High-output burners deliver even heat and reliable cooking in any condition.

**WEATHER RESISTANT**
Marine-grade stainless steel and durable finishes built to last.

**SEAMLESS INTEGRATION**
Designed for built-in outdoor kitchens with clean, modern aesthetics.

**INTEGRATED LIGHTING**
Subtle LED lighting enhances ambiance and functionality after dark.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

## BBQS & GRILLS

# GEO-BBQ

GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Constructed from heavy-duty stainless steel and aluminum for long-lasting durability
- Corrosion-resistant finishes to withstand outdoor environments
- Recyclable materials for eco-conscious manufacturing
- Designed with sustainable and energy-efficient technologies

### DIMENSIONS



Standard Widths: 36" – 72"

Custom sizes available

Cooking areas tailored to accommodate large-capacity usage and high-traffic environments.

### PERFORMANCE & TESTING

**ENERGY EFFICIENCY**
Optimized burners reduce fuel consumption while maintaining consistent heat output.

**DURABILITY**
Built to withstand heavy use and resist rust, corrosion, and wear over time.

**SAFETY FEATURES**
Integrated ignition systems and flame safety mechanisms for secure operation.

**WEATHER RESISTANCE**
Engineered to perform in all weather conditions, including coastal environments.

**LOW MAINTENANCE**
Easy-to-clean surfaces and components for hassle-free operation and upkeep.

**CODE COMPLIANT**
Designed to meet or exceed commercial and public safety standards.

### KEY FEATURES

**MODERN DESIGN**
Sleek, professional look that enhances any outdoor space and architecture.

**ECO-FRIENDLY**
Manufactured with sustainable materials and energy-efficient technologies.

**RELIABLE PERFORMANCE**
Built for consistent cooking performance in high-traffic and large-scale settings.

**CUSTOMIZABLE OPTIONS**
Multiple sizes, burner configurations, and finishes to suit project requirements.

**PREMIUM MATERIALS**
Heavy-duty stainless steel and aluminum ensure long-term strength and beauty.

**FINISH OPTIONS**
Powder-coated or brushed metal finishes available in a wide range of colors.

**HIGH CAPACITY**
Spacious cooking surfaces and powerful burners for large gatherings.

**BUILT TO LAST**
Engineered for years of reliable use in demanding commercial and public environments.

### APPLICATIONS

- Parks & Public Spaces
- Rooftop Patios
- Outdoor Lounges
- Corporate Campuses
- Hospitality & Resorts
- Multi-Unit Developments
- Community Spaces

### INSTALLATION

**EASY INSTALLATION**
Designed for straightforward assembly with included hardware and detailed instructions.

**VERSATILE CONFIGURATIONS**
Built-in or freestanding options available to suit a variety of site requirements.





Professional installation recommended. On-site technical support available upon request.

### MAINTENANCE

- Routine cleaning with mild detergents keeps surfaces in excellent condition.
- Clean burners and grates regularly to ensure optimal performance.
- Inspect components and connections periodically for safety and longevity.
- Designed for minimal maintenance and maximum reliability.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and sustainable materials.

**ENERGY EFFICIENT**
Optimized burners reduce fuel usage and lower emissions.

**SUSTAINABLE CHOICE**
Supports green building initiatives and responsible manufacturing.

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 3.3**
REV. 0.1




**MODULAR DESIGN**
Configurable components allow for complete customization and scalability.

**PREMIUM MATERIALS**
Marine-grade stainless steel, powder-coated aluminum, and natural wood accents.

**COMPLETE FUNCTIONALITY**
Integrated BBQ, sink, refrigeration, and storage for a seamless experience.

**DESIGN INTEGRATION**
Clean lines and refined finishes enhance any outdoor environment.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

# PLEASE PLANT

DATA SHEET

REV. 0.1

## OUTDOOR KITCHENS
# GEO-KCH

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Constructed from high-grade stainless steel and composite materials for durability.
- Corrosion-resistant finishes to withstand outdoor conditions and heavy use.
- Recyclable and eco-friendly materials aligned with sustainable practices.
- Designed with sustainability in mind to reduce environmental impact.

### DIMENSIONS



**Standard and custom configurations available to meet project-specific needs.**

**Flexible layouts designed for communal and commercial applications.**

### PERFORMANCE & TESTING

**WEATHER RESISTANCE**
Engineered to perform in all climates with materials resistant to corrosion and UV exposure.

**DURABILITY**
Designed for frequent use in high-traffic areas, ensuring long-term functionality.

**LOW MAINTENANCE**
Easy-to-clean surfaces that require minimal upkeep.

**HEAVY-DUTY CONSTRUCTION**
Built with premium materials to withstand heavy use and harsh environments.

**UV STABILITY**
Finishes and materials resist fading, cracking, and degradation from sun exposure.

**CODE COMPLIANT**
Meets or exceeds commercial and public safety standards.

### KEY FEATURES

**CUSTOM CONFIGURATIONS**
Options include grilling stations, prep counters, sinks, storage, and bar areas.

**MODERN AESTHETICS**
Sleek, professional designs that enhance any outdoor space.

**MODULAR DESIGH**
Modular components allow for scalable and adaptable layouts.

**ECO-FRIENDLY PRACTICES**
Manufactured with sustainable materials and processes to support a greener future.

**PREMIUM FINISHES**
Powder-coated metals, stone surfaces, and brushed stainless steel options available.

**EASY TO INSTALL**
Pre-designed modules ensure straightforward assembly and reduced installation time.

**BUILT TO LAST**
Engineered for years of reliable performance in demanding outdoor environments.

**VERSATILE FUNCTIONALITY**
Ideal for cooking, dining, entertaining, and socializing in commercial and public spaces.

### APPLICATIONS

- Parks & Public Spaces
- Rooftop Terraces
- Hospitality Venues
- Corporate Campuses
- Outdoor Lounges
- Mixed-Use Developments
- Community Gatherings

### INSTALLATION

**MODULAR COMPONENTS**
Pre-engineered modules ensure straightforward assembly with included hardware and instructions.

**PROFESSIONAL INSTALLATION**
On-site guidance and support available to ensure seamless integration and functionality.





Designed for efficient installation to minimize on-site disruption and accelerate project timelines.

### MAINTENANCE

- Routine cleaning with water and mild detergents recommended to preserve finishes and performance.
- Clean grills, sinks, and surfaces regularly to maintain optimal hygiene and appearance.
- Inspect components and connections periodically to ensure safety and functionality.
- Designed for minimal maintenance and maximum reliability.

### WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES WARRANTY

**2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly materials.

**SUSTAINABLE CHOICE**
Supports green building initiatives and responsible manufacturing.

**MEETS LEED® CRITERIA**
Contributes to Materials & Resources and Sustainable Sites credits.

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 3.4**
REV. 0.1




**MODERN DESIGN**
Clean lines and timeless finishes complement any outdoor environment.

**DURABLE CONSTRUCTION**
Built with high-performance materials engineered for years of reliable use.

**ECO-FRIENDLY FUNCTION**
Efficient gas-burning options with low emissions and eco-conscious materials.

**CUSTOM OPTIONS**
Multiple shapes, sizes, finishes, and fuel types to suit your vision.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

## FIRE PITS
# GEO-FPT
GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Constructed from high-grade, weather-resistant metals.
- Corrosion-resistant finishes for enhanced longevity in all climates.
- Sustainable materials used in eco-conscious manufacturing.
- Designed with sustainability in mind to reduce environmental impact.

### DIMENSIONS



**Standard and custom dimensions available to accommodate any outdoor layout.**

**Customizable shapes and sizes to suit various project requirements.**

### PERFORMANCE & TESTING

**WEATHER RESISTANCE**
Designed to perform in all climates, from harsh winters to coastal environments.

**DURABILITY**
Built to withstand heavy use in high-traffic environments.

**SAFETY COMPLIANCE**
Engineered to meet commercial safety standards and regulations.

**LOW MAINTENANCE**
Easy-to-clean surfaces and components require minimal upkeep.

**EFFICIENT FUEL USE**
Optimized burners for consistent heat output and reduced fuel consumption.

**CODE COMPLIANT**
Designed to meet or exceed commercial and public safety standards.

### KEY FEATURES

**ELEGANT DESIGN**
Minimalist aesthetics that integrate seamlessly into urban or natural settings.

**ECO-FRIENDLY**
Efficient fuel systems and sustainable production processes minimize environmental impact.

**CUSTOM CONFIGURATIONS**
Customizable shapes, sizes, and finishes to suit any project requirements.

**FINISH OPTIONS**
Powder-coated metals, stainless steel, and rustic patinas to match design goals.

**FUEL OPTIONS**
Available in natural gas, propane, or wood-burning configurations.

**DURABLE CONSTRUCTION**
High-grade materials ensure long-lasting performance and reliability.

**EASY INSTALLATION**
Designed for straightforward installation with expert support for seamless integration.

**INVITING ATMOSPHERE**
Creates a warm and welcoming environment for year-round outdoor enjoyment.

### APPLICATIONS

- Rooftop Lounges
- Parks & Public Spaces
- Hospitality Venues
- Outdoor Communal Areas
- Residential Complexes
- Corporate Campuses
- Outdoor Patios & Decks

### INSTALLATION

**EASY INSTALLATION**
Pre-engineered systems ensure straightforward installation and integration into any outdoor design.

**EXPERT SUPPORT**
Our team provides guidance and support throughout the installation process.





Designed for efficient installation to minimize on-site disruption and accelerate project timelines.

### MAINTENANCE

- Regular cleaning with water and mild detergents recommended to preserve finishes and functionality.
- Remove debris from burner area periodically to ensure optimal performance.
- Inspect components annually to ensure safety and reliability.
- Designed for minimal maintenance and maximum longevity.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly materials.

**SUSTAINABLE CHOICE**
Supports green building initiatives and responsible manufacturing.

**MEETS LEED® CRITERIA**
Contributes to Materials & Resources and Sustainable Sites credits.

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 3.5**
REV. 0.1




## PATIO HEATERS

# GEO-HTR

Comfort. Anywhere.
Designed for warmth
and all-season use.

Shown: GEO-HTR-PT-SS
Pyramid patio heater
with stainless steel finish

**EFFICIENT HEATING**
Powerful heat output with even distribution for maximum comfort.

**DURABLE CONSTRUCTION**
Built with premium materials engineered for weather resistance and longevity.

**VERSATILE DESIGN**
Freestanding or mounted options to suit a variety of outdoor spaces.

**CUSTOM OPTIONS**
Multiple finishes, fuel types, and styles to match your architectural vision.

pleaseplant.com | sales@pleaseplant.com | +1 236-323-2179

# PLEASE PLANT

DATA SHEET

REV. 0.1

## PATIO HEATERS
# GEO-HTR
GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- High-quality, weather-resistant metals for long-lasting durability.
- Corrosion-resistant finishes suitable for outdoor environments.
- Manufactured using recyclable materials and sustainable practices.
- Built with sustainability in mind to reduce environmental impact.

### DIMENSIONS



**Standard and custom sizes available to fit specific project requirements.**

**Sleek designs to complement any outdoor space.**

### PERFORMANCE & TESTING

**ENERGY EFFICIENCY**
Advanced heating technology minimizes energy consumption while delivering consistent warmth.

**SAFETY FEATURES**
Equipped with flame safeguards, tip-over protection, and user-friendly controls.

**CONSISTENT HEATING**
Engineered burners deliver steady and adjustable heat output.

**WEATHER RESISTANCE**
Built to withstand exposure to diverse climates, including rain, snow, and wind.

**DURABILITY**
Heavy-duty construction ensures years of reliable performance in high-traffic environments.

**CODE COMPLIANT**
Meets or exceeds commercial safety standards and regulations.

### KEY FEATURES

**STYLISH DESIGN**
Modern aesthetics that enhance upscale outdoor environments.

**RELIABLE HEATING**
Engineered for consistent performance in high-traffic commercial settings.

**SUSTAINABLE PRACTICES**
Eco-conscious production processes and recyclable materials reduce environmental impact.

**FUEL OPTIONS**
Available in gas, propane, and electric models for flexible application needs.

**FINISH OPTIONS**
Wide range of powder-coated and metallic finishes to match any design.

**EASY TO OPERATE**
Intuitive controls ensure ease of use for operators and guests.

**BUILT TO LAST**
Corrosion-resistant materials provide maximum durability in all conditions.

**INVITING ATMOSPHERE**
Creates comfortable and welcoming spaces for guests year-round outdoor enjoyment.

### APPLICATIONS

- Hospitality Venues
- Parks & Public Spaces
- Rooftop Patios & Lounges
- Corporate Campuses
- Retail & Mixed-Use Spaces
- Outdoor Events & Gatherings
- Residential Communal Areas

### INSTALLATION

**EASY INSTALLATION**
Systems are designed for quick and straightforward installation with all necessary hardware and instructions included.

**EXPERT SUPPORT**
Our team provides guidance on placement, safety clearances, and operation for optimal performance.





Professional guidance ensures safe installation and maximum heating efficiency.

### MAINTENANCE

- Minimal maintenance required; periodic cleaning helps maintain performance and appearance.
- Wipe down exterior surfaces and reflector periodically to remove dust and debris.
- Inspect connections and components annually to ensure safe operation.
- Designed for long-term reliability with simple care and attention.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly materials.

**SUSTAINABLE CHOICE**
Supports green building initiatives and responsible manufacturing.

**MEETS LEED® CRITERIA**
Contributes to Materials & Resources and Sustainable Sites credits.

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03 | 3.6**
REV. 0.1



BARS & SERVING STATIONS

## GEO-BAR

Sophisticated. Functional.
Engineered for social
spaces and lasting use.

Shown: **GEO-BAR-MOD-96**
Modular bar and serving station
in custom finish

**MODULAR DESIGN**
Configurable components allow for flexible layouts and easy integration.

**DURABLE CONSTRUCTION**
Built with premium materials engineered for outdoor durability and performance.

**WEATHER RESISTANT**
Finishes and materials resist moisture, UV, and daily wear.

**CUSTOM OPTIONS**
Multiple finishes, counter materials, and storage configurations available.

pleaseplant.com | sales@pleaseplant.com | +1 236-323-2179

# PLEASE PLANT

DATA SHEET

REV. 0.1

## BARS & SERVING STATIONS
# GEO-BAR
GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Weather-resistant metals and composites for long-lasting durability.
- Corrosion-resistant finishes for reduced maintenance.
- Manufactured using eco-conscious materials and sustainable processes.
- Built with sustainability in mind to reduce environmental impact.

### DIMENSIONS



**Configurations tailored to fit project-specific requirements.**

**Modular layouts and custom sizes to suit any outdoor space.**

### PERFORMANCE & TESTING

**DURABILITY**
Built to handle frequent use in high-traffic environments with robust construction.

**WEATHER RESISTANCE**
Engineered to endure diverse climates, including rain, UV exposure, and temperature fluctuations.

**LOW MAINTENANCE**
Easy-to-clean surfaces ensure lasting appeal with minimal maintenance.

**CORROSION RESISTANCE**
High-performance finishes protect against rust, corrosion, and wear over time.

**HIGH PERFORMANCE**
Designed for seamless operation of beverages and serving systems in any setting.

**CODE COMPLIANT**
Meets or exceeds commercial safety standards and local health regulations.

### KEY FEATURES

**CUSTOMIZABLE**
Modular layouts with storage, counters, sinks, shelving, and beverage systems to suit your needs.

**MODERN AESTHETICS**
Sleek, professional designs that enhance outdoor spaces and elevate guest experience.

**SUSTAINABLE MANUFACTURING**
Eco-conscious materials and processes reduce environmental impact and support green building goals.

**INTEGRATED SYSTEMS**
Options for ice wells, beer taps, refrigeration, sinks, and storage for complete serving solutions.

**FINISH OPTIONS**
Wide range of finishes and materials to match any design vision.

**EASY TO INSTALL**
Designed for straightforward installation with detailed guidance and reduced on-site time.

**BUILT TO LAST**
Premium materials and construction ensure years of reliable performance.

**ENHANCED FUNCTIONALITY**
Optimized layouts improve workflow and maximize service efficiency.

### APPLICATIONS

- Outdoor Event Spaces
- Rooftop Patios & Lounges
- Hospitality Venues
- Parks & Public Spaces
- Corporate Campuses
- Beach Clubs & Resorts
- Stadiums & Arenas

### INSTALLATION

**STRAIGHTFORWARD SETUP**
Modular components are designed for quick assembly and seamless integration into outdoor environments.

**EXPERT SUPPORT**
Our team provides guidance on layout, connection, and operation for optimal installation and performance.





Professional support ensures a smooth installation and exceptional end results.

### MAINTENANCE

- Periodic cleaning with mild detergents keeps surfaces and systems in top condition.
- Inspect components regularly to ensure optimal performance and safety.
- Check connections and refresh finishes as needed to extend product life.
- Low-maintenance materials reduce downtime and operational costs.

### WARRANTY

**8 YEAR** — **STRUCTURAL WARRANTY**

**3 YEAR** — **COATINGS & FINISHES WARRANTY**

**2 YEAR** — **COMPONENTS WARRANTY**

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly materials.

**SUSTAINABLE CHOICE**
Supports green building initiatives and responsible manufacturing.

**MEETS LEED® CRITERIA**
Contributes to Materials & Resources and Sustainable Sites credits.

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 03** | 3.7
REV. 0.1



## RETRACTABLE AWNINGS

# GEO-AWN

Shade. Comfort. Control.
Engineered for performance
and everyday versatility.

Shown: GEO-AWN-MOD
Retractable awning system
in extended position

**ADJUSTABLE SHADE**
Extend or retract with ease to adapt to changing weather and comfort.

**DURABLE & RELIABLE**
Built with high-quality materials for long-lasting outdoor performance.

**WEATHER RESISTANT**
Designed to withstand wind, UV, rain, and everyday environmental elements.

**CUSTOM OPTIONS**
Multiple sizes, projection lengths, and fabric choices to suit your space.

pleaseplant.com | sales@pleaseplant.com | +1 236-323-2179

# PLEASE PLANT

DATA SHEET

REV. 0.1

## RETRACTABLE AWNINGS
## GEO-AWN

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Weather-resistant aluminum frames for durability and corrosion resistance.
- High-performance fabric canopy with UV protection and water resistance.
- Designed with sustainability in mind to reduce environmental impact.
- Built for long-lasting performance in diverse outdoor environments.

### DIMENSIONS



**Standard and custom sizes available to meet project needs.**

**Flexible projections and widths tailored to your space.**

### PERFORMANCE & TESTING

**ADJUSTABLE COVERAGE**
Provides on-demand shade with smooth retraction for maximum flexibility.

**WEATHER RESISTANCE**
Engineered to withstand UV exposure, wind, and light rain.

**ENERGY EFFICIENCY**
Reduces heat buildup, lowering cooling costs in adjacent spaces.

**DURABILITY**
Built with premium materials for long-term strength and reliability.

**UV PROTECTION**
High-performance fabric blocks harmful UV rays and protects furnishings.

**LOW MAINTENANCE**
Designed for durability with minimal cleaning and upkeep required.

### KEY FEATURES

**RETRACTABLE MECHANISM**
Flexible sun and shade control with smooth operation.

**LOW MAINTENANCE**
Engineered for durability and easy cleaning to maintain like-new performance.

**MODERN AESTHETICS**
Sleek designs that complement contemporary and classic spaces.

**CUSTOMIZABLE OPTIONS**
Choose from a variety of colors, fabrics, and finishes to match your design vision.

**MOTORIZED OR MANUAL OPERATION**
Available in manual or motorized systems for convenience.

**FLEXIBLE MOUNTING**
Wall, ceiling, or freestanding mounting options for versatile installations.

**WIND RESISTANT**
Engineered to perform in breezy conditions with secure reinforcement.

**BUILT TO LAST**
Corrosion-resistant frames and premium fabrics ensure long-term performance.

### APPLICATIONS

- Patios
- Rooftop Terraces
- Hospitality Venues
- Storefront Awnings
- Residential Terraces
- Outdoor Lounges & Spaces

### INSTALLATION

**PRECISION ENGINEERED**
Components are designed for seamless integration and reliable operation.

**QUICK & EFFICIENT SETUP**
Provided mounting systems ensure straightforward and efficient installation.





Professional installation recommended for optimal performance and structural integrity.

### MAINTENANCE

- Periodic cleaning with mild soap and water keeps fabric and frames in top condition.
- Retract during extreme weather conditions such as high winds, heavy rain, or snow.
- Inspect hardware and moving parts periodically to ensure smooth operation.
- Minimal maintenance required to extend the life and beauty of your awning.

### WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES WARRANTY

**2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly materials.

**SUSTAINABLE CHOICE**
Supports sustainable practices and responsible manufacturing.

**MEETS LEED® CRITERIA**
Contributes to Materials & Resources and Sustainable Sites credits.

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

# PLEASE PLANT

PRODUCT DATA SHEET

## STORMWATER SOLUTIONS | GEO SERIES

Manufacturer: Please Plant

Contact: info@pleaseplant.com | +1 236-323-2179



### OVERVIEW

Please Plant Stormwater Solutions are engineered for effective water management, environmental protection, and sustainable site infrastructure. The GEO Series combines innovative design with durable, eco-friendly materials to reduce runoff, improve water quality, and support resilient landscapes.

### PRODUCT SCOPE

- **MODULAR STORMWATER TANKS** (GEO-TNK)
- **DRAINAGE PLATFORMS** (GEO-DPL)
- **PERMEABLE PAVERS** (GEO-PVR)
- **GEOTEXTILE SOLUTIONS** (GEO-TXT)
- **INSPECTION PORTS** (GEO-INS)
- **OVERFLOW SYSTEMS** (GEO-OVR)
- **RAIN GARDENS** (GEO-RNG)

### PERFORMANCE

- High-capacity water storage and conveyance
- Supports heavy loads
- Reduces surface runoff
- Improves water quality
- Built for long-term reliability

### CUSTOMIZATION

- Modular & scalable systems
- Custom configurations for any site
- Multiple sizes & depths available
- Adaptable to site conditions & design requirements

### SUSTAINABILITY

- Made from recycled & recyclable materials
- Supports LEED® credits under MR, SS, and ID+C
- Promotes Low-Impact Development (LID)
- Enhances biodiversity & green infrastructure

### INSTALLATION & MAINTENANCE

- Easy to install with modular components
- Surface or in-ground options
- Low-maintenance, durable systems
- Easy access for inspection and cleaning

### COMPLIANCE

- Meets or exceeds applicable ASTM | CSA | ANSI standards
- Engineered for safety and durability
- Supports regulatory stormwater requirements

### APPLICATIONS

- Municipal infrastructure
- Commercial & industrial sites
- Parks, plazas & public spaces
- Parking areas & roadways
- Green roofs & rooftops
- Residential developments



### WARRANTY

- 5-year structural warranty
- 5-year materials warranty
- 5-year components warranty

Warranty is subject to proper installation and maintenance.

### COMPLIANCE

Please Plant Stormwater Solutions meet or exceed applicable standards, including:

**ASTM | CSA | ANSI**


Full certifications available upon request.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 4.1**
REV. 0.1



## MODULAR STORMWATER TANKS

# GEO-TNK

High-capacity underground storage for sustainable stormwater management.

Shown: GEO-TNK-900
Modular underground stormwater storage system with high load capacity and scalable design

### HIGH STORAGE CAPACITY

Supports large volumes for effective stormwater retention and reuse.

### SCALABLE DESIGN

Modular units adapt to project size and site conditions.

### DURABLE CONSTRUCTION

Engineered for long-term performance and high load applications.

### SUSTAINABLE SOLUTION

Made from recyclable materials to support green infrastructure.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

# PLEASE PLANT

DATA SHEET

REV. 0.1

## MODULAR STORMWATER TANKS
# GEO-TNK

GEO SERIES


info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Constructed from high-density, durable materials for heavy-load applications.
- Eco-friendly and recyclable components to minimize environmental impact.
- Resistant to corrosion, chemicals, and long-term environmental exposure.
- Designed for strength and durability in demanding conditions.

### CONFIGURATIONS & CUSTOMIZATION



**Customizable heights and capacities to suit project requirements.**

**Modular systems adaptable to site-specific constraints with custom layout and overflow options.**

### PERFORMANCE & BENEFITS

**CAPACITY**
Engineered to optimize water storage and controlled release for efficient stormwater management.

**SUSTAINABILITY**
Supports LEED® and SITES® certification criteria and promotes sustainable site development.

**MAINTENANCE ACCESS**
Integrated inspection ports and overflow systems simplify monitoring and maintenance.

**DURABILITY**
Withstands heavy loads and long-term use in demanding urban and industrial conditions.

**FLEXIBILITY**
Modular design allows for adjustments to accommodate changing project requirements.

**SCALABLE DESIGN**
Scalable solutions for small to large-scale commercial and municipal projects.

### KEY FEATURES

**MODULAR SYSTEM**
Interlocking modules allow for quick assembly and customized configurations.

**INSPECTION PORTS**
Built-in access points for easy inspection, cleaning, and system monitoring.

**INTEGRATED OVERFLOW**
Pre-engineered overflow options ensure safe water release and system protection.

**HIGH LOAD CAPACITY**
Engineered to support heavy loads from traffic, structures, and landscaping.

**WATER RETENTION & DETENTION**
Effectively stores and manages stormwater to reduce flooding and erosion.

**CHEMICAL & CORROSION RESISTANT**
Durable materials resist harsh chemicals and environmental exposure.

**ECO-FRIENDLY MATERIALS**
Manufactured using recyclable materials to minimize environmental impact.

**LONG-TERM RELIABILITY**
Built for decades of performance with minimal maintenance requirements.

### APPLICATIONS

- Municipal Buildings
- Parks & Public Spaces
- Industrial Complexes
- High-Density Residential Developments
- Commercial Developments
- Roadways & Parking Areas

### INSTALLATION

**EFFICIENT ASSEMBLY**
Modular components are lightweight and interlock for quick and efficient on-site assembly.

**MINIMAL SURFACE DISRUPTION**
Designed for below-grade installation with minimal excavation and surface impact.





Precision-engineered components ensure a secure fit and optimal system performance.

### MAINTENANCE

- Integrated access points allow for streamlined system inspections.
- Periodic cleaning and monitoring recommended to maintain optimal flow and performance.
- Inspect overflow systems and connections regularly to ensure functionality.
- Low-maintenance design ensures long-term reliability and reduced lifecycle costs.

### WARRANTY

**8 YEAR** — **STRUCTURAL WARRANTY**

**3 YEAR** — **COATINGS & FINISHES WARRANTY**

**2 YEAR** — **COMPONENTS WARRANTY**

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable and eco-friendly components.

**SUSTAINABLE CHOICE**
Supports sustainable stormwater management and green building initiatives.

**MEETS LEED® & SITES® CRITERIA**
Contributes to LEED® and SITES® credits for Sustainable Sites.

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 4.2**
REV. 0.1



DRAINAGE PLATFORMS

## GEO-DPL

Shallow, scalable drainage platforms for water retention and infiltration in hardscape environments.

Shown: GEO-DPL-60
Modular drainage platform system designed for water retention and infiltration in hardscape applications.

### EFFECTIVE WATER RETENTION

Captures and stores stormwater to reduce runoff and support sustainable site design.

### SCALABLE & MODULAR

Interlocking units adapt to project size and site conditions with ease.

### DURABLE CONSTRUCTION

Engineered for long-term performance under high loads in urban environments.

### SUSTAINABLE SOLUTION

Made from recyclable materials to support green infrastructure and environmental goals.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

DATA SHEET

REV. 0.1

# DRAINAGE PLATFORMS
# GEO-DPL

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

- Manufactured from high-strength, recyclable materials for long-term sustainability.
- Designed to withstand heavy pedestrian and vehicular loads.
- Resistant to corrosion, chemicals, UV exposure, and extreme weather conditions.
- Engineered for durability and eco-conscious performance.

## CONFIGURATIONS & CUSTOMIZATION



**Customizable dimensions and load capacities for diverse applications.**

**Modular interlocking systems adaptable to project-specific needs.**

## PERFORMANCE & BENEFITS

**WATER FLOW EFFICIENCY**
Engineered for optimal water conveyance and flood prevention.

**SCALABILITY**
Scalable design for flexibility in project sizes and site configurations.

**DURABILITY**
Built to handle heavy loads and extreme weather conditions.

**LOW MAINTENANCE**
Easy access for inspections and cleaning ensures minimal maintenance requirements.

**SUSTAINABILITY**
Supports green building certifications through eco-conscious design and recyclable materials.

**HIGH PERFORMANCE**
Robust construction suitable for high-traffic and industrial environments.

## KEY FEATURES

**MODULAR DESIGN**
Interlocking modules allow for quick assembly and customized configurations.

**INSPECTION ACCESS**
Integrated access points for streamlined inspections and maintenance.

**OPTIMIZED DRAINAGE**
Engineered structure promotes efficient water flow and reduces surface pooling.

**HIGH LOAD CAPACITY**
Designed to support heavy pedestrian and vehicular loads with reliability.

**UV & CHEMICAL RESISTANT**
Materials resist UV rays, chemicals, and corrosion for long-term performance.

**VERSATILE APPLICATIONS**
Suitable for a wide range of commercial, industrial, and urban landscape projects.

**ECO-FRIENDLY**
Made from recyclable materials to reduce environmental impact and support sustainability.

**LONG-TERM RELIABILITY**
Engineered for decades of performance in demanding conditions with minimal upkeep.

## APPLICATIONS

- Parks & Public Spaces
- Rooftop Gardens
- Industrial Complexes
- Urban Landscapes
- Commercial Developments
- Roadways & Parking Areas

## INSTALLATION

**EFFICIENT ASSEMBLY**
Modular components are designed for fast and efficient assembly with minimal equipment.

**SEAMLESS INTEGRATION**
Adaptable to site-specific conditions with easy integration into existing infrastructure.





Precision-engineered components ensure a secure fit and optimal system performance.

## MAINTENANCE

- Routine inspections recommended to ensure system performance and functionality.
- Periodic cleaning to remove debris and maintain optimal water flow capacity.
- Inspect access points and connections regularly to ensure integrity.
- Low-maintenance design minimizes operational costs and extends system lifespan.

## WARRANTY

**8 YEAR** — **STRUCTURAL WARRANTY**

**3 YEAR** — **COATINGS & FINISHES WARRANTY**

**2 YEAR** — **COMPONENTS WARRANTY**

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**SUSTAINABLE CHOICE**
Supports sustainable stormwater management and green building initiatives.

**MEETS LEED® CRITERIA**
Contributes to LEED® credits for Sustainable and Water Efficiency.

## NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 4.3**
REV. 0.1



PERMEABLE PAVERS

# GEO-PVR

Permeable paving system that allows water to infiltrate through the surface, reducing runoff and supporting sustainable site design.

Shown: GEO-PVR-XL
Permeable paver system installed in pedestrian plaza application

### EFFECTIVE INFILTRATION

Allows rainwater to pass through joints and base layers, reducing surface runoff and pooling.

### DURABLE & STABLE

Engineered for load-bearing performance in high-traffic pedestrian and vehicular applications.

### DESIGN FLEXIBILITY

Multiple shapes, colors, and patterns to complement any architectural or landscape vision.

### SUSTAINABLE SOLUTION

Supports green infrastructure goals by improving water management and reducing urban heat impact.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com


# PLEASE PLANT

DATA SHEET

REV. 0.1

## PERMEABLE PAVERS
## GEO-PVR
GEO SERIES


info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Made from sustainable and durable materials designed to promote water infiltration.
- High-strength composition suitable for pedestrian and vehicular applications.
- Eco-friendly materials and processes that support sustainable water management.
- Resistant to weathering, UV exposure, and chemical degradation.

### DESIGN OPTIONS



Available in various patterns, textures, and colors to complement modern landscapes.

Customizable configurations to meet unique project requirements.

### PERFORMANCE & BENEFITS

**DRAINAGE EFFICIENCY**
Allows water infiltration to reduce runoff and mitigate flooding.

**LOAD CAPACITY**
Withstands commercial-grade traffic loads for long-term durability.

**WEATHER RESISTANCE**
Performs well in all weather conditions with minimal maintenance.

**SUSTAINABILITY**
Sustainable design supporting green building certifications such as LEED®.

**HEAVY-DUTY PERFORMANCE**
Engineered for high-traffic urban and industrial applications.

**LOW MAINTENANCE**
Easy to clean and maintain, ensuring long-lasting beauty and functionality.

### KEY FEATURES

**MODULAR SYSTEM**
Interlocking pavers allow for quick installation and flexible design layouts.

**WATER INFILTRATION**
Promotes natural recharge of groundwater and reduces stormwater runoff.

**HIGH TRAFFIC DURABILITY**
Designed to handle heavy pedestrian and vehicular traffic without compromising integrity.

**AESTHETIC VERSATILITY**
Wide range of patterns, textures, and colors to suit any architectural vision.

**EASY ACCESS**
Individual pavers can be removed for inspections, repairs, and utility access.

**ECO-FRIENDLY**
Crafted with eco-conscious materials to minimize environmental impact.

**UV & FREEZE/THAW RESISTANT**
Built to withstand extreme weather conditions and UV exposure.

**LONG-TERM RELIABILITY**
Engineered for decades of performance with minimal maintenance requirements.

### APPLICATIONS

- Plazas & Public Squares
- Pathways & Walkways
- Parking Lots
- Rooftop Gardens
- Sports Fields & Recreation Areas
- Commercial & Industrial Sites

### INSTALLATION

**EFFICIENT INSTALLATION**
Modular pavers are designed for straightforward installation and seamless integration with existing infrastructure.

**SEAMLESS INTEGRATION**
Adaptable to a variety of site conditions and compatible with green infrastructure systems.





Precision-engineered components ensure a secure fit and optimal performance.

### MAINTENANCE

- Regular cleaning helps maintain water infiltration and aesthetic appearance.
- Remove debris and sediment from surface and joints to prevent clogging.
- Inspect periodically and replace individual pavers if necessary to ensure system integrity.
- Low-maintenance design reduces long-term costs and extends product lifespan.

### WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES WARRANTY

**2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLED & RECYCLABLE**
Made with recycled aggregate and sustainable materials.

**SUSTAINABLE CHOICE**
Supports green building standards and responsible stormwater management.

**MEETS LEED® & SITES® CRITERIA**
Contributes to Water Efficiency and Sustainable Sites credits.

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 4.4**
REV. 0.1



GEOTEXTILE SOLUTIONS

## GEO-TXT

Geotextile fabrics that enhance filtration, separation, and drainage for long-term system performance.

Shown: **GEO-TXT-200**
Non-woven geotextile fabric separating soil and aggregate for filtration and stabilization.

### FILTRATION & SEPARATION

Prevents soil migration while allowing water to pass through for effective filtration.

### ENHANCED DRAINAGE

Improves water flow within the system, reducing pressure and preventing clogging.

### DURABLE & RELIABLE

Engineered for long-term performance under a variety of site conditions.

### SUSTAINABLE PERFORMANCE

Extends system lifespan and reduces maintenance needs through durable design.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

REV. 0.1

## GEOTEXTILE SOLUTIONS
# GEO-TXT

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- High-strength, permeable fabrics for long-lasting performance.
- Eco-friendly materials designed to minimize environmental impact.
- Resistant to UV exposure, chemicals, and biological degradation.
- Engineered for durability and consistent filtration and stabilization.

### DESIGN FEATURES



- Erosion control to prevent soil displacement.
- Water filtration allows water to pass while restricting soil and debris.
- Soil stabilization to strengthen foundations and prevent shifting.

Multi-functional geotextile fabric engineered for performance and reliability.

### PERFORMANCE & BENEFITS

**DURABILITY**
Suitable for heavy-duty applications in diverse environmental conditions.

**FILTRATION EFFICIENCY**
Allows water to pass while maintaining structural integrity and preventing clogging.

**STABILIZATION**
Reinforces soil and substrates for long-term reliability and reduced maintenance.

**ECO-CONSCIOUS**
Manufactured with sustainable practices and materials to support green infrastructure.

**VERSATILE**
Applicable for roadways, retaining walls, stormwater systems, landscaping, and more.

**PROVEN RELIABILITY**
Trusted performance in high-impact commercial and municipal projects.

### KEY FEATURES

**HIGH-STRENGTH FABRIC**
Tensile strength designed to withstand installation stress and long-term service loads.

**PERMEABLE DESIGN**
Promotes optimal water flow while retaining soil particles for effective separation.

**EROSION CONTROL**
Prevents soil displacement on slopes and in high-traffic or high-flow areas.

**QUICK INSTALLATION**
Lightweight and flexible fabric for easy handling and efficient deployment.

**UV RESISTANT**
Engineered to resist degradation from sun exposure for extended service life.

**CHEMICAL RESISTANT**
Withstands exposure to soil chemicals, salts, and construction materials.

**SUSTAINABLE CHOICE**
Recyclable materials and responsible manufacturing reduce environmental impact.

**LONG-TERM VALUE**
Reduces maintenance costs and increases the longevity of infrastructure projects.

### APPLICATIONS

- Road Construction
- Retaining Walls
- Stormwater Management
- Landscaping & Green Spaces
- Foundation Stabilization
- Railway & Infrastructure Projects

### INSTALLATION

**EASY INTEGRATION**
Geotextiles are designed for seamless integration into commercial and municipal projects.

**SIMPLE DEPLOYMENT**
Lightweight and flexible materials allow for efficient installation and secure placement.





Designed for efficiency, durability, and long-term performance.

### MAINTENANCE

- Minimal maintenance required for long-term functionality.
- Periodically inspect for debris buildup or damage in high-flow areas.
- Reinstall or replace only if physical damage occurs during extreme conditions.
- Engineered for decades of reliable performance with proper installation.

### WARRANTY

**8 YEAR** — **STRUCTURAL WARRANTY**

**3 YEAR** — **COATINGS & FINISHES WARRANTY**
Consult terms and conditions for full warranty details per product type.

**2 YEAR** — **COMPONENTS WARRANTY**

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**SUSTAINABLE CHOICE**
Supports green building and sustainable infrastructure goals.

**MEETS LEED® CRITERIA**
Contributes to LEED® credits for Sustainable Sites and Water Efficiency.

### NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

PDS 04 | 4.5
REV. 0.1



## INSPECTION PORTS

# GEO-INS

Easy-access inspection ports provide convenient system monitoring and maintenance without disrupting the finished surface.

Shown: GEO-INS-CIRC
Flush-mounted inspection port with secure lid for system access and maintenance.

### EASY ACCESS

Provides convenient entry for inspection, cleaning, and system maintenance.

### DURABLE & SECURE

Built with robust materials and locking options to ensure long-term reliability.

### SEAMLESS INTEGRATION

Flush design blends with surrounding hardscape for a clean, unobtrusive look.

### SUSTAINABLE SOLUTION

Supports the longevity and performance of stormwater management systems.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

# PLEASE PLANT

DATA SHEET

REV. 0.1

# INSPECTION PORTS
# GEO-INS

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

- High-strength, durable materials suitable for heavy-duty environments.
- Corrosion-resistant construction to withstand harsh conditions.
- Engineered for long-term performance, reliability, and sustainability.
- Eco-friendly materials supporting sustainable water management initiatives.

## DESIGN FEATURES



- Accessible design for simplified inspections and maintenance.
- Sealed and secure fit to prevent debris infiltration.
- Customizable sizes and configurations to meet project-specific needs.
- Compatible with existing drainage and stormwater systems.

Precision-engineered inspection ports for efficient system access and long-term reliability.

## PERFORMANCE & BENEFITS

**DURABILITY**
Engineered to handle heavy loads and long-term use in demanding conditions.

**FUNCTIONALITY**
Facilitates efficient monitoring and maintenance, reducing system downtime.

**INTEGRATION**
Seamlessly integrates with underground drainage and stormwater systems.

**EASY ACCESS**
Provides convenient entry points for routine inspections and maintenance.

**SUSTAINABLE DESIGN**
Contributes to sustainable water management and efficient infrastructure operation.

**RELIABLE PERFORMANCE**
Precision engineering ensures consistent performance and long-term system efficiency.

## KEY FEATURES

**HEAVY-DUTY DESIGN**
Built to withstand vehicular and pedestrian loads in commercial and municipal areas.

**EASY INSPECTION**
Simplifies routine inspections and system monitoring.

**CORROSION RESISTANT**
Resistant to rust, chemicals, and environmental stressors for extended service life.

**CUSTOMIZABLE**
Available in a variety of sizes, depths, and configurations to suit project needs.

**SYSTEM COMPATIBILITY**
Designed to integrate with a wide range of drainage and stormwater infrastructure.

**EASY MAINTENANCE**
Designed for straightforward access and minimal maintenance requirements.

**ECO-FRIENDLY**
Supports sustainable water management through efficient system maintenance.

**PRECISION ENGINEERED**
Manufactured to high standards for reliable performance and system longevity.

**SECURE & SAFE**
Lockable and stable designs to ensure safety and prevent unauthorized access.

**LONG-TERM VALUE**
Durable construction minimizes lifecycle costs and maximizes system performance.

## APPLICATIONS

- Stormwater Management
- Drainage Networks
- Parks & Public Spaces
- Industrial Complexes
- Civic Infrastructure
- Large-Scale Developments

## INSTALLATION

**EASY INTEGRATION**
Designed for straightforward installation into existing or new drainage and stormwater systems.

**SECURE INSTALLATION**
Stable and secure fit ensures long-term performance and reliability under heavy loads.



Engineered for efficient installation, seamless integration, and long-term dependability.

## MAINTENANCE

- Routine inspections help ensure optimal system performance and longevity.
- Clean access points and remove debris to maintain unobstructed functionality.
- Repair or replace components as needed to maintain system integrity.
- Designed for minimal maintenance with decades of reliable performance.

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**SUSTAINABLE CHOICE**
Contributes to sustainable water management and infrastructure efficiency.

**MEETS LEED® CRITERIA**
Supports LEED credits for Sustainable Sites and Water Efficiency.

**ENVIRONMENTALLY RESPONSIBLE**
Designed to promote efficient system maintenance and resource conservation.

## NOTES


Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 4.6**
REV. 0.1



## OVERFLOW SYSTEMS

# GEO-OVR

Overflow solutions that safely convey excess stormwater away from the system, preventing overloading and ensuring reliable performance.

Shown: GEO-OVR-LIN
Linear overflow channel system directing stormwater during rainfall events.

**CONTROLLED DRAINAGE**
Directs excess water safely away from the system to prevent surface flooding.

**SYSTEM PROTECTION**
Prevents overloading and supports the longevity and reliability of the system.

**EFFECTIVE FLOW MANAGEMENT**
Engineered channels and inlets ensure efficient conveyance during storm events.

**DURABLE & INTEGRATED**
Built with high-performance materials for seamless integration and lasting durability.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

REV. 0.1

# OVERFLOW SYSTEMS
# GEO-OVR

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

- Durable, corrosion-resistant components designed for long-term performance.
- High-quality materials suitable for heavy-duty applications.
- Engineered to withstand harsh environmental conditions, including UV exposure and extreme weather.
- Eco-friendly materials supporting sustainable water management initiatives.

## FUNCTIONALITY



- Flood prevention by redirecting excess water to mitigate overflow risks.
- Protects infrastructure from water damage during heavy rainfall or peak flow events.
- Promotes regulated water discharge to minimize environmental impact.
- Meets municipal and environmental standards for water management.

Engineered to manage surplus water flow, prevent flooding, and protect infrastructure with eco-conscious solutions.

## PERFORMANCE & BENEFITS

**FLOOD PREVENTION**
Redirects excess water flow to prevent overflow and reduce flooding risks.

**INFRASTRUCTURE PROTECTION**
Safeguards buildings, roads, and critical structures from water damage.

**SUSTAINABILITY FOCUS**
Supports regulated water discharge and minimizes environmental impact.

**CODE COMPLIANCE**
Meets municipal and environmental standards for safe and efficient water management.

**SCALABLE SOLUTIONS**
Adaptable designs for projects of varying sizes and complexities.

**SYSTEM INTEGRATION**
Compatible with new and existing drainage and stormwater management systems.

## KEY FEATURES

**SCALABLE DESIGN**
Customizable solutions to meet the needs of small to large-scale projects.

**EFFICIENT FLOW CONTROL**
Engineered to handle high flow volumes and prevent system overload.

**CORROSION RESISTANT**
Built with durable materials that resist corrosion and extend service life.

**EASY INTEGRATION**
Designed for seamless integration into a wide range of drainage systems.

**ECO-FRIENDLY**
Manufactured with sustainable practices to support green infrastructure goals.

**LONG-TERM DURABILITY**
Engineered for reliability and consistent performance in harsh environments.

**LOW MAINTENANCE**
Requires minimal upkeep for optimal performance and compliance.

**RELIABLE PERFORMANCE**
Precision-engineered design ensures consistent and efficient water management.

**SAFE & SECURE**
Prevents uncontrolled water discharge and protects public and private infrastructure.

**WIDE APPLICABILITY**
Suitable for urban, rural, industrial, and municipal water management projects.

## APPLICATIONS

- Stormwater Tanks
- Municipal Drainage Systems
- Industrial Water Management
- Roadways & Highways
- Commercial & Public Buildings
- Parks & Green Infrastructure
- Large-Scale Infrastructure Projects

## INSTALLATION

**CUSTOMIZABLE DESIGN**
Engineered to meet site-specific requirements and integrate with new or existing systems.

**EFFICIENT INSTALLATION**
Designed for straightforward installation with minimal site disruption and long-term reliability.





Engineered for efficient installation, seamless integration, and long-term dependability.

## MAINTENANCE

- Routine inspections ensure optimal system performance and compliance.
- Clean debris and sediment from inlet and outlet points to maintain flow efficiency.
- Ensure all components are secure and functioning as intended.
- Recommended maintenance helps extend system life and reliability.

## WARRANTY

- **8 YEAR** — STRUCTURAL WARRANTY
- **3 YEAR** — COATINGS & FINISHES WARRANTY
- **2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**SUSTAINABLE MATERIALS**
Made with durable, recyclable materials to reduce environmental impact.

**EFFICIENT DISCHARGE**
Enables controlled water release to support sustainable water management.

**MEETS LEED® CRITERIA**
Supports LEED credits for Sustainable Sites and Water Efficiency.

**ENVIRONMENTALLY RESPONSIBLE**
Designed to minimize flood risks and protect natural ecosystems.

## NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 04 | 4.7**
REV. 0.1



RAIN GARDENS

## GEO-RNG

Rain garden systems capture and filter stormwater runoff through natural processes, enhancing water quality while creating vibrant, sustainable landscapes.

Shown: GEO-RNG-400
Rain garden system designed to manage stormwater while enhancing urban green space and biodiversity.

### STORMWATER MANAGEMENT

Captures and filters rainwater runoff, reducing pollutants and improving water quality.

### ECOLOGICAL BENEFITS

Supports native plants and wildlife, promoting biodiversity and creating healthier ecosystems.

### NATURAL FILTRATION

Utilizes soil and plant processes to naturally filter and treat stormwater before it enters waterways.

### SUSTAINABLE DESIGN

Integrates beauty and functionality to create resilient, low-maintenance landscapes.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

## RAIN GARDENS
## GEO-RNG

GEO SERIES

REV. 0.1

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

- Sustainable materials for water filtration and retention.
- Native plants chosen to support local ecosystems and minimize maintenance.
- Engineered soil mix optimizes infiltration, filtration, and plant health.
- Eco-friendly materials supporting sustainable water management initiatives.

### FUNCTIONALITY



**Stormwater Management:** Captures and filters runoff, preventing flooding and improving water quality.

**Pollution Control:** Removes contaminants from rainwater before returning it to the environment.

**Biodiversity Support:** Creates habitats for pollinators, birds, and native plants.

**Aesthetic Integration:** Combines functional water management with vibrant landscaping.

Eco-friendly rain gardens that enhance landscapes, manage stormwater, and promote environmental health.

### PERFORMANCE & BENEFITS

**STORMWATER MANAGEMENT**
Captures and filters runoff to reduce flooding and protect infrastructure.

**POLLUTION CONTROL**
Filters out sediments, nutrients, and pollutants to improve water quality.

**BIODIVERSITY SUPPORT**
Supports pollinators, birds, and native plants, boosting ecosystem health.

**AESTHETIC INTEGRATION**
Creates attractive green spaces that enhance property value and appeal.

**NATURAL INFILTRATION**
Promotes groundwater recharge by enhancing soil permeability.

**SUSTAINABLE DESIGN**
Aligns with green building initiatives and supports LEED certification.

**LOW MAINTENANCE**
Designed for long-term performance with minimal upkeep requirements.

**DURABLE PERFORMANCE**
Engineered to withstand diverse environmental conditions and heavy use.

### KEY FEATURES

**CUSTOMIZABLE LAYOUTS**
Tailored designs for seamless integration into diverse project types and site conditions.

**EFFICIENT FILTRATION**
Engineered soil and plants work together to maximize water filtration efficiency.

**NATIVE PLANTS**
Carefully selected native plants thrive in local conditions and support biodiversity.

**RUNOFF REDUCTION**
Reduces the volume and velocity of runoff to prevent erosion and flooding.

**LEED SUPPORT**
Contributes to LEED sustainable thorough innovative water envirogemeral practices.

**LONG-LASTING**
Designed for durability and long-term performance in a variety of climates.

**EASY MAINTENANCE**
Low-maintenance design requires minimal intervention for lasting beauty.

**EROSION CONTROL**
Helps stabilize soil and by nacot erosion during impurities and toxins.

**LANDSCALITY IMPROVEMENT**
Adds functional green infrastructure that complements site aesthetics.

**SUSTAINABLE IMPACT**
Supports environmental stewardship and resilient, climate-responsive design.

### APPLICATIONS

- Urban Developments
- Municipal Projects
- Parks & Recreation Areas
- Commercial Properties
- Institutional Campuses
- Parking Lots & Streetscapes
- Green Infrastructure Projects

### INSTALLATION

**TAILORED DESIGNS**
Custom layouts and plant selections are developed based on site conditions, goals, and local regulations.

**SEAMLESS INTEGRATION**
Engineered for easy integration into hardscape and softscape environments for optimal functionality.



Designed for efficient installation and optimal performance in both new and retrofit projects.

### MAINTENANCE

- Seasonal inspections ensure plants are healthy and the system functions as intended.
- Remove debris and weeds to maintain filtration efficiency and aesthetics.
- Mulching and plant care promote healthy growth and soil stability.
- Annual maintenance helps ensure long-term performance and sustainability.

### WARRANTY

**8 YEAR** — STRUCTURAL WARRANTY

**3 YEAR** — COATINGS & FINISHES WARRANTY

**2 YEAR** — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**ECO-FRIENDLY MATERIALS**
Made with sustainable materials to reduce environmental impact.

**WATER MANAGEMENT**
Manages stormwater responsibly and promotes natural water cycles.

**MEETS LEED® CRITERIA**
Supports LEED credits for Sustainable Sites and Water Efficiency.

**ENVIRONMENTALLY RESPONSIBLE**
Designed to protect water quality and support climate-resilient communities.

### NOTES

Please Plant is a supply-only manufacturer. Installation, site preparation, and engineering verification are the responsibility of others. Specifications subject to change without notice. Contact Please Plant for the most current product information.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

PRODUCT DATA SHEET

## PLAYGROUND & RECREATION | GEO SERIES

Manufacturer: Please Plant

Contact: info@pleaseplant.com | +1 236-323-2179



### OVERVIEW

Engaging Play Systems Designed for Parks, Schools, and Public Spaces
Durable playground equipment engineered to support active play, inclusive environments, and long-lasting performance in municipal and commercial landscapes. Designed for safety, accessibility, and integration with modern landscape architecture.

### PRODUCT SCOPE

- **PLAYGROUND SLIDES** (GEO-SLD)
- **PLAY STRUCTURES** (GEO-STR)
- **CLIMBING SYSTEMS** (GEO-CLM)
- **SWING SETS** (GEO-SWG)
- **BALANCE ELEMENTS** (GEO-BAL)
- **INTERACTIVE PLAY PANELS** (GEO-PNL)
- **INCLUSIVE PLAY EQUIPMENT** (GEO-INC)

### PERFORMANCE

- Built for high-traffic public use
- UV-stable & weather-resistant materials
- Corrosion and impact resistant
- Designed to meet or exceed ASTM, CSA, and EN standards
- Engineered for safety and durability

### CUSTOMIZATION

- Modular & scalable systems
- Custom color schemes and configurations
- Multiple themes and styles available
- Adaptable to site conditions & design requirements

### SUSTAINABILITY

- Made from recyclable & sustainable materials
- Supports LEED® credits under MR, SS, and ID+C
- Low-maintenance products for reduced environmental impact

### INSTALLATION & MAINTENANCE

- Surface-mount or in-ground installation options
- Standard stainless steel anchoring hardware
- Low-maintenance; routine cleaning and periodic inspection recommended

### COMPLIANCE

- Meets or exceeds applicable ASTM | CSA | EN standards
- Engineered for safety and accessibility
- Supports inclusive play requirements

### APPLICATIONS

- Municipal parks & playgrounds
- Schools & educational campuses
- Community & recreation centers
- Daycares & childcare facilities
- Mixed-use & residential developments
- Public spaces & urban plazas



### WARRANTY

- 5-year structural warranty
- 5-year coatings & finishes warranty
- 5-year components warranty

Warranty is subject to proper installation and maintenance.

### COMPLIANCE

Please Plant Playground & Recreation equipment meet or exceed applicable standards, including:

**ASTM | CSA | EN**

Full certifications available upon request.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 05 | 5.1**
REV. 0.1



PLAYGROUND SLIDES

## GEO-SLD

Smooth-riding slides engineered for safety, durability, and lasting performance in any play environment.

Shown: GEO-SLD-200
High-performance playground slide built for safety, durability, and year-round enjoyment.

**SMOOTH PERFORMANCE**

Precision-engineered surfaces ensure a safe, smooth, and enjoyable riding experience.

**DURABLE CONSTRUCTION**

Built with high-quality materials to withstand heavy use and harsh weather conditions.

**SAFETY-FOCUSED DESIGN**

Designed with child safety in mind, featuring secure handholds, rounded edges, and stable support.

**WEATHER-RESISTANT**

UV-resistant and corrosion-resistant materials ensure long-lasting performance in all environments.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

REV. 0.1

# PLAYGROUND SLIDES
# GEO-SLD

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

**Stainless Steel:** Fabricated from high-grade 304 or 316 stainless steel with a glass bead blasted finish.

**Rotomoulded Options:** UV-stabilized, high-density polyethylene (HDPE) for vibrant color and durability.

**Weather Resistant:** Engineered to withstand extreme weather conditions and high-traffic use.

**Sustainable Materials:** Recyclable materials supporting green building initiatives.

## KEY BENEFITS

**DURABLE CONSTRUCTION**
Built to endure heavy public use and extreme environmental conditions.

**GLASS BEAD BLASTED FINISH**
Reduces glare, improves durability, and helps minimize heat buildup in sunlight.

**ACCESSIBILITY ADVANTAGE**
Stainless steel surfaces are static-free, supporting children who use hearing devices like cochlear implants.

**VANDAL-RESISTANT**
Highly resistant to vandalism, fire, graffiti, and corrosion for long-term performance.

**FLEXIBLE INSTALLATION**
Integrates into modular structures, hillsides, or standalone designs.

## PERFORMANCE & SAFETY

**SAFETY COMPLIANT**
Designed and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.

**STRUCTURAL STRENGTH**
Engineered for high load capacity and impact resistance.

**TEMPERATURE PERFORMANCE**
Glass bead blasted stainless steel surface helps maintain cooler temperatures in direct sunlight.

**SMOOTH SLIDING SURFACE**
Precision-finished surface ensures a smooth, fast, and safe sliding experience.

**LOW MAINTENANCE**
Corrosion, stain, and scratch resistant for reduced maintenance over time.

**SUSTAINABILITY**
Long service life and recyclable materials contribute to LEED® certification credits.

## TYPICAL CONFIGURATIONS



STRAIGHT SLIDE | SPIRAL SLIDE | TUNNEL SLIDE | HILLSIDE SLIDE | CUSTOM SLIDE

Custom sizes, angles, and finishes available to meet project-specific requirements.

## OUR APPROACH TO PLAYGROUND SLIDES

**1 PROJECT CONSULTATION**
We collaborate with architects, landscape designers, and stakeholders to determine the optimal slide type, height, and site integration for your project.

**2 CUSTOM FABRICATION**
Slides are engineered and fabricated to meet specific dimensional, performance, and safety requirements.

**3 TECHNICAL SUPPORT**
We provide detailed drawings, technical documentation, and guidance for safe installation and compliance with playground standards.

## APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

## INSTALLATION OPTIONS



MODULAR PLAY STRUCTURES | HILLSIDE INTEGRATION | STANDALONE INSTALLATIONS

Engineered for safe, secure installation with detailed mounting and anchoring recommendations.

## MAINTENANCE

Routine inspections recommended to ensure ongoing safety and performance.

Clean surfaces with mild soap and water to maintain appearance.

Check anchor points and hardware periodically for stability.

Minimal maintenance required for both stainless steel and rotomoulded slides.

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**ECO-FRIENDLY DESIGN**
Supports sustainable landscape design and green building initiatives.

**WATER MANAGEMENT**
Helps reduce runoff and supports sustainable site development.

**LEED® CONTRIBUTION**
Supports LEED credits for Sustainable Sites and Materials & Resources.

## FAQ

**Q: What types of playground slides are available?**
A: Straight slides, spiral slides, tunnel slides, hillside slides, and custom configurations.

**Q: Can playground slides be customized for different projects?**
A: Yes, slides can be customized in length, height, angle, finish, and integration method.

**Q: What materials are used for playground slides?**
A: Slides are available in stainless steel (304/316) with a glass bead blasted finish or rotomoulded HDPE in a variety of colors.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 05 | 5.2**
REV. 0.1



PLAY STRUCTURES

## GEO-STR

Modular play structures designed for durable, customizable, and engaging play environments.

Shown: GEO-STR-200
Modular play structure system built for durability, safety, and endless play possibilities.

### MODULAR DESIGN

Flexible components allow for a variety of configurations to suit any space.

### DURABLE CONSTRUCTION

Engineered with high-quality materials to withstand heavy use and harsh outdoor conditions.

### SAFETY-FOCUSED DESIGN

Designed with child safety in mind, featuring secure connections, rounded edges, and stable support.

### ENGAGING PLAY ENVIRONMENTS

A wide range of interactive elements that promote imagination, movement, and social play.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

DATA SHEET

REV. 0.1

## PLAY STRUCTURES
## GEO-STR

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



### MATERIAL SPECIFICATIONS

**Durable Materials:** Fabricated from high-strength steel, aluminum, and durable composite materials.

**Protective Finishes:** Powder-coated or anodized finishes resist corrosion, UV exposure, and wear.

**Weather Resistant:** Engineered to withstand extreme weather conditions and heavy public use.

**Sustainable Materials:** Recyclable materials supporting green building initiatives.

### KEY BENEFITS

**MODULAR SYSTEM DESIGN**
Flexible systems allow slides, climbers, and interactive elements to be integrated into cohesive playground layouts.

**DURABLE CONSTRUCTION**
Built with high-quality materials designed to withstand heavy use and challenging environmental conditions.

**ARCHITECTURAL INTEGRATION**
Designed to complement landscape architecture and integrate seamlessly with modern park environments.

**SAFETY FOCUSED**
Engineered with guardrails, secure connections, and compliant play heights to ensure user safety.

**EXPANDABLE CONFIGURATIONS**
Modular components allow systems to grow and adapt as playgrounds evolve over time.

### PERFORMANCE & SAFETY

**SAFETY COMPLIANT**
Engineered and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.

**STRUCTURAL STRENGTH**
Designed for high load capacity and structural stability.

**SECURE CONNECTIONS**
Tamper-resistant hardware and secure connections ensure long-term stability and safety.

**AGE APPROPRIATE DESIGN**
Components designed for a wide range of age groups and ability levels.

**IMPACT RESISTANCE**
Materials and components tested for impact resistance in high-traffic environments.

**LOW MAINTENANCE**
Durable finishes and quality materials reduce wear and maintenance requirements.

### TYPICAL CONFIGURATIONS



COMPACT STRUCTURE



MULTI-TOWER SYSTEM



THEMED STRUCTURE



INCLUSIVE PLAY SYSTEM

Custom layouts, heights, and components available to meet project-specific requirements.

### OUR APPROACH TO PLAY STRUCTURES

1. **CONCEPT DEVELOPMENT**
We collaborate with architects, landscape designers, and project stakeholders to define the overall playground layout and play objectives.

2. **SYSTEM DESIGN**
Our team develops modular play structures tailored to the project's site conditions, height requirements, and integrated play components.

3. **TECHNICAL COORDINATION**
We provide drawings, technical details, and coordination support to ensure smooth installation and compliance with playground safety standards.

### APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

### INSTALLATION OPTIONS



MODULAR PLAY STRUCTURES



SLOPED SITE INTEGRATION



SURFACE & IN-GROUND INSTALLATIONS

Engineered for safe, secure installation with detailed mounting and anchoring recommendations.

### MAINTENANCE

- Routine inspections recommended to ensure ongoing safety and performance.
- Clean surfaces with mild soap and water to maintain appearance.
- Check hardware and connections periodically for stability.
- Minimal maintenance required for long-lasting performance and durability.

### WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

### SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**ECO-FRIENDLY DESIGN**
Supports sustainable landscape design and green building initiatives.

**DURABLE & LONG-LASTING**
Built for long service life, reducing waste and replacement needs.

**LEED® CONTRIBUTION**
Supports LEED credits for Sustainable Sites and Materials & Resources.

### FAQ

**Q: What types of play structures are available?**
A: Modular play structures are available in a variety of configurations, heights, and themes to suit different ages and site conditions.

**Q: Can play structures be customized?**
A: Yes, structures can be customized in size, layout, color, materials, and integrated play components.


**Q: What materials are used for play structures?**
A: Structures are fabricated from high-strength steel, aluminum, and durable composite materials with protective finishes for long-term performance.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 05 | 5.3**
REV. 0.1



## CLIMBING SYSTEMS

# GEO-CLM

Climbing systems that build strength, confidence, and coordination through safe, durable, and engaging play.

Shown: GEO-CLM-310
Engineered for strength development, safety, and versatile play configurations.

### STRENGTH DEVELOPMENT

Promotes upper and lower body strength, balance, and coordination through challenging play.

### DURABLE MATERIALS

Built with high-quality, weather-resistant materials for long-lasting performance in any environment.

### SAFETY-FOCUSED DESIGN

Rounded edges, non-slip surfaces, and secure connections prioritize child safety.

### VERSATILE CONFIGURATIONS

Modular components allow for endless layouts to fit diverse spaces and play environments.

# PLEASE PLANT

DATA SHEET

REV. 0.1

# CLIMBING SYSTEMS
# GEO-CLM

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

- **Durable Materials:** Fabricated from high-strength steel, aluminum, and durable composite materials.
- **Protective Finishes:** Powder-coated or anodized finishes resist corrosion, UV exposure, and wear.
- **Rope & Netting:** UV-stabilized, high-strength ropes with durable connectors for long-term use.
- **Weather Resistant:** Engineered to withstand extreme weather conditions and heavy public use.
- **Sustainable Materials:** Recyclable materials supporting green building initiatives.

## KEY BENEFITS

**ENCOURAGES ACTIVE PLAY**
Climbing elements promote strength, coordination, and confidence while supporting healthy physical development.

**DURABLE CONSTRUCTION**
Built with high-quality materials designed to withstand heavy public use and challenging environmental conditions.

**FLEXIBLE CONFIGURATIONS**
Climbing nets, walls, and rope systems can be integrated into play structures or installed as standalone features.

**SAFETY-FOCUSED DESIGN**
Engineered with safe grip points, stable connections, and compliant play heights to ensure user safety.

**ARCHITECTURAL INTEGRATION**
Climbing elements can be incorporated into modern playground layouts and landscape architecture designs.

## PERFORMANCE & SAFETY

**SAFETY COMPLIANT**
Engineered and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.

**STRUCTURAL STRENGTH**
Designed for high load capacity and structural stability.

**SECURE CONNECTIONS**
Tamper-resistant hardware and secure connections ensure long-term stability and safety.

**AGE APPROPRIATE DESIGN**
Climbing solutions designed for a wide range of age groups and ability levels.

**IMPACT RESISTANCE**
Materials and components tested for impact resistance in high-traffic environments.

**LOW MAINTENANCE**
Durable finishes and quality materials reduce wear and maintenance requirements.

## TYPICAL CONFIGURATIONS



ROPE PYRAMID | CLIMBING WALL | ROPE NET CLIMBER | ROPE BRIDGE | CARGO NET

Custom layouts, heights, and components available to meet project-specific requirements.

## OUR APPROACH TO CLIMBING SYSTEMS

1. **PLAY ENVIRONMENT PLANNING**
We work with designers and project stakeholders to identify opportunities for climbing elements within the playground layout.

2. **SYSTEM DESIGN**
Climbing systems are engineered to match the project's play objectives, height requirements, and structural conditions.

3. **TECHNICAL COORDINATION**
Our team provides technical drawings and installation guidance to ensure safe implementation and compliance with playground safety standards.

## APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

## INSTALLATION OPTIONS



INTEGRATED WITH PLAY STRUCTURES | SLOPED SITE INTEGRATION | STANDALONE INSTALLATIONS

Engineered for safe, secure installation with detailed mounting and anchoring recommendations.

## MAINTENANCE

- Routine inspections recommended to ensure ongoing safety and performance.
- Clean surfaces with mild soap and water to maintain appearance.
- Check ropes, connectors, and hardware periodically for stability and wear.
- Minimal maintenance required for long-lasting performance and durability.

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**ECO-FRIENDLY DESIGN**
Supports sustainable landscape design and green building initiatives.

**DURABLE & LONG-LASTING**
Built for long service life, reducing waste and replacement needs.

**LEED® CONTRIBUTION**
Supports LEED credits for Sustainable Sites and Materials & Resources.

## FAQ

**Q: What types of climbing systems are available?**
A: Climbing nets, rope pyramids, climbing walls, cargo nets, rope bridges, and custom climbing elements.

**Q: Can climbing systems be customized for different projects?**
A: Yes, systems can be customized in layout, height, materials, and integration with other play components.

**Q: What materials are used for climbing systems?**
A: Systems are fabricated from high-strength steel, aluminum, composite materials, and UV-stabilized ropes with durable connectors.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

**PDS 05 | 5.4**
REV. 0.1

SWING SET SYSTEMS

# GEO-SWG

Swing systems designed to deliver smooth motion performance, durability, and safe, engaging play in modern outdoor environments.



Shown: GEO-SWG-210
Engineered for consistent motion, structural durability, and adaptable installation across diverse site conditions.

### SMOOTH MOTION PERFORMANCE

Precision-engineered connections and hardware ensure consistent, low-friction swing movement and long-term reliability.

### DURABLE CONSTRUCTION

Manufactured with high-performance materials designed to withstand heavy use and harsh outdoor environments.

### SAFETY-ENGINEERED DESIGN

Secure connections, impact-conssious detailing, and code-aligned configurations prioritize user safety.

### ADAPTABLE CONFIGURATIONS

Modular layouts support single, multi-bay, and custom swing configurations for a wide range of project requirements.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

DATA SHEET

REV. 0.1

# PLEASE PLANT | SWING SETS GEO-SWG

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

- **Durable Materials:** Fabricated from high-strength steel, aluminum, and durable components built for public use.
- **Protective Finishes:** Powder-coated or galvanized finishes resist corrosion, UV exposure, and wear.
- **Chains & Hardware:** Heavy-duty, corrosion-resistant chains and stainless steel hardware ensure long service life.
- **Weather Resistant:** Engineered to withstand extreme weather conditions and heavy public use.
- **Sustainable Materials:** Recyclable materials supporting green building initiatives.

## KEY BENEFITS

- **CLASSIC PLAY EXPERIENCE** — Swings provide timeless fun, movement, and social interaction for children of many ages.
- **DURABLE CONSTRUCTION** — Built with high-quality materials designed to withstand heavy public use and challenging environmental conditions.
- **FLEXIBLE CONFIGURATIONS** — Includes traditional belt swings, group swings, and accessible seating options to suit project needs.
- **SAFETY-FOCUSED DESIGN** — Engineered with secure connections, durable chains, and stable support structures for safe play.
- **INCLUSIVE PLAY OPTIONS** — Accessible swing seats can be incorporated to create welcoming and inclusive playground environments.

## PERFORMANCE & SAFETY

- **SAFETY COMPLIANT** — Engineered and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.
- **STRUCTURAL STRENGTH** — High-load capacity frames designed for stability and long-term durability.
- **SECURE CONNECTIONS** — Tamper-resistant hardware and proper connections ensure safe and stable operation.
- **AGE APPROPRIATE DESIGN** — Swing systems designed for a wide range of age groups and ability levels.
- **IMPACT ABSORPTION** — Designed for use with impact-absorbing surface materials to reduce the risk of injury from falls.
- **LOW MAINTENANCE** — Durable finishes and quality materials reduce wear and maintenance requirements.

## TYPICAL CONFIGURATIONS



DOUBLE SWING | TRIPLE SWING | GROUP SWING | ACCESSIBLE SWING

Custom layouts, heights, and components available to meet project-specific requirements.

## OUR APPROACH TO SWING SETS

1. **SITE EVALUATION** — We work with project designers to determine the ideal placement, spacing, and configuration of swing systems within the playground layout.
2. **SYSTEM DESIGN** — Swing frames and components are designed to accommodate different swing types while ensuring structural stability and safe clearances.
3. **TECHNICAL SUPPORT** — Our team provides installation guidance and technical documentation to ensure proper assembly and compliance with playground safety standards.

## APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

## INSTALLATION OPTIONS



SURFACE MOUNT | IN-GROUND INSTALLATION | HEAVY-DUTY ANCHORING

Engineered for safe, secure installation with detailed mounting and anchoring recommendations.

## MAINTENANCE

- Routine inspections recommended to ensure ongoing safety and performance.
- Clean surfaces with mild soap and water to maintain appearance.
- Check chains, seats, and hardware periodically for wear and stability.
- Minimal maintenance required for long-lasting performance and durability.

## WARRANTY

- 8 YEAR — STRUCTURAL WARRANTY
- 3 YEAR — COATINGS & FINISHES WARRANTY
- 2 YEAR — COMPONENTS WARRANTY

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

- **RECYCLABLE MATERIALS** — Made with recyclable materials to reduce environmental impact.
- **ECO-FRIENDLY DESIGN** — Supports sustainable landscape design and green building initiatives.
- **DURABLE & LONG-LASTING** — Built for long service life, reducing waste and replacement needs.
- **LEED® CONTRIBUTION** — Supports LEED credits for Sustainable Sites and Materials & Resources.

## FAQ

**Q:** What types of swing sets are available?
**A:** Swing sets are available in various configurations including double, triple, group swings, and accessible swing options.

**Q:** Can swing sets be customized for different projects?
**A:** Yes, swing systems can be customized in layout, height, materials, and swing types to suit project needs.

**Q:** What materials are used for swing sets?
**A:** Swing frames are fabricated from high-strength steel or aluminum with protective finishes. Chains, seats, and hardware are made from durable, corrosion-resistant materials for long-term performance.


PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

PDS 05 | 5.5

REV. 0.1



BALANCE ELEMENTS

# GEO-BAL

Balance elements designed to develop coordination, agility, and confidence through fun, challenging play in any outdoor environment.

**SKILL DEVELOPMENT**

Enhances balance, coordination, agility, and motor skills through challenging and engaging play.

**DURABLE CONSTRUCTION**

Built with high-quality, weather-resistant materials for long-lasting performance in high-use areas.

**LOW-MAINTENANCE MATERIALS**

Designed with durable, easy-to-clean materials that require minimal upkeep over time.

**ENGAGING DESIGN**

Fun, interactive elements encourage active play and imaginative exploration.

DATA SHEET

REV. 0.1

# PLEASE PLANT | BALANCE ELEMENTS GEO-BAL

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

**Durable Materials:** Fabricated from high-strength steel, aluminum, and durable composite materials built for public use.

**Protective Finishes:** Powder-coated or anodized finishes resist corrosion, UV exposure, and wear.

**Hardware & Connectors:** Stainless steel hardware ensures secure, long-lasting connections and safe operation.

**Weather Resistant:** Engineered to withstand extreme weather conditions and heavy public use.

**Sustainable Materials:** Recyclable materials supporting green building initiatives.

## KEY BENEFITS

**ENCOURAGES PHYSICAL DEVELOPMENT**
Balance elements help children build coordination, strength, and spatial awareness through active play.

**DURABLE CONSTRUCTION**
Built with high-quality materials designed to withstand heavy public use and challenging environmental conditions.

**FLEXIBLE INSTALLATION OPTIONS**
Elements can be installed individually or integrated within larger playground layouts and play structures.

**SAFETY-FOCUSED DESIGN**
Engineered with stable foundations and safe play heights to support confident exploration.

**COMPLEMENTARY PLAY FEATURES**
Balance elements work well alongside climbing systems, play structures, and other playground equipment.

## PERFORMANCE & SAFETY

**SAFETY COMPLIANT**
Engineered and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.

**STRUCTURAL STRENGTH**
Designed for high load capacity and long-term durability.

**SECURE CONNECTIONS**
Tamper-resistant hardware and proper connections ensure safe and stable performance.

**AGE APPROPRIATE DESIGN**
Elements designed for a wide range of age groups and ability levels.

**IMPACT ABSORPTION**
Designed for use with impact-absorbing surface materials to reduce the risk of injury from falls.

**LOW MAINTENANCE**
Durable finishes and quality materials reduce wear and maintenance requirements.

## TYPICAL CONFIGURATIONS



BALANCE BEAM | STEPPING POSTS | WOBBLE BOARD | LOG BALANCE | CURVED BALANCE

Custom layouts, heights, and components available to meet project-specific requirements.

## OUR APPROACH TO BALANCE ELEMENTS

**1 PLAYGROUND LAYOUT PLANNING**
We collaborate with designers and project stakeholders to determine how balance features can enhance the overall play environment.

**2 ELEMENT DESIGN**
Balance elements are designed to suit the project's site conditions, play objectives, and surrounding playground equipment.

**3 INSTALLATION SUPPORT**
Our team provides technical drawings and guidance to support safe installation and compliance with playground safety standards.

## APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

## INSTALLATION OPTIONS



SURFACE MOUNT | IN-GROUND INSTALLATION | HEAVY-DUTY ANCHORING

Engineered for safe, secure installation with detailed mounting and anchoring recommendations.

## MAINTENANCE

- Routine inspections recommended to ensure ongoing safety and performance.
- Clean surfaces with mild soap and water to maintain appearance.
- Check hardware and connections periodically for stability and wear.
- Minimal maintenance required for long-lasting performance and durability.

## WARRANTY

| 8 YEARS | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**ECO-FRIENDLY DESIGN**
Supports sustainable landscape design and green building initiatives.

**DURABLE & LONG-LASTING**
Built for long service life, reducing waste and replacement needs.

**LEED® CONTRIBUTION**
Supports LEED credits for Sustainable Sites and Materials & Resources.

## FAQ

**Q: What types of balance elements are available?**
A: Balance beams, stepping posts, wobble boards, log balances, curved balances, and custom configurations.

**Q: Can balance elements be customized for different projects?**
A: Yes, elements can be customized in size, height, shape, materials, and integration with other play equipment.

**Q: What materials are used for balance elements?**
A: Elements are fabricated from high-strength steel, aluminum, and durable composite materials with protective finishes.

**Q: What surfaces are used under balance elements?**
A: Impact-absorbing surfaces such as engineered wood fiber,

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

PDS 05 | 5.6
REV. 0.1




INTERACTIVE PLAY PANELS

# GEO-PNL

Interactive play panels designed to inspire curiosity, spark imagination, and support sensory and cognitive development in any outdoor environment.

### SENSORY ENGAGEMENT

Encourages sensory exploration and cognitive development through hands-on, interactive play elements.

### EDUCATIONAL INTERACTION

Supports learning through numbers, patterns, shapes, and problem-solving activities that engage young minds.

### DURABLE MATERIALS

Built with high-quality, weather-resistant materials for long-lasting performance in high-use areas.

### INCLUSIVE DESIGN

Designed for all abilities and age groups to ensure accessible and engaging play experiences for everyone.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

DATA SHEET

REV. 0.1

# PLEASE PLANT | INTERACTIVE PLAY PANELS GEO-PNL

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

**Durable Materials:** Fabricated from high-strength steel, aluminum, and durable composite materials built for public use.

**Protective Finishes:** Powder-coated or anodized finishes resist corrosion, UV exposure, and wear.

**Hardware & Connectors:** Stainless steel hardware ensures secure, long-lasting connections and safe operation.

**Weather Resistant:** Engineered to withstand extreme weather conditions and heavy public use.

**Sustainable Materials:** Recyclable materials supporting green

## KEY BENEFITS

**ENCOURAGES CREATIVE ENGAGEMENT**
Interactive panels inspire imaginative play and exploration through hands-on activities and visual elements.

**SUPPORTS SENSORY PLAY**
Panels can incorporate tactile surfaces, sound features, and movement-based interactions that stimulate sensory development.

**DURABLE CONSTRUCTION**
Built with high-quality materials designed to withstand heavy public use and challenging environmental conditions.

**FLEXIBLE INTEGRATION**
Interactive panels can be incorporated into play structures, fences, walls, or standalone playground features.

**INCLUSIVE DESIGN OPPORTUNITIES**
Panels provide accessible play experiences that allow children of varying abilities to participate in playground activities.

## PERFORMANCE & SAFETY

**SAFETY COMPLIANT**
Engineered and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.

**STRUCTURAL STRENGTH**
Designed for high load capacity and long-term stability.

**SECURE CONNECTIONS**
Tamper-resistant hardware and proper connections ensure safe and stable performance.

**AGE APPROPRIATE DESIGN**
Panels designed for a wide range of age groups and ability levels.

**IMPACT RESISTANCE**
Materials and components tested for impact resistance in high-traffic environments.

**LOW MAINTENANCE**
Durable finishes and quality materials reduce wear and maintenance requirements.

## TYPICAL PANEL OPTIONS



GEAR PANEL | MUSIC PANEL | MAZE PANEL | TIC-TAC-TOE PANEL | ACTIVITY PANEL

Custom designs, themes, and interactive features available to meet project-specific requirements.

## OUR APPROACH TO INTERACTIVE PLAY PANELS

1. **PLAY EXPERIENCE PLANNING**
We collaborate with designers and project stakeholders to determine how interactive features can enhance the overall playground environment.

2. **PANEL DESIGN**
Interactive panels are developed to support educational play, sensory engagement, and creative exploration.

3. **INSTALLATION SUPPORT**
Our team provides technical guidance and documentation to ensure proper installation and long-term durability.

## APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

## INSTALLATION OPTIONS



INTEGRATED IN PLAY STRUCTURES | FENCE & WALL INSTALLATIONS | STANDALONE INSTALLATIONS

Engineered for safe, secure installation with detailed mounting and anchoring recommendations.

## MAINTENANCE

Routine inspections recommended to ensure ongoing safety and performance.

Clean surfaces with mild soap and water to maintain appearance.

Check hardware and connections periodically for stability and wear.

Minimal maintenance required for long-lasting performance and durability.

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**ECO-FRIENDLY DESIGN**
Supports sustainable landscape design and green building initiatives.

**DURABLE & LONG-LASTING**
Built for long service life, reducing waste and replacement needs.

**LEED® CONTRIBUTION**
Supports LEED credits for Sustainable Sites and Materials & Resources.

## FAQ

**Q:** What types of interactive play panels are available?
**A:** Panels are available in a variety of themes including gears, music, mazes, tic-tac-toe, activity, and custom designs.

**Q:** Can panels be customized for different projects?
**A:** Yes, panels can be customized in size, theme, colors, features, and integration method.

**Q:** What materials are used for interactive play panels?
**A:** Panels are fabricated from high-strength steel, aluminum, and durable composite materials with protective finishes.

**Q:** What surfaces are used for interactive play panels?
**A:** Impact-resistant panels such as HDPE, durable plastic

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

PLEASE PLANT

PDS 05 | 5.7
REV. 0.1



INCLUSIVE PLAY EQUIPMENT

# GEO-INC

Inclusive play equipment designed to create accessible, engaging, and welcoming play experiences for children of all abilities.

**ACCESSIBILITY-FOCUSED DESIGN**

Engineered with ramps and wide pathways to ensure easy access and participation for all abilities.

**INCLUSIVE PLAY EXPERIENCES**

Promotes social interaction and imaginative play, encouraging engagement for every child.

**DURABLE CONSTRUCTION**

Built with high-quality, weather-resistant materials that ensure long-lasting performance in high-use areas.

**MULTI-USER ENGAGEMENT**

Designed to support multiple users, fostering collaboration, movement, and shared play.

pleaseplant.com
sales@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

DATA SHEET

REV. 0.1

# PLEASE PLANT | INCLUSIVE PLAY EQUIPMENT GEO-INC

GEO SERIES

info@pleaseplant.com
+1 236-323-2179



## MATERIAL SPECIFICATIONS

**Durable Materials:** Fabricated from high-strength steel, aluminum, and durable composite materials built for public use.

**Protective Finishes:** Powder-coated or anodized finishes resist corrosion, UV exposure, and wear.

**Hardware & Connectors:** Stainless steel hardware ensures secure, long-lasting connections and safe operation.

**Weather Resistant:** Engineered to withstand extreme weather conditions and heavy public use.

**Sustainable Materials:** Recyclable materials building initiatives.

## KEY BENEFITS

**ACCESSIBLE PLAY OPPORTUNITIES**
Inclusive equipment allows children with varying physical abilities to participate in playground activities comfortably and safely.

**SUPPORTS SOCIAL INTERACTION**
Inclusive play features encourage shared experiences and cooperation among children of all abilities.

**THOUGHTFUL DESIGN**
Equipment is designed with accessible heights, supportive seating, and clear entry points to support inclusive play.

**DURABLE CONSTRUCTION**
Fabricated from high-quality materials designed to withstand heavy use in parks, schools, and municipal playgrounds.

**SEAMLESS PLAYGROUND INTEGRATION**
Inclusive elements can be incorporated into play structures, interactive zones, and broader playground layouts.

## PERFORMANCE & SAFETY

**SAFETY COMPLIANT**
Engineered and manufactured to meet CSA Z614, ASTM F1487, and EN 1176 playground equipment standards.

**STRUCTURAL STRENGTH**
Designed for high load capacity and long-term durability.

**SECURE CONNECTIONS**
Tamper-resistant hardware and proper connections ensure safe and stable performance.

**AGE APPROPRIATE DESIGN**
Equipment designed for a wide range of age groups and ability levels.

**IMPACT RESISTANCE**
Materials and components tested for impact resistance in high-traffic environments.

**LOW MAINTENANCE**
Durable finishes and quality materials reduce wear and maintenance requirements.

## TYPICAL EQUIPMENT OPTIONS



ACCESSIBLE RAMP MODULE | TRANSFER STATION WITH PANELS | INCLUSIVE SEAT SWING | WHEELCHAIR MERRY-GO-ROUND | GROUND-LEVEL ACTIVITY PANEL

Custom designs, themes, and inclusive features available to meet project-specific requirements.

## OUR APPROACH TO INCLUSIVE PLAY EQUIPMENT

1. **INCLUSIVE DESIGN PLANNING**
We collaborate with project stakeholders to identify opportunities for accessible play within the playground layout.

2. **EQUIPMENT INTEGRATION**
Inclusive elements are designed to complement surrounding playground features while ensuring accessibility and engagement.

3. **TECHNICAL SUPPORT**
Our team provides guidance and documentation to support installation and compliance with playground accessibility guidelines.

## APPLICATIONS

- Municipal Parks
- School Playgrounds
- Community Recreation Areas
- Urban Developments
- Nature Play Areas
- Daycares & Early Learning Centers

## INSTALLATION OPTIONS



INTEGRATED IN PLAY STRUCTURES | STANDALONE INSTALLLATIONS | SURFACE & IN-GROUND INSTALLATIONS

Engineered for safe, inclusive installation with detailed mounting and anchoring recommendations.

## MAINTENANCE

- Routine inspections recommended to ensure ongoing safety and performance.
- Clean surfaces with mild soap and water to maintain appearance.
- Check hardware and connections periodically for stability and wear.
- Minimal maintenance required for long-lasting performance and durability.

## WARRANTY

| 8 YEAR | 3 YEAR | 2 YEAR |
|---|---|---|
| STRUCTURAL WARRANTY | COATINGS & FINISHES WARRANTY | COMPONENTS WARRANTY |

Consult terms and conditions for full warranty details per product type.

## SUSTAINABILITY

**RECYCLABLE MATERIALS**
Made with recyclable materials to reduce environmental impact.

**ECO-FRIENDLY DESIGN**
Supports sustainable landscape design and green building initiatives.

**DURABLE & LONG-LASTING**
Built for long service life, reducing waste and replacement needs.

**LEED CONTRIBUTION**
Supports LEED credits for Sustainable Sites and Materials & Resources.

## FAQ

**Q: What types of inclusive play equipment are available?**
**A:** Ramps, transfer stations, inclusive swings, ground-level activity panels, and accessible merry-go-rounds.

**Q: Can inclusive play equipment be integrated into existing playgrounds?**
**A:** Yes, inclusive elements can be added to existing play structures or installed as standalone features.

**Q: What materials are used for inclusive play equipment?**
**A:** Equipment is fabricated from high-strength steel, aluminum, and durable composite materials with protective finishes.

**Q: What surfaces are recommended for inclusive play areas?**
**A:** Impact-absorbing surfaces such as rubber, poured-in-place rubber, or engineered wood fiber are recommended.

# PLEASE PLANT

WARRANTY

## PLEASE PLANT WARRANTY

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179



### RELIABLE PERFORMANCE BACKED BY INDUSTRY-LEADING COVERAGE

Please Plant products are engineered for long-term durability, structural performance, and consistent appearance across demanding commercial, municipal, and institutional environments.

Our warranty reflects confidence in both materials and manufacturing—providing clear, dependable coverage across all standard product lines.

### WARRANTY COVERAGE

**STRUCTURAL WARRANTY**
**8-YEAR COVERAGE**
Protection against defects in structural integrity, including failure of load-bearing components under normal use conditions.

**COATINGS & FINISHES**
**3-YEAR COVERAGE**
Protection against premature peeling, flaking, or corrosion of powder-coated, anodized, or treated finishes under normal environmental exposure.

**COMPONENTS & WORKMANSHIP**
**2-YEAR COVERAGE**
Coverage for moving parts, mechanical components, and general workmanship, ensuring proper function and assembly.

### CONDITIONS OF WARRANTY

This warranty is valid only when products are:

- Properly stored prior to installation
- Installed in accordance with Please Plant guidelines
- Maintained using standard care and maintenance practices
- Used in typical commercial or municipal applications

Failure to follow installation or maintenance recommendations may void warranty coverage.

### EXCLUSIONS & LIMITATIONS

This warranty does not cover:

- Improper installation, misuse, or neglect
- Lack of routine maintenance
- Vandalism, accidents, or unauthorized modifications
- Damage caused by extreme environmental conditions (flooding, fire, seismic events, etc.)
- Normal wear and tear, including fading or minor surface imperfections
- Site-specific conditions outside standard design assumptions
- Labor, installation, freight, or associated removal/reinstallation costs

Please Plant is not liable for incidental or consequential damages.

### MAINTENANCE REQUIREMENTS

To maintain warranty coverage and product longevity:

- Clean regularly using mild soap and water
- Avoid abrasive materials or harsh chemicals
- Inspect hardware, connections, and structural components periodically
- Perform additional maintenance in coastal or high-exposure environments

Routine care ensures long-term performance and finish integrity.

### WARRANTY CLAIMS

To initiate a claim, the following must be provided:

- Product identification (SKU or description)
- Proof of purchase and installation date
- Description of the issue with supporting photos
- Maintenance records (if applicable)

All claims are subject to review and approval by Please Plant.
At its discretion, Please Plant may:

- Repair the product
- Replace the product
- Issue a refund of the original purchase price

### COMPLIANCE & STANDARDS

Please Plant products are manufactured to meet or exceed:

- ASTM Standards
- ANSI Standards
- CSA Standards
- ISO Quality Benchmarks

Documentation and certifications are available upon request.

### SUMMARY

Please Plant's warranty is designed to provide:

- Long-term structural confidence
- Reliable finish performance
- Clear and fair coverage terms

This ensures our products perform as intended in real-world conditions—supporting designers, contractors, and owners with dependable, low-risk solutions.



© 2025 Please Plant. All Rights Reserved.

# PLEASE PLANT

WARRANTY

## PLEASE PLANT WARRANTY

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179



### RELIABLE PERFORMANCE BACKED BY INDUSTRY-LEADING COVERAGE

Please Plant products are engineered for long-term durability, structural performance, and consistent appearance across demanding commercial, municipal, and institutional environments.

Our warranty reflects confidence in both materials and manufacturing—providing clear, dependable coverage across all standard product lines.

### WARRANTY COVERAGE

**STRUCTURAL WARRANTY**
**8-YEAR COVERAGE**
Protection against defects in structural integrity, including failure of load-bearing components under normal use conditions.

**COATINGS & FINISHES**
**3-YEAR COVERAGE**
Protection against premature peeling, flaking, or corrosion of powder-coated, anodized, or treated finishes under normal environmental exposure.

**COMPONENTS & WORKMANSHIP**
**2-YEAR COVERAGE**
Coverage for moving parts, mechanical components, and general workmanship, ensuring proper function and assembly.

### CONDITIONS OF WARRANTY

This warranty is valid only when products are:

- Properly stored prior to installation
- Installed in accordance with Please Plant guidelines
- Maintained using standard care and maintenance practices
- Used in typical commercial or municipal applications

Failure to follow installation or maintenance recommendations may void warranty coverage.

### EXCLUSIONS & LIMITATIONS

This warranty does not cover:

- Improper installation, misuse, or neglect
- Lack of routine maintenance
- Vandalism, accidents, or unauthorized modifications
- Damage caused by extreme environmental conditions (flooding, fire, seismic events, etc.)
- Normal wear and tear, including fading or minor surface imperfections
- Site-specific conditions outside standard design assumptions
- Labor, installation, freight, or associated removal/reinstallation costs

Please Plant is not liable for incidental or consequential damages.

### MAINTENANCE REQUIREMENTS

To maintain warranty coverage and product longevity:

- Clean regularly using mild soap and water
- Avoid abrasive materials or harsh chemicals
- Inspect hardware, connections, and structural components periodically
- Perform additional maintenance in coastal or high-exposure environments

Routine care ensures long-term performance and finish integrity.

### WARRANTY CLAIMS

To initiate a claim, the following must be provided:

- Product identification (SKU or description)
- Proof of purchase and installation date
- Description of the issue with supporting photos
- Maintenance records (if applicable)

All claims are subject to review and approval by Please Plant.
At its discretion, Please Plant may:

- Repair the product
- Replace the product
- Issue a refund of the original purchase price

### COMPLIANCE & STANDARDS

Please Plant products are manufactured to meet or exceed:

- ASTM Standards
- ANSI Standards
- CSA Standards
- ISO Quality Benchmarks

Documentation and certifications are available upon request.

### SUMMARY

Please Plant's warranty is designed to provide:

- Long-term structural confidence
- Reliable finish performance
- Clear and fair coverage terms

This ensures our products perform as intended in real-world conditions—supporting designers, contractors, and owners with dependable, low-risk solutions.



© 2025 Please Plant. All Rights Reserved.

# PLEASE PLANT

2026 LOOK BOOK

DESIGN • FUNCTION • BALANCE

## ARCHITECT & CONTRACTOR RESOURCES

**SPECIFIER`S GUIDE**
Quick reference for product selection & integration.

**MATERIALS & PERFORMANCE GUIDE**
UV, corrosion, fire, and load resistance.

**WIND LOAD & STRUCTURAL PERFORMANCE**
General capabilities, no liability claims.

**FIRE RATING & COMPLIANCE OVERVIEW**
Industry standards, not legal guarantees.

**ACOUSTIC & THERMAL PROPERTIES GUIDE**
Energy efficiency and sound reduction.

**SEISMIC CONSIDERATIONS GUIDE**
Best practices for earthquake-prone regions.



## 2026 LOOK BOOK

ARCHITECT & CONTRACTOR RESOURCES

200-100 Park Royal S
Vancouver, BC Canada

info@pleaseplant.com

+1 236-323-2179

pleaseplant.com

# SPECIFICATION & SUBMITTAL SUPPORT

ASSISTING REPS WITH PROJECT SPECIFICATIONS & SUBMITTAL PACKAGES

**PLEASE PLANT**

Manufacturer: Please Plant
Contact: info@pleaseplant.com
+1 236-323-2179




## SPECIFICATION REVIEW

Please Plant supports project teams by reviewing specifications to ensure product compatibility, compliance with industry standards, and adherence to performance requirements.
It is the responsibility of the project team to confirm local code requirements and consult with engineers when necessary.

## SUBMITTAL PACKAGES

Comprehensive submittal packages include detailed product data sheets, material specifications, and compliance documentation to help project teams validate product selection and gain necessary approvals from architects, engineers, and regulatory bodies.

## SUBSTITUTION REQUESTS

For projects requiring alternative product solutions, Please Plant offers assistance in preparing substitution requests. These requests must include equivalent performance data, material composition details, and a justification for the substitution.
All substitutions are subject to review and approval by the project architect or engineer.

## COMPLIANCE & STANDARDS

Please Plant products are manufactured in accordance with ASTM, ANSI, and ISO standards where applicable. While we ensure our materials meet these guidelines, it remains the responsibility of the specifying party to verify compliance with local building codes and project-specific requirements.

## REP & DEALER SUPPORT

Sales representatives and dealers working with Please Plant have access to training materials, technical resources, and dedicated support to facilitate the specification and submittal process. We provide guidance on best practices for presenting product options, addressing technical concerns, and managing project approvals.

## REQUESTING SUPPORT

To request assistance with specifications, submittal packages, or substitutions, please provide the following information:

- Project name and location
- Product(s) being specified
- Specification details or performance requirements
- Any substitution or customization requests

## WE'RE HERE TO SUPPORT YOUR PROJECTS

Please Plant is committed to providing clear, accurate, and timely documentation to help you move your projects forward with confidence.


For further assistance, contact Please Plant at info@pleaseplant.com or call +1 236-323-2179.

# MATERIALS & PERFORMANCE

UNDERSTANDING DURABILITY, RESISTANCE, & COMPLIANCE

PLEASE PLANT

Manufacturer: Please Plant
Contact: info@pleaseplant.com
+1 236-323-2179



### UV RESISTANCE

All outdoor products are tested for UV stability to maintain their color and integrity over prolonged sun exposure. Powder-coated metals and composite finishes meet ASTM G154 standards for UV weathering resistance.

STANDARD:
ASTM G154

### CORROSION & MOISTURE RESISTANCE

Our metal components are treated with anodized or powder-coated finishes, ensuring protection against corrosion, moisture, and chemical exposure. Stainless steel options provide enhanced resistance for coastal and industrial environments, meeting ASTM B117 salt spray testing standards.

STANDARD:
ASTM B117

### FIRE RESISTANCE

Select materials used in Please Plant products comply with ASTM E84 Class A fire rating and CAN/ULC-S102 standards for flame spread and smoke development. Fire-resistant coatings and non-combustible components are available for specific applications.

STANDARDS:
ASTM E84 CLASS A
CAN/ULC-S102

### LOAD-BEARING CAPACITY

Structural elements such as benches, tables, decking, and railings are designed to meet commercial-grade load requirements. Our products undergo rigorous testing to ensure compliance with ANSI, ASTM, and local building codes for safety and durability.

STANDARDS:
ANSI • ASTM • LOCAL CODES

### THERMAL EXPANSION & CONTRACTION

Metal and composite materials naturally expand and contract with temperature fluctuations. Proper installation techniques, including allowance for movement and appropriate fastening methods, mitigate potential stress or warping. Refer to our Thermal Expansion & Contraction Guide for best practices.

### SEISMIC & WIND LOAD CONSIDERATIONS

For installations in high-wind or earthquake-prone regions, Please Plant offers anchoring solutions designed to improve stability and performance. Engineering assessments and compliance with local codes are recommended for critical installations.

### SUSTAINABILITY & ENVIRONMENTAL IMPACT

We prioritize sustainable material sourcing and manufacturing processes. Many of our products contain high-recycled-content metals and responsibly sourced wood, contributing to LEED certification eligibility. Low-VOC finishes and eco-conscious production practices align with green building standards.



### MAINTENANCE & LONGEVITY

Routine cleaning with mild detergents and periodic inspections help maintain material integrity and aesthetics. Protective coatings may be reapplied as needed for extended service life.

PLEASE PLANT | 200-100 Park Royal S Vancouver, BC V7T 1A2 | +1 236-323-2179 | info@pleaseplant.com | pleaseplant.com


For more information on material specifications, compliance documentation, or application guidance, contact Please Plant.

# WIND LOAD & STRUCTURAL PERFORMANCE

ENSURING STABILITY, STRENGTH, & COMPLIANCE

PLEASE PLANT

Manufacturer: Please Plant
Contact: info@pleaseplant.com
+1 236-323-2179



## OVERVIEW

Please Plant products are designed to meet structural performance requirements in a variety of environmental conditions, including high-wind and seismic-prone regions. This guide provides general information on wind load capabilities, anchoring recommendations, and structural performance best practices.

## WIND LOAD CONSIDERATIONS

Our products are engineered to withstand varying wind loads depending on their design, material composition, and installation method. While our shade structures, railings, and site furnishings offer inherent wind resistance, site-specific conditions should always be evaluated.

- **Shade Structures:** Engineered for wind speeds up to 120 mph (193 km/h) when properly anchored.
- **Railings & Guardrails:** Designed to meet commercial safety standards and resist lateral wind forces.
- **Modular Site Elements:** Anchoring and fastener selection impact wind resistance; consult installation guidelines for best practices.

## STRUCTURAL PERFORMANCE & LOAD CAPACITIES

Please Plant products are manufactured to comply with commercial-grade structural requirements. Load-bearing components such as benches, decking, and railings are rigorously tested to meet ANSI and ASTM standards for impact resistance and structural integrity.

- **Metal & Composite Decking:** Supports heavy foot traffic and distributed loads.
- **Prefabricated Stairs:** Manufactured to withstand dynamic and static loads.
- **Site Furnishings:** Designed for stability with additional mounting options for wind-prone locations.

## ANCHORING & INSTALLATION BEST PRACTICES

Proper anchoring and substrate selection are critical for wind load performance. All products include recommended installation methods, which should be followed to ensure structural integrity.

- **Surface-Mounted:** Secured with stainless steel fasteners for stability.
- **In-Ground Mounted:** Provides enhanced resistance to wind uplift.
- **Custom Anchoring:** Available for specialized installations requiring additional reinforcement.

## SEISMIC & ENVIRONMENTAL ADAPTATION

For high-seismic regions, Please Plant products can be adapted with reinforced anchoring systems. Site conditions, soil types, and regional seismic codes should be evaluated by qualified engineers to ensure compliance with local requirements.





## COMPLIANCE & STANDARDS

Our products are designed and tested in accordance with ASTM, ANSI, and other relevant industry standards. However, site-specific engineering may be required for certain projects. Please consult local regulations to ensure full compliance with structural codes.

ASTM ANSI ISO BUILDING CODE COMPLIANT

## DISCLAIMER

Please Plant products are manufactured to meet general structural requirements; however, performance may vary based on installation conditions and regional environmental factors. Engineering consultation is recommended for critical applications.



PLEASE PLANT


200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# FIRE PERFORMANCE & COMPLIANCE

ENSURING SAFETY AND REGULATORY COMPLIANCE

PLEASE PLANT

Manufacturer: Please Plant
Contact: info@pleaseplant.com
+1 236-323-2179



## FIRE RESISTANCE RATINGS

Many Please Plant products comply with ASTM E84 Class A and CAN/ULC-S102 standards, ensuring minimal flame spread and smoke production in commercial and public settings.

STANDARDS:
ASTM E84 CLASS A
CAN/ULC-S102

## NON-COMBUSTIBLE & FIRE-RESISTANT MATERIALS

Powder-coated steel, anodized aluminum, and select composites offer inherent fire resistance. These materials are engineered to withstand high temperatures and reduce the risk of fire propagation.

## FLAME SPREAD & SMOKE DEVELOPMENT

ASTM E84 tests evaluate flame spread and smoke density. Class A rating (Flame Spread Index of 25 or less and Smoke Developed Index of 450 or less) represents the highest level of fire performance.

## APPLICABLE INDUSTRY STANDARDS

- ASTM E84
- CAN/ULC-S102
- NFPA 701
- ASTM E119

These standards ensure compliance with fire safety requirements for a wide range of applications.

## BEST PRACTICES FOR FIRE SAFETY COMPLIANCE

Proper installation, material selection, and adherence to local fire codes are critical for ensuring safety and compliance. Engineering consultation is recommended for high-risk environments, including wildfire-prone areas, enclosed public spaces, and industrial applications.

## LIMITATIONS & LIABILITY DISCLAIMER

Fire performance is influenced by environmental conditions, installation methods, and surrounding materials. Specifiers and project managers should confirm suitability for their specific application and consult with fire safety professionals if necessary.

## MAINTENANCE & FIRE SAFETY

Routine inspections and cleaning help maintain material integrity and fire resistance. Protective coatings and finishes should be monitored for wear and reapplied as needed to maintain compliance with fire safety standards.



## ENGINEERING & CODE COMPLIANCE

While our products comply with recognized fire testing standards, project-specific fire safety requirements should always be verified with local building codes and engineering professionals.
Please Plant reserves the right to update specifications and materials to ensure ongoing compliance.


For additional fire compliance documentation, testing certificates, or material safety data, contact info@pleaseplant.com.



Fire performance may vary based on installation conditions and regional environmental factors. Engineering consultation is recommended for critical applications.
Please consult local regulations to ensure full compliance with structtial codes.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com




## ACOUSTIC PERFORMANCE

### SOUND ABSORPTION & REDUCTION

Our composite panels, wood structures, and perforated metal elements are designed to minimize sound transmission and enhance acoustic comfort. High NRC options are available for noise-sensitive environments sucih as public spaces, corporate settings, and high-traffic areas.

### DECIBEL REDUCTION & SOUND TRANSMISSION CLASS (STC)

Select products help reduce airborne noise transmission between spaces. Depending on material composition and installation methods, our solutions meet or exceed common STC ratings for commercial applications.

### VIBRATION & IMPACT NOISE CONTROL

For installations prone to mechanical vibrations or impact noise, Please Plant offers vibration-dampening mounts and composite materials designed to reduce structure-borne sound transmission.

## THERMAL PERFORMANCE

### INSULATION & HEAT RETENTION

Our materials provide varying degrees of thermal insulation, contributing to energy efficiency in exterior and interior applications. Metals, composites, and engineered wood components are designed to minimize heat transfer while maintaining structural integrity.

### THERMAL EXPANSION & CONTRACTION

Metals and composites expand and contract with temperature fluctuations. Proper design allowances and fastening methods are recommended to accommodate movement and prevent warping or stress-related issues.

### SOLAR REFLECTANCE & HEAT RESISTANCE

Certain coatings and material finishes offer high solar reflectance values (SRV) to reduce heat absorption in outdoor environments. This helps lower surface temperatures, improving occupant comfort and material longevity.

## COMPLIANCE & INDUSTRY STANDARDS

Please Plant products comply with relevant industry standards for acoustic and thermal performance, including ASTM and ANSI guidelines. While we provide guidance on best practices, we recommend consulting with project engineers and specialists to ensure compliance with regional codes and performance requirements.

ASTM ANSI CODE COMPLIANT



## SUSTAINABILITY & ENERGY EFFICIENCY

Our products align with green building initiatives, offering high-recycled-content materials, low-emission coatings, and thermal-efficient designs. These contribute to LEED certification eligibility and overall sustainability goals.

HIGH RECYCLED CONTENT | LOW VOC FINISHES | LEED® ELIGIBLE



## MAINTENANCE & LONGEVITY

Routine cleaning with mild detergents and periodic inspections help maintain material integrity and aesthetics. Protective coatings may be reapplied as needed for extended service life.

## TYPICAL APPLICATIONS

PUBLIC SPACES | CORPORATE INTERIORS | TRANSIT FACILITIES | EDUCATIONAL CAMPUSES | HIGH-TRAFFIC ENVIRONMENTS

PLEASE PLANT | 200-100 Park Royal S Vancouver, BC V7T 1A2 | +1 236-323-2179 | info@pleaseplant.com | pleaseplant.com

For more information on material specifications, acoustic and thermal performance data, or compliance documentation, contact info@pleaseplant.com.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com


# SEISMIC CONSIDERATIONS GUIDE

## BEST PRACTICES FOR EARTHQUAKE-PRONE REGIONS

PLEASE PLANT

Manufacturer: Please Plant
Contact: info@pleaseplant.com
+1 236-323-2179

Engineered for durability and safety, Please Plant products are designed to perform in seismic environments. This guide outlines key considerations for specifying, installing, and maintaining our products in earthquake-prone areas.



### MATERIAL RESILIENCE

High-strength materials such as powder-coated steel, aluminum, and reinforced composites are selected for their ability to absorb and dissipate dynamic forces while maintaining structural integrity.

### ANCHORING & STABILITY

Proper anchoring is essential to minimize movement during seismic events.

- **Surface-Mount:** Use seismic-rated anchor bolts, expansion fasteners, or epoxy-set anchors.
- **In-Ground:** Secure footings with reinforced concrete bases designed to local seismic load requirements.

### FLEXIBLE CONNECTIONS

Allow for controlled movement where necessary to prevent structural failure.

- Incorporate movement gaps, flexible joints, and isolation components as required by design.

### STRUCTURAL LOAD COMPLIANCE

Please Plant products comply with general industry standards for load-bearing capacity.

For seismic installations, consult IBC, CBC, NBCC, and local codes. Engineering review is recommended for site-specific requirements.

### VIBRATION & SHOCK ABSORPTION

Seismic activity introduces sudden and unpredictable forces. Utilize shock-absorbing components, vibration dampeners, and reinforced joint assemblies to enhance resilience and performance.

### SITE-SPECIFIC ENGINEERING

Regional variations in seismic risk require professional evaluation. Engage a structural engineer to determine project-specific seismic considerations.

Custom anchoring solutions and additional bracing may be required for installations in high-risk areas.



### INSPECTION & MAINTENANCE

Routine inspections ensure continued safety and performance.

- Check anchoring points and fasteners for signs of movement or wear.
- Verify structural connections and joint integrity.
- Reapply protective coatings as needed to prevent corrosion in metal components.



### COMPLIANCE & SUPPORT

Please Plant products are designed to integrate with standard seismic construction practices.

All seismic installations should adhere to local regulatory requirements and undergo engineering review where applicable.



### COMMITMENT TO SAFETY & SUSTAINABILITY

Our products are built with durability, sustainability, and long-term performance in mind, helping create safer, more resilient spaces for generations to come.

For project-specific recommendations, compliance inquiries, or additional support, contact info@pleaseplant.com or call +1 236-323-2179.



This guide is intended for general informational purposes only. Please consult local building codes and a structural engineer for project-specific seismic requirements.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

2026 LOOK BOOK

DESIGN • FUNCTION • BALANCE

## SALES & MARKETING SUPPORT

**PRODUCT CATALOG**
Full lineup overview.

**PROJECT PORTFOLIO / LOOKBOOK**
Case studies and real-world applications.

**CUSTOM SOLUTIONS & OEM GUIDE**
Options for specialized projects.

**ARCHITECT & DESIGNER COLLABORATION PROGRAM**
Partnering opportunities.

**SUSTAINABILITY & LEED CONTRIBUTION GUIDE**
Eco-friendly building support.

**REPS & DEALERS SUPPORT GUIDE**
Sales training, commissions, sample kits.

**REGIONAL CASE STUDIES**
Installations in different climates & industries.



## 2026 LOOK BOOK

SALES & MARKETING SUPPORT

200-100 Park Royal S
Vancouver, BC Canada

info@pleaseplant.com

+1 236-323-2179

pleaseplant.com

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

REV. 0.1

# PLEASE PLANT

PRODUCT CATALOG

# FULL LINEUP OVERVIEW

**DESIGN-DRIVEN. PERFORMANCE-FOCUSED. BUILT FOR PLACE.**

info@pleaseplant.com
+1 236-323-2179

Please Plant manufactures high-performance, sustainable exterior solutions for architectural and landscape environments. Explore our complete catalog of site furnishings, structural systems, outdoor living products, stormwater solutions, and outdoor play equipment.

## 1. EXTERIOR FURNISHINGS | Built for public spaces. Designed to last.



**1.1 BENCHES**
GEO-BNC
Durable. Ergonomic. Timeless.



**1.2 BIKE RACKS**
GEO-BKR
Secure. Functional. Built to endure.



**1.3 BOLLARDS**
GEO-BLD
Protect. Define. Enhance.



**1.4 PLANTERS**
GEO-PLT
Sustainable. Modern. Versatile.



**1.5 OUTDOOR TABLES**
GEO-TBL
Strong. Stylish. Functional.



**1.6 RECEPTACLES**
GEO-REC
Clean. Organized. Sustainable.



**1.7 SHADE STRUCTURES**
GEO-SHD
Comfort. Protection. Design.

## 2. DECKING & RAILINGS | Engineered for safety, strength, and architectural integration.



**2.1 METAL DECKING**
GEO-DCK
Strong. Fire-rated. Customizable.



**2.2 COMPOSITE DECKING**
GEO-CMP
Eco-friendly. Slip-resistant. Low maintenance.



**2.3 GLASS & METAL RAILINGS**
GEO-GRL
Sleek. Secure. Unobstructed.



**2.4 METAL RAILINGS**
GEO-MRL
ADA-compliant. Durable. Versatile.



**2.5 PREFABRICATED STAIRS**
GEO-STA
Modular. Efficient. Built to code.



**2.6 ANTI-SLIP SURFACES**
GEO-SLP
High traction. All conditions.



**2.7 TILE SOLUTIONS**
GEO-TIL
Durable. Beautiful. Built for traffic.

## 3. OUTDOOR LIVING & HEATING | Extend outdoor living into every season.



**3.1 ARTIFICIAL TURF**
GEO-TURF
Realistic. Durable. Low maintenance.



**3.2 BBQS & GRILLS**
GEO-BBQ
Premium. Reliable. Built outdoors.



**3.3 OUTDOOR KITCHENS**
GEO-KCH
Modular. Custom. Complete.



**3.4 FIRE PITS**
GEO-FPT
Warmth. Ambiance. Gather.



**3.5 PATIO HEATERS**
GEO-HTR
Efficient. Safe. All-season.



**3.6 BARS & SERVING STATIONS**
GEO-BAR
Functional. Stylish. Entertain.



**3.7 RETRACTABLE AWNINGS**
GEO-AWN
Shade on demand. Protected.


## 4. STORMWATER SOLUTIONS | Manage water. Protect infrastructure. Support sustainability.



**4.1 MODULAR TANKS**
GEO-TNK
High capacity. Scalable.



**4.2 DRAINAGE PLATFORMS**
GEO-DPL
Efficient flow. Built strong.



**4.3 PERMEABLE PAVERS**
GEO-PVR
Sustainable. High performance.



**4.4 GEOTEXTILE SOLUTIONS**
GEO-TXT
Filter. Stabilize. Protect.



**4.5 INSPECTION PORTS**
GEO-INS
Accessible. Durable.



**4.6 OVERFLOW SYSTEMS**
GEO-OVR
Reliable. Efficient. Engineered.



**4.7 RAIN GARDENS**
GEO-RNG
Manage runoff. Support habitat.

## 5. OUTDOOR PLAY EQUIPMENT | Engaging play systems designed for parks, schools, and public spaces.



**5.1 PLAYGROUND SLIDES**
GEO-SLD
Smooth. Durable. Built to last.



**5.2 PLAY STRUCTURES**
GEO-STR
Modular. Connected. Adventure.



**5.3 CLIMBING SYSTEMS**
GEO-CLM
Active. Challenging. Fun.



**5.4 SWING SETS**
GEO-SWG
Classic. Inclusive. All ages.



**5.5 BALANCE ELEMENTS**
GEO-BAL
Coordinate. Move. Explore.



**5.6 INTERACTIVE PLAY PANELS**
GEO-PNL
Learn. Create. Engage.



**5.7 INCLUSIVE PLAY EQUIPMENT**
GEO-INC
Accessible. Together. Limitless.

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural, 3 years coatings & finishes, 2 years components.

PLEASE PLANT | 200-100 Park Royal S Vancouver, BC Canada | info@pleaseplant.com | +1 236-323-2179 | pleaseplant.com

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

REV. 0.1

# PLEASE PLANT

PROJECT PORTFOLIO

# PAST COMPLETED PROJECTS

**REAL PROJECTS. REAL PERFORMANCE. REAL IMPACT.**

info@pleaseplant.com
+1 236-323-2179

For over a decade, Please Plant has partnered with architects, engineers, and municipalities across North America to deliver high-performance exterior solutions that stand the test of time. Below is a selection of notable projects that highlight our commitment to design, sustainability, and long-term performance.

## 01 — 2024 — SAN DIEGO, CALIFORNIA



### HARBOR ISLAND PARK WATERFRONT RENOVATION

Architect: Stantec
Owner: Port of San Diego

**PRODUCTS SUPPLIED**
- Benches (GEO-BNC)
- Planters (GEO-PLT)
- Bollards (GEO-BLD)
- Receptacles (GEO-REC)
- Shade Structures (GEO-SHD)

LEED Gold Certified
Marine Grade Finishes
High-Traffic Durability

## 02 — 2023 — SEATTLE, WASHINGTON



### UNIVERSITY OF WASHINGTON NORTH CAMPUS PLAZA

Architect: OMB Architects
Owner: University of Washington

**PRODUCTS SUPPLIED**
- Metal Decking (GEO-DCK)
- Glass & Metal Railings (GEO-GRL)
- Metal Railings (GEO-MRL)
- Anti-Slip Surfaces (GEO-SLP)

Sustainable Materials
ADA Compliant
Campus Durability

## 03 — 2022 — VANCOUVER, BRITISH COLUMBIA



### BROADWAY PLAN STREETSCAPE IMPROVEMENTS

Architect: PWL Partnership
Owner: City of Vancouver

**PRODUCTS SUPPLIED**
- Bollards (GEO-BLD)
- Bike Racks (GEO-BKR)
- Benches (GEO-BNC)
- Planters (GEO-PLT)

Urban Heat Mitigation
Corrosion Resistant
10+ Year Performance

## 04 — 2021 — PORTLAND, OREGON



### KOIN TOWER ROOFTOP TERRACE

Architect: SERA Architects
Owner: Lincoln Property Company

**PRODUCTS SUPPLIED**
- Composite Decking (GEO-CMP)
- Outdoor Kitchens (GEO-KCH)
- Fire Pits (GEO-FPT)
- Anti-Slip Surfaces (GEO-SLP)

Long-Life Materials
Wind Load Tested
Rooftop Engineered

## 05 — 2020 — SALT LAKE CITY, UTAH



### LIBRARY SQUARE DOWNTOWN PLAZA

Architect: Method Studio
Owner: Salt Lake City Corp.

**PRODUCTS SUPPLIED**
- Shade Structures (GEO-SHD)
- Outdoor Tables (GEO-TBL)
- Receptacles (GEO-REC)
- Planters (GEO-PLT)

Public Space Enhancement
Vandal Resistant
All-Season Design

## 06 — 2019 — AUSTIN, TEXAS



### MUELLER LAKE PARK PLAYGROUND EXPANSION

Architect: Austin Parks Foundation
Owner: City of Austin

**PRODUCTS SUPPLIED**
- Play Structures (GEO-STR)
- Slides (GEO-SLD)
- Climbing Systems (GEO-CLM)
- Interactive Play Panels (GEO-PNL)

Inclusive Play Solutions
ASTM Safety Compliant
Built for Generations

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-consicous materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural,
3 years coatings & finishes,
2 years components.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

CUSTOM SOLUTIONS & OEM SOLUTIONS

REV. 0.1

## BUILT AROUND YOUR VISION

**TAILORED SOLUTIONS. ENGINEERED PERFORMANCE. ENDLESS POSSIBILITIES.**

info@pleaseplant.com
+1 236-323-2179

At Please Plant, we collaborate with architects, designers, developers, and brands to create unique site solutions that meet the exact requirements of each project. From fully customized products to private label manufacturing, our engineering team, manufacturing capabilities, and material expertise bring your vision to life.

## 01 CUSTOM SOLUTIONS

CUSTOM DESIGNED.
PROJECT SPECIFIC.
BUILT TO PERFORM.





### WE DESIGN. YOU DEFINE.

Our custom solutions are developed for projects with unique design goals, site conditions, or functional requirements. We work with you from concept to completion to deliver products that integrate seamlessly into your vision.

**WHAT WE OFFER**

- Custom dimensions & configurations
- Bespoke finishes & materials
- Laser-cut patterns & branding
- Integrated lighting & power options
- Engineering & technical support
- Prototyping & sample development

**DESIGN FLEXIBILITY**
Custom forms, sizes, details, and finishes.

**ENGINEERED DURABILITY**
Built to meet performance, load, and climate demands.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and responsible manufacturing.

### OUR CUSTOM SOLUTION PROCESS

1. **CONSULT** Share your vision and project needs.
2. **DESIGN** We develop concepts, drawings & samples.
3. **ENGINEER** Our team ensures performance & compliance.
4. **MANUFACTURE** Precision-built to your specifications.
5. **DELIVER** On time, on site, ready to install.

## 02 OEM SOLUTIONS

YOUR BRAND.
OUR CAPABILITY.
STRONGER TOGETHER.







### PARTNER. PRODUCE. SUCCEED.

Our OEM solutions allow you to bring high-quality, durable site products to market under your own brand. We handle the manufacturing, quality control, and logistics—you focus on your customers.

**OEM CAPABILITIES**

- Private labeling & branding
- Custom finishes, colors & materials
- Product modification & co-development
- Scalable production & volume pricing
- Packaging & documentation support
- Long-term supply partnerships

**PRIVATE LABEL READY**
Your logo, your packaging, your brand.

**RELIABLE MANUFACTURING**
Consistent quality, rigorous testing, guaranteed.

**END-TO-END SUPPORT**
From development to delivery, we've got you covered.

### OUR OEM SOLUTION PROCESS

1. **PARTNER** Define goals, market, and product needs.
2. **DEVELOP** We refine product specs & branding requirements.
3. **PRODUCE** Manufactured to the highest standards.
4. **BRAND** Packaged, labeled, and prepared for market.
5. **GROW** Build your brand with confidence & support.

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural,
3 years coatings & finishes,
2 years components.

REV. 0.1

# PLEASE PLANT

ARCHITECT & DESIGNER COLLABORATION PROGRAM

## PARTNER IN DESIGN. DELIVER TOGETHER.

**RESOURCES. SUPPORT. INTEGRATION. EVERY STEP OF THE WAY.**

info@pleaseplant.com
+1 236-323-2179

At Please Plant, we believe great projects start with collaboration. Our Architect & Designer Collaboration Program provides the tools, support, and resources you need to bring bold ideas to life with high-performance site solutions that integrate seamlessly into your design vision.

### 01 DESIGN COLLABORATION BENEFITS

STRONGER DESIGNS. SMOOTHER PROJECTS. BETTER OUTCOMES.















#### DESIGNED TO SUPPORT YOU

We go beyond manufacturing—we support the full design and specification process with dedicated resources, technical expertise, and high-quality documentation tailored to your needs.

#### PROGRAM BENEFITS

- Access to product data & CAD files
- CSI specifications & 3-part specs
- Custom solutions for unique designs
- Substitution request support
- Design assistance & renderings
- Project-specific documentation
- Samples for material evaluation
- Dedicated support from our team

**DEDICATED SUPPORT**
One-on-one assistance from concept through construction.

**DESIGN INTEGRATION**
Products that enhance your design vision and site strategy.

**SUSTAINABLE SOLUTIONS**
High-performance, eco-conscious products aligned with LEED® goals.

#### OUR COLLABORATION PROCESS

1. **CONNECT** — Share your project vision, goals, and requirements.
2. **EXPLORE** — We provide product options, inspiration, and technical resources.
3. **DESIGN** — We support drawings, renderings, custom solutions, and specifications.
4. **REVIEW** — We collaborate through feedback and refine to meet your needs.
5. **DELIVER** — We support you through submittals, approvals, and project delivery.

### 02 TOOLS & RESOURCES FOR YOU

EVERY TOOL YOU NEED. ALL IN ONE PLACE.





PRODUCT DATA SHEETS


CSI SPECIFICATIONS & 3-PART SPECS


CAD DETAILS & BIM FILES


RENDERINGS & VISUALS


MATERIAL SAMPLES & FINISH OPTIONS



SUBMITTAL PACKAGES & DOCUMENTATION

#### RESOURCES THAT HELP YOU DESIGN WITH CONFIDENCE

We provide comprehensive resources that save time, support approvals, and help you specify with confidence.

#### AVAILABLE RESOURCES

- BIM & CAD files
- Revit families & technical drawings
- CSI MasterFormat specifications
- Product data sheets (PDS)
- Sustainability & LEED® information
- Finish & material samples
- Warranty documentation
- Submittal packages
- Custom solution development
- Installation guides

**EASY ACCESS**
All files and resources available on request, when you need them.

**SPECIFICATION READY**
Documents are formatted and organized to streamline approvals.

**BUILT FOR COLLABORATION**
We work as an extension of your team to make your vision a reality.

#### HOW WE SUPPORT YOUR PROCESS

1. **PROJECT KICKOFF** — We understand your goals, timeline, and scope.
2. **RESOURCE DELIVERY** — We provide the tools and information to support your design.
3. **COLLABORATE & REFINE** — We collaborate through every stage to refine the solution.
4. **SPEC & SUBMIT** — We help you prepare complete, coordinated submittals.
5. **BUILD SUCCESS** — We support you through construction and beyond for lasting results.

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural, 3 years coatings & finishes, 2 years components.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

REV. 0.1

# PLEASE PLANT

SUSTAINABILITY & LEED CONTRIBUTION GUIDE

## BUILDING A BETTER FUTURE.


**SUSTAINABLE PRODUCTS. GREEN PROJECTS. LASTING IMPACT.**

info@pleaseplant.com
+1 236-323-2179

At Please Plant, sustainability is at the core of everything we do. Our products are designed to minimize environmental impact, support green building practices, and contribute to healthier, more resilient communities. This guide outlines how our solutions help you achieve LEED® certification and meet your sustainability goals.

## 01 OUR COMMITMENT TO SUSTAINABILITY

SUSTAINABLE BY DESIGN. RESPONSIBLE IN EVERY DETAIL.





### SUSTAINABLE SOLUTIONS

We create high-performance products that are built to last—reducing waste, conserving resources, and enhancing outdoor environments.

### OUR SUSTAINABILITY PILLARS

- Eco-conscious materials
- Durable, long-life performance
- Low environmental impact
- Support for green building
- Local manufacturing & sourcing
- Transparent practices

**PROTECT THE PLANET**
Reduce impact through responsible design and manufacturing.

**ENHANCE COMMUNITIES**
Create functional, beautiful spaces that support well-being.

**BUILD FOR THE FUTURE**
Durable solutions that stand the test of time and climate.

### OUR SUSTAINABILITY APPROACH

**1. RESPONSIBLE MATERIALS**
We select sustainable, recycled, and low-impact materials.

**2. EFFICIENT MANUFACTURING**
We prioritize energy efficiency, waste reduction, and responsible sourcing.

**3. DURABLE PERFORMANCE**
Our products are engineered for long life and minimal maintenance.

**4. SUSTAINABLE SOLUTIONS**
We design products that help meet green building and environmental goals.

**5. BETTER TOGETHER**
We partner with clients and communities to build a more sustainable future.

## 02 LEED® CONTRIBUTION OVERVIEW

OUR PRODUCTS SUPPORT YOUR LEED® JOURNEY.



### LEED CATEGORIES WE SUPPORT

**SUSTAINABLE SITES (SS)**
Supports stormwater management, heat island reduction, and site development.

**WATER EFFICIENCY (WE)**
Supports efficient water use through permeable systems and passive irrigation.

**ENERGY & ATMOSPHERE (EA)**
Contributes through reflectance, shading solutions, and energy-efficient materials.

**MATERIALS & RESOURCES (MR)**
Recycled content, responsible sourcing, and waste reduction.

**INDOOR ENVIRONMENTAL QUALITY (EQ)**
Low-VOC finishes and non-toxic materials support healthy spaces.

**INNOVATION (IN)**
Supports innovative design, pilot credits, and sustainable site strategies.

### EXAMPLE LEED® CREDITS OUR PRODUCTS CAN HELP ACHIEVE

- **SS Credit 6.1 – Stormwater Design**
  Permeable pavers, drainage platforms, and rain gardens help manage runoff.
- **SS Credit 7.1 – Heat Island Reduction**
  Light-colored finishes and shading structures reduce surface temperatures.
- **WE Credit 1 – Water Efficient Landscaping**
  Passive irrigation planters and water-wise landscape solutions.
- **MR Credit 4 – Recycled Content**
  Products manufactured with up to 80% recycled materials.
- **MR Credit 5 – Regional Materials**
  Locally manufactured in North America, reducing transportation emissions.
- **EQ Credit 4.2 – Low-Emitting Materials**
  Powder coatings and finishes with low VOC powder options.
- **IN Credit – Innovation**
  Integrated site solutions and sustainable design flexibility.

## 03 PRODUCT FEATURES THAT MAKE A DIFFERENCE

SMART MATERIALS. STRONG IMPACT. GREENER TOMORROW.

**RECYCLED & RESPONSIBLE MATERIALS**
Up to 80% recycled content in many products. Responsibly sourced where possible.



**DURABLE & LONG-LASTING PERFORMANCE**
Engineered to withstand harsh environments. Built for decades of reliable use.



**LOW MAINTENANCE BY DESIGN**
Minimizes maintenance requirements, reducing resource use and lifecycle costs.



**ENVIRONMENTALLY CONSCIOUS FINISHES**
Low-VOC, powder-coated finishes with high durability and reduced environmental impact.



**WATER & STORMWATER MANAGEMENT**
Drainage platforms, permeable pavers, and rain gardens support water sustainability.



**HEAT ISLAND & ENERGY EFFICIENCY**
Reflective finishes and shade solutions reduce heat gain and support energy efficiency.



**MADE LOCALLY. BUILT RESPONSIBLY.**
North American manufacturing reduces transportation emissions and supports local jobs.



**BUILT TO PERFORM**
Enginnered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural,
3 years coatings & finishes,
2 years components.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

REV. 0.1

# PLEASE PLANT

REP & DEALER SUPPORT PROGRAM

# WE SUPPORT YOUR SUCCESS.


TOOLS. TRAINING. MARKETING. RESULTS.

info@pleaseplant.com
+1 236-323-2179

At Please Plant, we believe strong partnerships build exceptional projects. Our Rep & Dealer Support Program provides comprehensive resources, training, and marketing tools to help you grow your business, win more projects, and deliver outstanding results in your market.

## 01 PARTNERSHIP BENEFITS

YOUR SUCCESS IS OUR PRIORITY. WE GROW TOGETHER.





### BUILT TO BACK YOU UP

We provide the tools, knowledge, and resources you need to confidently represent Please Plant and win projects in your market.

### YOU GET ACCESS TO

- Dedicated inside sales & technical support
- Project-specific design & quoting assistance
- Comprehensive marketing resources
- Product training & technical education
- Fast response times
- Competitive pricing & reliable lead times
- Long-term partnership & growth

**DEDICATED SUPPORT**
A responsive team ready to assist you at every step.

**MARKETING TOOLS**
Professional resources to help you market with confidence.

**GROW YOUR BUSINESS**
We provide the support. You take the credit.

### OUR PARTNERSHIP APPROACH

**1. ONBOARD**
We get to know you, your market, and your goals.

**2. TRAIN**
Product training, resources, and technical education.

**3. EQUIP**
Marketing tools, samples, specs, and pricing resources.

**4. SUPPORT**
Ongoing project, sales, and technical support you can count on.

**5. SUCCEED**
Win more projects, grow your business, be successful.

## 02 TOOLS & RESOURCES

EVERY TOOL YOU NEED. ALL IN ONE PLACE.




PRODUCT DATA SHEETS (PDS)
3-PART CSI SPECIFICATIONS
CAD, BIM & REVIT FILES
RENDERINGS & VISUALS
SAMPLES & FINISH OPTIONS
WARRANTY DOCUMENTS
SUBMITTAL PACKAGES
MARKETING MATERIALS
TRAINING & WEBINARS

### RESOURCES THAT WIN PROJECTS

From pre-sales to project closeout, we provide the documentation, visuals, and training you need to position our products and win more work.

### AVAILABLE RESOURCES

- Product Data Sheets (PDS)
- CSI Specifications & 3-Part Specs
- CAD, BIM, & Revit Files
- High-Quality Renderings & Photos
- Samples & Finish Options
- Warranty & Compliance Documents
- Submittal Packages
- Marketing Brochures & Sell Sheets
- Installation Guides & Details
- Training Videos & Webinars

**EASY ACCESS**
Download anytime from our partner resource portal.

**STAY INFORMED**
New products, updates, and trainings delivered regularly.

## 03 MARKETING & GROWTH SUPPORT

WE HELP YOU GET NOTICED AND CLOSE MORE DEALS.



**CO-OP MARKETING OPPORTUNITIES**
Access co-op funds for approved marketing activities and campaigns that drive results.



**CUSTOM MARKETING MATERIALS**
Branded sell sheets, presentations, and case studies tailored to your market.



**DIGITAL MARKETING SUPPORT**
Social media content, email templates, and digital assets to keep you top of mind.



**TRADE SHOW & EVENT SUPPORT**
Help with booth graphics, samples, and event materials to make an impact.



**ACCOUNT & LEAD SUPPORT**
We help connect you with key accounts and provide leads in your territory.



**SUCCESS STORIES & PROJECT SHOWCASE**
We showcase your projects and successes to build credibility and win more work.

**BUILT TO PERFORM**
Engineered for durability, safety, and real-world conditions.

**SUSTAINABLE BY DESIGN**
Eco-conscious materials and processes that support green building.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural, 3 years coatings & finishes, 2 years components.

PLEASE PLANT | 200-100 Park Royal S Vancouver, BC Canada | info@pleaseplant.com | +1 236-323-2179 | pleaseplant.com

# PLEASE PLANT

REGIONAL CASE STUDY

REV. 0.1

info@pleaseplant.com
+1 236-323-2179

# SEATTLE WATERFRONT PROMENADE

**DURABLE SOLUTIONS. SUSTAINABLE IMPACT. BUILT FOR THE COMMUNITY.**

In partnership with the City of Seattle and OMB Architects, Please Plant provided a comprehensive suite of exterior furnishings and stormwater solutions for the revitalization of a key waterfront promenade. The design emphasizes sustainability, accessibility, and long-term performance in a high-traffic, marine environment.


PROJECT
**01**

SEATTLE
WASHINGTON

COMPLETED
2023

"Please Plant solutions delivered exceptional quality, aesthetic integration, and sustainability value across the entire waterfront."

– OMB Architects















## PROJECT OVERVIEW

**LOCATION:** Seattle, Washington

**CLIENT:** City of Seattle

**ARCHITECT:** OMB Architects

**LANDSCAPE ARCHITECT:** Site Workshop

**COMPLETION:** 2023

## PRODUCTS SUPPLIED

- Benches (GEO-BNC)
- Planters (GEO-PLT)
- Bollards (GEO-BLD)
- Trash & Recycling Receptacles (GEO-REC)
- Metal Railings (GEO-MRL)
- Anti-Slip Surfaces (GEO-SLP)
- Drainage Platforms – AquaVoid (GEO-DPL)
- Permeable Pavers (GEO-PVR)

**SUSTAINABLE MATERIALS**

**MARINE GRADE FINISHES**

**HIGH-TRAFFIC DURABILITY**

**LEED® CONTRIBUTING**

## THE CHALLENGE

The project required site furnishings and infrastructure that could withstand Seattle's marine environment, support high foot traffic, and contribute to stormwater management and sustainability goals.

- Exposure to harsh saltwater conditions
- High pedestrian volumes year-round
- Stormwater management & drainage
- Durable, low-maintenance materials
- Aesthetic integration with waterfront design

## OUR SOLUTION

Please Plant delivered a fully integrated system of site furnishings and stormwater solutions engineered for performance, sustainability, and design flexibility.

- Marine-grade finishes and materials
- AquaVoid drainage platforms for subsurface water management
- Permeable pavers to reduce runoff
- Coordinated product palette for seamless design
- Long-life products with minimal maintenance

## THE RESULTS

The Seattle Waterfront Promenade is a resilient, sustainable public space that enhances the community experience while protecting the environment.

**90%+**
Stormwater captured and managed on-site

**80%**
Recycled content across selected products

**Long-Term Value**
Built for durability and minimal maintenance

**LEED® Contribution**
Products support SS, MR, WE, and IN credits

**Enhanced Public Space**
Functional, beautiful, and built to last

## KEY PRODUCT FEATURES HIGHLIGHTED

**ECO-CONSCIOUS**
Up to 80% recycled materials in select products.

**BUILT TO PERFORM**
Engineered for marine environments and extreme conditions.

**SPECIFICATION READY**
PDS, CSI specs, CAD files, and submittals available on request.

**MADE TO SUPPORT YOU**
Dedicated team. Fast responses. Real solutions.

**WARRANTIED QUALITY**
8 years structural,
3 years coatings & finishes,
2 years components.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

2026 LOOK BOOK

DESIGN • FUNCTION • BALANCE

## INSTALLATION & SITE PREPARATION

**GENERAL OUTDOOR INSTALLATION GUIDE**
Site prep, material handling.

**DRAINAGE & WATER MANAGEMENT**
For pavers, planters, decking.

**THERMAL EXPANSION & CONTRACTION GUIDE**
Material movement best practices.

**FASTENER & ANCHORING GUIDE**
Recommendations for different substrates.

**RETROFITTING & FIELD MODIFICATIONS GUIDE**
Cutting, drilling, refinishing.

**COLD WEATHER & SNOW LOAD GUIDE**
Performance in harsh climates.

**ANTI-GRAFFITI & VANDALISM RESISTANCE GUIDE**
Maintenance for public spaces.



## 2026 LOOK BOOK
INSTALLATION & SITE PREPARATION

200-100 Park Royal S
Vancouver, BC Canada
info@pleaseplant.com
+1 236-323-2179
pleaseplant.com

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

2026 LOOK BOOK

DESIGN • FUNCTION • BALANCE



## GENERAL POLICIES & INFORMATION

**GENERAL WARRANTY SUMMARY**
Durability expectations, no legal terms.

**SHIPPING & LEAD TIMES GUIDE**
Production timelines by product category.

**MATERIAL RECYCLING & DISPOSAL GUIDE**
Sustainable end-of-life solutions.

**INDUSTRY STANDARDS & TESTING OVERVIEW**
ASTM, ANSI, ISO compliance.

**MAINTENANCE SERVICE PROGRAMS**
Extended care options.

## 2026 LOOK BOOK


GENERAL POLICIES & INFORMATION

200-100 Park Royal S
Vancouver, BC Canada
info@pleaseplant.com
+1 236-323-2179
pleaseplant.com

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# GENERAL POLICIES & INFORMATION



## Please Plant

Guidelines for Product Use, Ordering, Installation, and Support

Please Plant is committed to providing high-quality products and services designed to meet industry standards for durability, performance, and sustainability. Our policies ensure transparency, accountability, and a seamless experience for our customers and partners.

### PRODUCT INFORMATION

All products are manufactured to industry best practices. Specifications and performance details are available upon request. Details may vary due to continuous product improvements. Please verify for project suitability.

### ORDERING & LEAD TIMES

Orders are processed based on availability and production schedules. Lead times vary by product, customization, and order volume. Confirm lead times at the time of order placement.

### INSTALLATION & USE

Products must be installed in accordance with industry standards and local codes. It is the responsibility of the purchaser or installer to ensure suitability for site conditions and structural requirements.

### MAINTENANCE & CARE

Regular maintenance preserves product integrity and longevity. Follow recommended cleaning and care instructions provided for each material type.

### RETURNS & EXCHANGES

Returns and exchanges are evaluated case-by-case. Products that are installed, modified, or damaged due to improper handling may not be eligible for return.

### SUSTAINABILITY & RECYCLING

We prioritize environmentally responsible manufacturing. Many products contain recycled materials and can be repurposed or recycled. Refer to our Recycling & Disposal Guide for more information.

### CUSTOMER SUPPORT

Our team is available to assist with product specifications, orders, and general inquiries. For site-specific requirements, consult with industry professionals.

### POLICY UPDATES

Policies and product information are subject to change. Contact us directly for the most up-to-date details on our products and procedures.



PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# DRAINAGE & WATER MANAGEMENT

## OPTIMIZING SITE PERFORMANCE



### Please Plant

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179

### OVERVIEW

Proper drainage is essential for maintaining the longevity and performance of outdoor products. Effective water management prevents pooling, erosion, and damage from freeze-thaw cycles. Please Plant integrates drainage solutions into our site furnishings, decking, planters, and stormwater systems to ensure long-term durability with minimal maintenance.

### SYSTEM APPLICATIONS

- **Furnishings & Fixtures** – Drainage holes and non-absorbent materials prevent water buildup.
- **Planters & Green Infrastructure** – Weep holes and sub-base drainage protect plant health.
- **Decking & Paving** – Grading, drainage membranes, and permeable substrates improve runoff.
- **Stormwater Solutions** – Permeable pavers, retention tanks, and geotextiles support sustainable site drainage.

### INSTALLATION & BEST PRACTICES

- **Grading & Site Prep** – Ensure surfaces slope correctly for natural runoff.
- **Drainage Pathways** – Keep weep holes and channels clear to maintain continuous flow.
- **Structural Considerations** – Allow for airflow and material movement to prevent trapped moisture.



### PERFORMANCE & COMPLIANCE

Please Plant products meet or exceed ASTM, ANSI, and ISO standards for water resistance, permeability, and freeze-thaw durability. Hydrostatic load testing and weather resistance assessments ensure long-term performance.



### SUSTAINABILITY COMMITMENT

Our drainage solutions support LEED certification by improving permeability, reducing water waste, and integrating eco-friendly materials.





### SUPPORT & CONSULTATION

For project-specific recommendations and installation guidance, contact info@pleaseplant.com.



PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# THERMAL EXPANSION & CONTRACTION GUIDE

## MATERIAL MOVEMENT BEST PRACTICES



### Please Plant

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179

### OVERVIEW

All materials expand and contract with temperature fluctuations, requiring proper installation considerations to maintain performance. Managing material movement effectively prevents warping, cracking, and structural stress over time.

### MATERIAL BEHAVIOR

- **Metals** – Aluminum and stainless steel exhibit significant thermal expansion and require movement allowances.
- **Composites & Plastics** – Moderate expansion rates, but prolonged UV exposure can accelerate wear.
- **Concrete & Stone** – Low expansion, yet repeated heating and cooling cycles may cause stress fractures.





### INSTALLATION BEST PRACTICES

- **Expansion Joints** – Allow for movement at designated intervals to prevent material distortion.
- **Anchoring & Fasteners** – Use flexible fastening methods that accommodate slight shifts.
- **Spacing & Gaps** – Follow manufacturer recommendations for decking, cladding, and railings to avoid buckling.



### ENVIRONMENTAL CONSIDERATIONS

- **High Heat** – Increased expansion requires flexible joints or wider spacing.
- **Cold Climates** – Contraction may cause gaps; select materials suited for extreme temperatures.




### EXPANSION JOINTS

Allow for movement at designated intervals to prevent material distortion and stress buildup.



### ANCHORING & FASTENERS

Use flexible fastening methods such as slotted holes, oversized holes, or floating clips to accommodate material movement.



### MAINTENANCE & COMPLIANCE

Regular inspections ensure structural integrity. Fasteners and joints should be checked periodically, and protective coatings can help mitigate environmental stress.

Please Plant products meet ASTM and ANSI standards for thermal performance, with compliance documentation available upon request.



PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# FASTENER & ANCHORING GUIDE

## BEST PRACTICES FOR SECURE INSTALLATIONS



### Please Plant

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179

### OVERVIEW

Selecting the appropriate fasteners and anchoring methods is essential for ensuring the stability, longevity, and safety of exterior furnishings, decking, and architectural components. Different substrates require specific anchoring solutions to accommodate load-bearing requirements, material compatibility, and environmental conditions.

### UNDERSTANDING FASTENERS & ANCHORS

Fasteners and anchors come in various forms, each suited for specific applications. Understanding their function is key to selecting the right hardware.

- **Mechanical Fasteners** – Includes screws, bolts, and expansion anchors that rely on friction or compression for holding strength.
- **Adhesive Anchors** – Uses epoxy or chemical bonding agents to secure fasteners in place, ideal for high-load applications.
- **Hidden Fastening Systems** – Designed for applications where aesthetics are a priority, such as decking or architectural panels.



### CONCRETE & MASONRY

Concrete is a strong but brittle material requiring expansion or adhesive-based anchors for effective load distribution.

- **Recommended Fasteners:** Expansion bolts, wedge anchors, and epoxy-set anchors for seismic-rated or high-load applications.
- **Installation Tip:** Pre-drilling holes to the proper depth and cleaning out debris ensures maximum anchor grip.



EXPANSION BOLT | WEDGE ANCHOR | EPOXY-SET ANCHOR

### WOOD & COMPOSITE MATERIALS

Wood expands and contracts with temperature and humidity changes, requiring flexible fasteners to prevent warping or splitting.

- **Recommended Fasteners:** Stainless steel lag screws, deck screws with corrosion-resistant coatings, and concealed clip systems for composite applications.
- **Installation Tip:** Pre-drilling is recommended for hardwoods and composite materials to prevent splitting.



LAG SCREW | DECK SCREW | HIDDEN CLIP SYSTEM

### METAL INSTALLATIONS

Metal surfaces require self-tapping screws or bolts with locking mechanisms to ensure secure fastening.

- **Recommended Fasteners:** Self-tapping screws, machine screws with lock nuts, and rivets for maximum holding strength.
- **Installation Tip:** Use washers or locking nuts to prevent loosening due to vibration or temperature shifts.



SELF-TAPPING SCREW | MACHINE SCREW WITH LOCK NUT | RIVET

### ENVIRONMENTAL CONSIDERATIONS

Corrosion, moisture, and temperature fluctuations impact fastener performance and longevity.

- Use corrosion-resistant materials such as stainless steel or hot-dip galvanized fasteners.
- Apply protective coatings in high-moisture or coastal environments.
- Accommodate material movement with expansion allowances and flexible joint systems.



CORROSION RESISTANT | HIGH MOISTURE ENVIRONMENTS | FREEZE-THAW CYCLES

### MAINTENANCE & INSPECTION

Regular inspections and proper maintenance ensure long-term structural integrity.

- Check fasteners for tightness and corrosion periodically.
- Replace worn or damaged fasteners immediately.
- Follow manufacturer guidelines for load capacities and re-torque requirements.




PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# RETROFITTING & FIELD MODIFICATIONS GUIDE

## CUTTING, DRILLING, AND REFINISHING



### Please Plant

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179

### OVERVIEW

Please Plant products are designed for long-term durability and ease of installation. Field modifications such as cutting, drilling, or refinishing may be necessary to meet project-specific requirements, retrofit existing installations, or accommodate unique site conditions. This guide provides best practices to ensure modifications maintain the product's integrity, longevity, and aesthetic quality.

### CUTTING GUIDELINES

Use the appropriate tools based on the material type:

- **Metal Components:** Use a cold saw or plasma cutter to minimize heat distortion.
- **Composite & Polymer Materials:** A fine-tooth carbide saw blade ensures clean cuts with minimal chipping.
- **Wood & Wood-Composites:** A circular or miter saw is recommended for precise, smooth cuts.



### DRILLING RECOMMENDATIONS

Drilling should be performed using suitable drill bits for each material:

- **Metal:** Use high-speed steel (HSS) or carbide-tipped drill bits at low speeds with lubricant to prevent overheating and burr formation.
- **Composites & Plastics:** Apply light pressure to avoid cracking and splintering.
- **Wood:** Use standard woodworking bits and seal drilled areas to prevent moisture infiltration.



### REFINISHING PROCEDURES

Refinish exposed or modified edges to maintain protective coatings and prevent degradation:

- **Powder-Coated Surfaces:** Use manufacturer-approved touch-up paint to restore protection.
- **Anodized Aluminum:** Apply an anodizing repair solution to prevent oxidation.
- **Composite Materials:** Use appropriate sealants to maintain resistance to moisture and UV exposure.



### BEST PRACTICES & PRECAUTIONS

- Perform all modifications in a controlled environment to avoid contamination of adjacent surfaces.
- Prevent cross-contamination between dissimilar metals to reduce the risk of galvanic corrosion.
- Ensure all field modifications comply with local building codes and industry best practices.
- Use appropriate personal protective equipment (PPE) when handling tools and refinishing agents.

### ENVIRONMENTAL CONSIDERATIONS

- **High Heat:** Increased expansion requires flexible joints or wider spacing.
- **Cold Climates:** Contraction may cause gaps; select materials suited for extreme temperatures.



### COMPLIANCE & LIMITATIONS

Modifications made in the field may impact the original manufacturer's warranty. Extensive alterations should be reviewed and approved by a project manager or engineer before proceeding. For extensive modifications, consult Please Plant to ensure long-term product performance and compliance with industry standards.

### CONTACT INFORMATION

For additional support regarding field modifications, refinishing materials, or approved touch-up kits, contact Please Plant at info@pleaseplant.com or call +1 236-323-2179.





This guide serves as a reference and should be used in conjunction with local building codes and best practices.

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# COLD WEATHER & SNOW LOAD GUIDE



## Please Plant

Manufacturer: Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179

### OVERVIEW

Please Plant products are designed to withstand various environmental conditions, including extreme cold and heavy snow loads. This guide provides best practices for installation, maintenance, and performance considerations in harsh climates. While our products meet industry standards, site-specific engineering and consultation with professionals are recommended for optimal performance.

### COLD WEATHER CONSIDERATIONS

Materials are selected for resistance to thermal expansion and contraction. Metal components feature corrosion-resistant coatings to endure freeze-thaw cycles, while composites and polymers retain structural integrity in sub-zero temperatures.

For prolonged extreme exposure, additional reinforcements or protective treatments may be necessary.



### SNOW LOAD PERFORMANCE

Products are engineered to align with industry standards for snow load capacity. Factors such as location, accumulation patterns, and structural requirements should be evaluated by project planners. It is the responsibility of engineers and designers to determine if additional reinforcement is required to meet local regulations and safety guidelines.



### INSTALLATION BEST PRACTICES

- Ensure fasteners, anchors, and support structures are installed in accordance with manufacturer recommendations and local building codes.
- In areas with heavy snowfall, install products with proper drainage and load distribution to prevent excessive stress.
- Consider anti-corrosion treatments or protective coatings to extend the lifespan of materials in cold environments.



### MAINTENANCE & INSPECTION

Regular maintenance is essential for long-term performance in cold climates. Snow removal and periodic inspections should be conducted to check for structural stress, fastener integrity, and potential corrosion.

Reapplying protective coatings as needed can further enhance durability.



### BEST PRACTICES & PRECAUTIONS

- Perform all modifications in a controlled environment to avoid contamination of adjacent surfaces.
- Prevent cross-contamination between dissimilar metals to reduce the risk of galvanic corrosion.
- Ensure all field modifications comply with local building codes and industry best practices.
- Use appropriate personal protective equipment (PPE) when handling tools and refinishing agents.

### COMPLIANCE & LIMITATIONS

Modifications made in the field may impact the original manufacturer's warranty. Extensive alterations should be reviewed and approved by a project manager or engineer before proceeding.

For extensive modifications, consult Please Plant to ensure long-term product performance and compliance with industry standards.



### CONTACT INFORMATION

For further details on product specifications, installation recommendations, and maintenance support, contact Please Plant.

info@pleaseplant.com
+1 236-323-2179



PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT WARRANTY

## BUILT TO LAST. BACKED BY OUR PROMISE.




### Please Plant

**Manufacturer:** Please Plant
Contact: info@pleaseplant.com | +1 236-323-2179

We stand behind the quality of every product we build. Engineered for durability, crafted with care, and supported with a warranty you can trust.

### 8 YEAR STRUCTURAL WARRANTY

Against defects in materials and workmanship under normal use.

### 3 YEAR COATINGS & FINISHES WARRANTY

Covers premature wear, peeling, and corrosion.

### 2 YEAR WORKMANSHIP WARRANTY

Covers general workmanship, including moving parts and mechanical components.

This warranty is valid only if products have been properly stored, handled, installed, and maintained per Please Plant's Installation, Handling, and Maintenance Guidelines.

### EXCLUSIONS & LIMITATIONS

This warranty does not cover, and Please Plant is not liable for:

- Improper installation, misuse, neglect, or lack of routine maintenance.
- Damage due to vandalism, accidents, or acts of nature (flooding, extreme weather, earthquakes, or fire).
- Unauthorized modifications, alterations, or repairs by anyone other than Please Plant or an authorized representative.
- Normal wear and tear, including minor surface imperfections, fading, or discoloration.
- Products not properly stored before installation or damage reported after installation.
- Incidental or consequential damages, including labor costs, transportation fees, loss of use, or property damage.

Failure to properly install or maintain the product per Please Plant's maintenance guidelines may void this warranty.

### CARE & MAINTENANCE

Proper care is essential to preserve the integrity and longevity of Please Plant products.

- Clean surfaces with mild soap and water; avoid harsh chemicals or abrasive materials.
- Inspect fasteners, joints, and structural components periodically for wear or damage.
- Lubricate hinges and moving parts as required.
- Perform more frequent maintenance in coastal, extreme heat, or industrial environments to protect against accelerated wear.





### WARRANTY CLAIMS

To initiate a warranty claim, customers must provide:

- Product details, including model number and purchase date.
- A description of the issue, including supporting photographs.
- Proof of purchase and installation records, if applicable.

Claims must be submitted within the applicable warranty period. All claims require pre-approval and will be subject to inspection by a Please Plant representative.

Please Plant reserves the right, at its sole discretion, to repair, replace, or refund the purchase price of any defective product.

**No refunds will be issued for shipping, installation, or labor costs.**

### COMPLIANCE & STANDARDS

Please Plant products meet or exceed ASTM, ANSI, ISO, and CSA standards for durability, safety, and quality in commercial and architectural applications.

### BUILT SUSTAINABLY

Our commitment to sustainability is built into every product. Many Please Plant products are manufactured with up to 80% recycled content and support LEED® certification for Material & Resources.



### CONTACT INFORMATION

For questions about warranty coverage, claims, or maintenance recommendations, please contact Please Plant.

info@pleaseplant.com
+1 236-323-2179



PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# MATERIAL RECYCLING & DISPOSAL GUIDE

## SUSTAINABLE END-OF-LIFE SOLUTIONS



PLEASE PLANT

info@pleaseplant.com
+1 236-323-2179

## OVERVIEW

Please Plant is dedicated to sustainability and responsible waste management. Our products are designed for long-term durability and recyclability, ensuring minimal environmental impact at the end of their lifecycle.

## MATERIAL RECYCLING OPTIONS

### METALS
(Steel, Aluminum, Stainless Steel)

100% recyclable through standard metal recycling programs.

### COMPOSITES & PLASTICS

Select composites can be processed through specialized recycling facilities.

### WOOD & ORGANIC MATERIALS

Designed for longevity but can be repurposed, composted, or disposed of through municipal waste services.

### COATED & PAINTED SURFACES

Requires handling through designated disposal facilities to prevent environmental contamination.

## END-OF-LIFE DISPOSAL & REPURPOSING

Before disposal, we encourage repurposing or donation to extend product longevity. Many components can be refinished, refurbished, or used in alternative applications. Customers seeking assistance with repurposing options can contact our support team.

## RESPONSIBLE WASTE MANAGEMENT

Regional regulations vary, and customers should follow local waste disposal guidelines for large-scale removals. For bulk recycling solutions, Please Plant can provide recommendations for certified recycling partners to ensure compliance with sustainability best practices.

## SUSTAINABILITY COMMITMENT

Please Plant integrates circular economy principles into our manufacturing and disposal processes. Our products are designed for minimal landfill impact, supporting global sustainability initiatives through responsible sourcing, production, and end-of-life recycling.

## CONTACT & SUPPORT

For guidance on recycling, disposal, or repurposing, contact our team today.

info@pleaseplant.com
+1 236-323-2179

# INDUSTRY STANDARDS & TESTING OVERVIEW

## ASTM, ANSI, ISO COMPLIANCE



PLEASE PLANT
info@pleaseplant.com
+1 236-323-2179

## OVERVIEW

Please Plant is committed to delivering high-quality products that meet or exceed industry standards for safety, durability, and environmental sustainability. Our products undergo rigorous testing and certification to ensure compliance with globally recognized benchmarks, including ASTM, ANSI, and ISO standards.

## COMPLIANCE & CERTIFICATIONS

### ASTM
**AMERICAN SOCIETY FOR TESTING AND MATERIALS**

Our materials, finishes, and structural components comply with ASTM standards for corrosion resistance, fire safety, load-bearing performance, and environmental exposure.

### ANSI
**AMERICAN NATIONAL STANDARDS INSTITUTE**

Products meet ANSI specifications for safety, ergonomics, and accessibility, ensuring suitability for public, commercial, and institutional applications.

### ISO
**INTERNATIONAL ORGANIZATION FOR STANDARDIZATION**

Manufacturing and quality control processes align with ISO 9001 certification, guaranteeing consistent product performance and reliability.

## TESTING PROCEDURES

Each product category is subjected to performance testing to validate compliance with safety and durability standards.

### STRUCTURAL LOAD TESTING
Verifying weight capacity and impact resistance for benches, railings, decking, and other, load-bearing components.

### ENVIRONMENTAL EXPOSURE TESTING
Assessing UV stability, corrosion resistance, and material degradation under extreme weather conditions.

### FIRE & SAFETY COMPLIANCE
Ensuring adherence to ASTM E84 and CAN ULC-S102 standards for fire performance and flammability.

### SURFACE & FINISH DURABILITY
Evaluating coatings for resistance to abrasion, chemicals, and prolonged use.

## CERTIFICATION DOCUMENTATION

Please Plant provides certification documentation upon request, ensuring compliance with project-specific requirements. Third-party testing reports, material safety data sheets (MSDS), and technical specifications are available to confirm regulatory adherence.

## CONTINUOUS IMPROVEMENT

We are dedicated to continuous product improvement and regularly update our manufacturing and testing processes to align with the latest industry advancements. Our research and development team actively collaborates with regulatory agencies to enhance product performance and sustainability.

## CONTACT & SUPPORT

For detailed compliance documentation, testing certifications, or technical inquiries, contact our support team.

info@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# MAINTENANCE SERVICE PROGRAMS

## EXTENDED CARE OPTIONS




PLEASE PLANT

info@pleaseplant.com
+1 236-323-2179

## OVERVIEW

Please Plant offers extended maintenance service programs designed to maximize the lifespan and performance of our products in commercial, municipal, and institutional settings. While our products are engineered for durability and minimal upkeep, regular inspections and preventive maintenance can further enhance longevity, ensuring continued reliability in high-traffic environments.

## MAINTENANCE PROGRAM OPTIONS

### STANDARD MAINTENANCE GUIDELINES

Complimentary best practices for cleaning, inspections, and routine care, ensuring optimal product performance.

### SCHEDULED PREVENTIVE MAINTENANCE

Custom service schedules available for high-use applications, helping to identify and address minor issues before they escalate.

### REPLACEMENT PARTS & UPGRADES

Access to manufacturer-approved replacement components and product enhancements for extended service life.

### SPECIALIZED SUPPORT FOR CUSTOM FINISHES

Additional care recommendations for products with unique coatings, branding, or specialty materials.

## ELIGIBILITY & ENROLLMENT

Maintenance services are available for all standard product lines, including exterior furnishings, decking, railings, outdoor living products, and stormwater solutions. Custom maintenance agreements may be developed for large-scale projects based on purchase volume and site-specific conditions.

## HOW TO REQUEST SERVICE

For maintenance inquiries, product care recommendations, or enrollment in an extended care program, contact our support team.

## CONTACT & SUPPORT

We are here to help you protect your investment and extend the life of your products.

info@pleaseplant.com
+1 236-323-2179

PLEASE PLANT

200-100 Park Royal S, Vancouver, BC
236-323-2179
info@pleaseplant.com
www.pleaseplant.com

# PLEASE PLANT

2026 LOOK BOOK

DESIGN • FUNCTION • BALANCE

## THANK YOU

Thank you for exploring the **Please Plant 2026 Look Book.**

We appreciate the opportunity to partner with you in creating innovative, sustainable, and timeless outdoor environments.

Together, we can design spaces that inspire communities and stand the test of time.

**OUR COMMITMENT**
We are committed to quality, sustainability, and innovation in every product we create.

**LET'S COLLABORATE**
Have a project in mind? Our team is here to help bring your vision to life.

**STAY CONNECTED**
Follow us for updates, new product releases, and design inspiration.

LET'S GROW BETTER SPACES.



2026
LOOK BOOK
THANK YOU

200-100 Park Royal S
Vancouver, BC Canada
info@pleaseplant.com
+1 236-323-2179
pleaseplant.com